



**HAL**  
open science

## **Editorial on the advanced characterization techniques for studying high-temperature corrosion**

Laurence Latu-Romain, Jérôme Favergeon, Bruce Pint, Daniel Monceau, Clara Desgranges, Stéphane Mathieu, Fernando Pedraza

### ► **To cite this version:**

Laurence Latu-Romain, Jérôme Favergeon, Bruce Pint, Daniel Monceau, Clara Desgranges, et al.. Editorial on the advanced characterization techniques for studying high-temperature corrosion. High Temperature Corrosion of Materials, 2024, 101 (5), pp.1195-1196. <10.1007/s11085-024-10294-3>. <hal-04806338>

**HAL Id: hal-04806338**

**<https://hal.science/hal-04806338v1>**

Submitted on 16 Jan 2025

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



HAL Authorization



## Editorial on the Advanced Characterization Techniques for Studying High-Temperature Corrosion

Laurence Latu-Romain<sup>1</sup> · Jérôme Favergeon<sup>2</sup> · Bruce Pint<sup>3</sup> · Daniel Monceau<sup>4</sup> · Clara Desgranges<sup>5</sup> · Stéphane Mathieu<sup>6</sup> · Fernando Pedraza<sup>7</sup>

Published online: 24 August 2024

© The Author(s), under exclusive licence to Springer Science+Business Media, LLC, part of Springer Nature 2024

The following papers are from selected presentations in the “Advanced Characterization Techniques” session of the 11th International Conference on High-Temperature Corrosion and Protection of Materials (HTCPM-2024) in June 2024 in Les Embiez, France.

Characterization techniques enable the identification of the fine nature of oxide scales developed on the surface of metallic alloys, as well as any chemical and

---

✉ Laurence Latu-Romain  
Laurence.latu-romain@univ-grenoble-alpes.fr

Jérôme Favergeon  
jerome.favergeon@utc.fr

Bruce Pint  
pintba@ornl.gov

Daniel Monceau  
daniel.monceau@toulouse-inp.fr

Clara Desgranges  
clara.desgranges@cea.fr

Stéphane Mathieu  
stephane.mathieu@univ-lorraine.fr

Fernando Pedraza  
fernando.pedraza@univ-lr.fr

<sup>1</sup> SIMaP, Université Grenoble Alpes, Grenoble, France

<sup>2</sup> Université de Technologie de Compiègne, Roberval (Mechanics Energy and Electricity), Compiègne, France

<sup>3</sup> Materials Science and Technology Division, Oak Ridge National Laboratory, Oak Ridge, TN, USA

<sup>4</sup> CNRS, CIRIMAT/Université de Toulouse, Toulouse, France

<sup>5</sup> CEA, Université Paris-Saclay, Gif-sur-Yvette, France

<sup>6</sup> CNRS, Université de Lorraine, Nancy, IJL, France

<sup>7</sup> LaSIE, La Rochelle Université, La Rochelle, France

structural modifications of the metal beneath the oxide scale. Using a combination of characterization techniques often allows us to discover the material's constitution in detail, enabling us to understand oxide growth mechanisms and corrosion phenomena.

These papers bring together studies on the oxidation of mainly nickel-based materials (from pure Ni through chemically graded materials to industrial alloys), pure copper, and ferrite-pearlitic steels. Various combined characterization techniques are used, with electron microscopy being associated with another characterization technique, such as:

- In situ environmental scanning electron microscopy (SEM) and transmission electron microscopy (TEM)
- Dual-focused ion beam scanning electron microscopy (FIB-SEM) and TEM
- In situ environmental TEM
- SEM and Raman spectroscopy maps; and
- SEM and acoustic emission signals.

In situ SEM and TEM characterization techniques with a low oxygen partial pressure (from 0.03 to ~30 Pa) are often used, highlighting the nature of transient oxides or the role played by grain orientation on oxide nucleation and growth. For example, the effect of nitrogen in the reaction gas on oxidation mechanisms in Ti alloys or crack propagation modes (thanks to an acoustic emission signal study) is discussed herein.

**Publisher's Note** Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.