



**HAL**  
open science

## **Deep Eutectic Solvents: Properties Induced by Nanometric Confinement**

Mohammad Nadim Kamar, Denis Morineau, Armin Mozhddehei, Basma Dupont, Alain Moréac, Ronan Lefort, Viviana Cristiglio, Jacques Ollivier, Markus Appel

### ► **To cite this version:**

Mohammad Nadim Kamar, Denis Morineau, Armin Mozhddehei, Basma Dupont, Alain Moréac, et al.. Deep Eutectic Solvents: Properties Induced by Nanometric Confinement. CNRS GDR Groupement de recherche SolvATE Solvatation : Avancées Théoriques et Expérimentales (Solvate 2024: 7th meeting of solvate network ), Francesca Ingrosso, Nov 2024, Dijon, France. <hal-04842346>

**HAL Id: hal-04842346**

**<https://hal.science/hal-04842346v1>**

Submitted on 17 Dec 2024

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



HAL Authorization

## Deep Eutectic Solvents: Properties Induced by Nanometric Confinement

**MN. Kamar**<sup>a</sup>, D. Morineau<sup>a</sup>, A. Mozhdzhehi<sup>a</sup>, A. Moréac<sup>a</sup>, R. Lefort<sup>a</sup>, V. Cristiglio<sup>b</sup>, J. Ollivier<sup>b</sup>, M. Appel<sup>b</sup>

<sup>a</sup>Institute of Physics of Rennes, University of Rennes, UMR-CNRS 6251, 35700 Rennes, France

<sup>b</sup>Institute Laue-Langevin, 38000 Grenoble, France

E-mail: Mohammad-nadim.kamar@univ-rennes.fr

Over the past decade, Deep Eutectic Solvents (DESs) have garnered significant attention within the scientific community due to their remarkable functional properties, positioning them as promising alternatives to conventional solvents in green chemistry initiatives [1,2]. Notably, DESs exhibit unconventional behavior stemming from the formation of nanoscopic domains and dynamic heterogeneity across nanometers scale, attributed to the intricate interplay of ionic and hydrogen bonding interactions among their molecular constituents [3,4]. Consequently, unravelling the physicochemical intricacies of DESs at the mesoscopic level has emerged as a pivotal pursuit. The interrogation of DES behavior under mesoporous confinement stands as a particularly pertinent endeavour, given the pivotal role of interfaces and nanopores in numerous targeted applications of these solvents. Hence, a pressing question arises regarding the impact of mesoporous confinement on the structure and dynamic (diffusion, rotation and relaxation) heterogeneities inherent within DES systems [5,6].

The structural and dynamic behavior of Ethaline—a deep eutectic solvent (DES) consisting of choline chloride and ethylene glycol—was analyzed in both bulk and confined states within mesostructured porous silicas (SBA-15) using Neutron Diffraction and Incoherent Quasielastic Neutron Scattering (QENS) experiments. A broad dynamical range was achieved by combining of time-of-flight (IN5B) and backscattering (IN16B) QENS spectrometers, yielding complementary energy resolution capabilities. This study offers a detailed microscopic characterization of the confined Ethaline system, evaluating parameters including the elastic incoherent structure factor, diffusion coefficients, residence times, relaxation times, and their temperature-dependent behavior [7-9].




Figure: (upper panel) Sketch of studied systems and their dynamic structure factor. (lower panel) Confinement effect on the Quasielastic broadening of the slow (jump-diffusion) process, elastic incoherent structure factor (EISF), and temperature dependence of the residence time.

### References

- [1] A. Jani, T. Sohier, D. Morineau J. Mol. Liq., 304, 112701 (2020)
- [2] L. Percevault, A. Jani, T. Sohier, L. Noirez, L. Paquin, F. Gauffre, D. Morineau J. Phys. Chem. B, 124 (41) 9126-9135 (2020)
- [3] B. Malfait, A. Jani, D. Morineau J. Mol. Liq., 349, 118488 (2022)
- [4] B. Malfait, A. Pouessel, A. Jani, D. Morineau J. Phys. Chem. Lett., 11 (14), 5763-5769 (2020)
- [5] A. Jani, B. Malfait, D. Morineau J. Chem. Phys., 154 (16)164508 (2021)
- [6] C. D'Hondt, D. Morineau J. Mol. Liq. 365, 120145 (2022)
- [7] A.G. Novikov et al. Physica B 350 (2004) 363–366
- [8] Mantle et al. Phys. Chem. 2011, 13, 21383–21391
- [9] Mamontov et al. J. Phys. Chem. Lett. 2015, 6, 2924–2928