



HAL
open science

Editorial: Probing out-of-equilibrium soft matter

Irmgard Bischofberger, Ramón Castañeda-Priego, Roberto Cerbino, Luca Cipelletti, Emanuela del Gado, Alberto Fernández-Nieves

► **To cite this version:**

Irmgard Bischofberger, Ramón Castañeda-Priego, Roberto Cerbino, Luca Cipelletti, Emanuela del Gado, et al.. Editorial: Probing out-of-equilibrium soft matter. *Frontiers in Physics*, 2023, 11, pp.1173632. <10.3389/fphy.2023.1173632>. <hal-04858567>

HAL Id: hal-04858567

<https://hal.science/hal-04858567v1>

Submitted on 19 Mar 2025

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons CC BY 4.0 - Attribution - International License



OPEN ACCESS

EDITED AND REVIEWED BY
Jasper Van Der Gucht,
Wageningen University and Research,
Netherlands

*CORRESPONDENCE

Irmgard Bischofberger,
✉ irmgard@mit.edu
Ramón Castañeda-Priego,
✉ ramoncp@fisica.ugto.mx
Roberto Cerbino,
✉ cerbino@gmail.com
Luca Cipelletti,
✉ luca.cipelletti@umontpellier.fr
Emanuela Del Gado,
✉ ed610@georgetown.edu
Alberto Fernandez-Nieves,
✉ alberto.fernandez@physics.gatech.edu

SPECIALTY SECTION

This article was submitted to
Soft Matter Physics,
a section of the journal
Frontiers in Physics

RECEIVED 24 February 2023

ACCEPTED 06 March 2023

PUBLISHED 14 March 2023

CITATION

Bischofberger I, Castañeda-Priego R,
Cerbino R, Cipelletti L, Gado ED and
Fernandez-Nieves A (2023), Editorial:
Probing out-of-equilibrium soft matter.
Front. Phys. 11:1173632.
doi: 10.3389/fphy.2023.1173632

COPYRIGHT

© 2023 Bischofberger, Castañeda-Priego, Cerbino, Cipelletti, Gado and Fernandez-Nieves. This is an open-access article distributed under the terms of the [Creative Commons Attribution License \(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Editorial: Probing out-of-equilibrium soft matter

Irmgard Bischofberger^{1*}, Ramón Castañeda-Priego^{2*},
Roberto Cerbino^{3*}, Luca Cipelletti^{4,5*}, Emanuela Del Gado^{6*} and
Alberto Fernandez-Nieves^{7*}

¹Department of Mechanical Engineering, Massachusetts Institute of Technology, Cambridge, MA, United States, ²Sciences and Engineering Division, University of Guanajuato, León, Mexico, ³Faculty of Physics, University of Vienna, Vienna, Austria, ⁴L2C, University of Montpellier, Montpellier, France, ⁵Institut Universitaire de France, Paris, France, ⁶Department of Physics, Institute for Soft Matter Synthesis and Metrology, Georgetown University, Washington, DC, United States, ⁷Department of Condensed Matter Physics, ICREA-Institució Catalana de Recerca i Estudis Avançats, Institute for Complex Systems (UBICS), University of Barcelona, Barcelona, Spain

KEYWORDS

soft matter, biophysics, non-equilibrium, structure, dynamics, rheology, microrheology

Editorial on the Research Topic Probing out-of-equilibrium soft matter

This Research Topic originates from the symposium *Probing Out-of-Equilibrium Soft Matter* that was held on October 22–23, 2021 at the University of Fribourg (Switzerland) to celebrate and honor the career of Véronique Trappe (<https://orcid.org/0000-0002-0301-258X>). The symposium assembled leading scientists in the rapidly growing field of non-equilibrium soft matter physics, a field to which V. Trappe has made key contributions that have changed the view of many [1–6]. While the equilibrium behaviour of soft matter is amply studied and understood, novel tools are needed to capture the complexity of out-of-equilibrium soft materials. A particular challenge is getting access to and understanding the fast processes occurring at the nano- and micro-scale of the elementary constituents, while simultaneously capturing the slower evolution of bulk properties in non-equilibrium conditions. To take on this task, new theoretical, numerical and experimental methodologies need to be developed that enable the investigation of the structure, dynamics, thermodynamics, and rheology of out-of-equilibrium soft matter. Adopting a comprehensive view that covers fundamental topics as well as research focusing on processes and issues faced in applications, this Research Topic aims to showcase some of the latest advancements and innovations in the field.

Living and active materials are intrinsically non-equilibrium systems due to metabolic activity and/or energy consumption. Using newly developed fabrication and image processing tools, Chang et al. probe the effect of surface curvature on the proliferation of Madin-Darby Canine Kidney (MDCK) epithelial cells. They show that proliferation is insensitive to changes in curvature, and that the main mechanism of cell proliferation control is contact inhibition. Sheung et al. use a combination of light sheet microscopy, particle tracking, and differential dynamic microscopy to elucidate anomalous and advective transport in actomyosin-microtubule biomimetic composites. A complex interplay between increasing activity and confinement as the

actomyosin fraction increases governs the transport properties of these active cytoskeletal systems.

Three studies address shear-driven patterning in soft materials. Applying shear flow during the temperature-induced gelation of a colloid-polymer mixture which contains thermosensitive microgel particles, [Rel et al.](#) show that they can tune the morphology of mesoscopic colloidal clusters. Gels comprised of fibrous, elongated colloid-dense clusters, log-like flocs that are aligned along the vorticity direction or isotropic clusters can be produced by controlling the shear. [Villa et al.](#) adapt a previously designed shear cell [7] to perform stress-controlled rheo-microscopy experiments on commercial microscopes. This flexible rheo-microscopy setup, compatible with different imaging methods, allows to perform quantitative rheology by assessing the microscopic dynamics with particle tracking and differential dynamic microscopy analysis. Lastly, [Miller et al.](#) introduce a novel approach to assess dynamic ordering in sheared dense suspensions using a combined rheometer and laser scanning confocal microscope. The spatiotemporal dynamics obtained with high spatial and temporal resolution reveals distinct regimes of ordering depending on the particle concentration and the applied stress, which reflect shear-thickening and transiently shear-jammed states.

Colloidal suspensions are also the focus of [Carpinetti et al.](#), who study the transient patterns that emerge during Rayleigh-Bénard convection with thermophilic particles. The gravitationally destabilizing temperature gradient induces rotating patterns in the form of traveling waves that eventually disappear as the stabilizing effect of thermophoresis returns the system to a conductive state. Probing the crystallization kinetics of charged temperature-sensitive microgels in deionized conditions, [Bocanegra-Flores et al.](#) discover that due to their microgels' low polydispersity and electrostatic charge a liquid-crystal transition occurs for volume fractions of the order of 0.01–0.05, a factor of ten lower than in neutral microgels.

Soft Matter research is increasingly impacted by current developments in Machine Learning (ML) techniques. Methods including computer vision, feature engineering, and classification tasks have been applied to characterize colloidal systems. In particular, ML methods have proven useful to identify correlations in non-equilibrium systems such as glasses. [Oyama et al.](#) discuss how deep neural networks can predict the characteristic local meso-structures of glasses solely from instantaneous particle configurations, without any information about the particle dynamics. Finally, the nature of the non-equilibrium states also depends on how rapidly a material is quenched to a specific condition. [Rouzaire and Levis](#) discuss the dynamics of the short range noisy Kuramoto model, where spins are able to rotate with an intrinsic frequency taken from a quenched Gaussian distribution. By connecting synchronisation with the so-called topological Berezinskii-

Kosterlitz-Thouless phase transition, the authors investigate the dynamics of vortices and other topological defects, shedding light on their long-time super-diffusive behaviour.

The articles of this Research Topic are representative, while non-exhaustive, of a variety of out-of-equilibrium phenomena in Soft Matter that are rapidly emerging among the most fascinating topics in modern multidisciplinary science. Symposia and workshops such as the one that inspired this Research Topic will continue to play an important role in promoting and deepening interactions between researchers with diverse backgrounds. The ability to discuss openly and in depth, so distinctive of Véronique Trappe's way of conducting research, will be key to continue progress in the field.

Author contributions

All authors listed have made a substantial, direct, and intellectual contribution to the work and approved it for publication.

Funding

The organization of the workshop was possible thanks to funding from the following contributors: Swiss National Science Foundation, University of Fribourg, NCCR Bioinspired Materials Fribourg, Frontiers, Michelin, Villars, Fri-Mousse.

Acknowledgments

The authors thank the participants of the symposium and the contributors to this Research Topic. AF-N acknowledges support from MCIN/AEI/10.13039/501100011033/FEDER, UE (Grant No. PID2021-122369NB-I00). LC gratefully acknowledges support from the Institut Universitaire de France.

Conflict of interest

The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest.

Publisher's note

All claims expressed in this article are solely those of the authors and do not necessarily represent those of their affiliated organizations, or those of the publisher, the editors and the reviewers. Any product that may be evaluated in this article, or claim that may be made by its manufacturer, is not guaranteed or endorsed by the publisher.

References

1. Trappe V, Prasad V, Cipelletti L, Segre P, Weitz DA. Jamming phase diagram for attractive particles. *Nature* (2001) 411:772–5. doi:10.1038/35081021
2. Cipelletti L, Bissig H, Trappe V, Ballesta P, Mazoyer S. Time-resolved correlation: A new tool for studying temporally heterogeneous dynamics. *J Condens Matter Phys* (2003) 15:S257–62. doi:10.1088/0953-8984/15/1/334
3. Trappe V, Sandkühler P. Colloidal gels—Low-density disordered solid-like states. *Curr Opin Colloid Interf Sci.* (2004) 8:494–500. doi:10.1016/j.cocis.2004.01.002
4. Cerbino R, Trappe V. Differential dynamic microscopy: Probing wave vector dependent dynamics with a microscope. *Phys Rev Lett* (2008) 100:188102. doi:10.1103/physrevlett.100.188102
5. Bischofberger I, Calzolari DC, De Los Rios P, Jelezarov I, Trappe V. Hydrophobic hydration of poly-N-isopropyl acrylamide: A matter of the mean energetic state of water. *Sci Rep* (2014) 4:4377. doi:10.1038/srep04377
6. Caggioni M, Trappe V, Spicer PT. Variations of the herschel–bulkeley exponent reflecting contributions of the viscous continuous phase to the shear rate-dependent stress of soft glassy materials. *J Rheol* (2020) 64:413–22. doi:10.1122/1.5120633
7. Aime S, Ramos L, Fromental JM, Prevot G, Jelinek R, Cipelletti L. A stress-controlled shear cell for small-angle light scattering and microscopy. *Rev Sci Instrum* (2016) 87:123907. doi:10.1063/1.4972253