



HAL
open science

A new mixed conductive polymer for replacing PVDF binder and carbon additive at the positive electrode in Li-Ion batteries

Ivone Marselina Nugraha, Jacob Olchowka, Cyril Brochon, Delphine Flahaut, Mélanie Bousquet, Benjamin Cabannes-Boué, Rafael Bianchini Nuernberg, Eric Cloutet, Laurence Croguennec

► To cite this version:

Ivone Marselina Nugraha, Jacob Olchowka, Cyril Brochon, Delphine Flahaut, Mélanie Bousquet, et al.. A new mixed conductive polymer for replacing PVDF binder and carbon additive at the positive electrode in Li-Ion batteries. IUPAC MACRO 2024 - The 50th World Polymer Congress, IUPAC, Jul 2024, Warwick, United Kingdom. <hal-04919902>

HAL Id: hal-04919902

<https://hal.science/hal-04919902v1>

Submitted on 29 Jan 2025

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons CC BY-NC-ND 4.0 - Attribution - Non-commercial use - No Derivative Works - International License

An Alternative Polymer Material to PVDF Binder and Carbon Additive in Li-Ion Battery Positive Electrode

Ivone Marselina NUGRAHA^{1,2,3,5}, Jacob OLCHOWKA^{1,3,5}, Cyril BROCHON², Delphine FLAHAUT^{3,4,5}, Mélanie BOSQUET², Benjamin CABANNES-BOUE², Rafael BIANCHINI NUERNBERG¹, Eric CLOUTET^{*,2}, Laurence CROGUENNEC^{*,1,3,5}

¹ Univ. Bordeaux, CNRS, Bordeaux INP, ICMCB, UMR 5026, F-33600 Pessac, France

² Univ. Bordeaux, CNRS, Bordeaux INP, LCPO, UMR5629, Allée Geoffroy Saint Hilaire, Bâtiment B8, F-33607 Pessac, France

³ RS2E, Réseau Français sur le Stockage Electrochimique de l'Energie, CNRS FR 3459, 80039 Amiens Cedex 1, France

⁴ IPREM - UMR 5254 UPPA/CNRS – ECP Technopole Helioparc - 2, av. Pdt P. Angot - 64 053 PAU Cedex 09

⁵ ALISTORE-ERI, FR CNRS 3104 33 Rue Saint-Leu, 80039 Amiens Cedex 1, France

Abstract

Li-ion battery performance relies fundamentally on modulation at the microstructure and interface levels of the composite electrodes. Correspondingly, the binder is a crucial component for mechanical integrity of the electrode, serving to interconnect the active material and conductive additive and to firmly attach this composite to the current collector. However, the commonly used poly(vinylidene fluoride) (PVDF) binder presents several limitations, including the use of toxic solvent during processing, a low electrical conductivity which for compensation requires the addition of carbon black, and weak interactions with active materials and collectors. This study investigates Poly(3,4-ethylenedioxythiophene):poly[(4-styrenesulfonyl) (trifluoromethylsulfonyl) imide] (PEDOT:PSSTFSI) as an alternative binder and conductive additive, in replacement of both PVDF and carbon black, in Li-ion batteries with $\text{LiFe}_{0.4}\text{Mn}_{0.6}\text{PO}_4$ at the positive electrode. Complex PEDOT:PSSTFSI significantly improves the electronic conductivity and lithium diffusion coefficient within the electrode, in comparison to standard PVDF binder and carbon black. This enhances significantly the electrochemical performance at high C-rates and for high active mass loading electrodes. Furthermore, an excellent long-range cyclability is achieved.