

Canalicular Intrinsic Permeability in Human Femoral Cortical Bone assessed by 3D Synchrotron Nano-CT

Rémy Gauthier, Hélène Follet, Cécile Olivier, Thibault Lemaire, David Mitton, Françoise Peyrin

▶ To cite this version:

Rémy Gauthier, Hélène Follet, Cécile Olivier, Thibault Lemaire, David Mitton, et al.. Canalicular Intrinsic Permeability in Human Femoral Cortical Bone assessed by 3D Synchrotron Nano-CT. Multidisciplinary Biomechanics Journal, 2025, 49thcongressofthe.., 10.46298/mbj.14493. hal-04928503

HAL Id: hal-04928503 https://hal.science/hal-04928503v1

Submitted on 4 Feb 2025

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Canalicular Intrinsic Permeability in Human Femoral Cortical Bone assessed by 3D Synchrotron Nano-CT

Rémy Gauthier^a*, Hélène Follet^b, Cécile Olivier^c, Thibault Lemaire^d, David Mitton^e, Françoise Peyrin^f

a Univ Lyon, CNRS, INSA Lyon, Université Claude Bernard Lyon 1, MATEIS, UMR5510, 69621 Villeurbanne, France

b Univ Lyon, Université Claude Bernard Lyon 1, INSERM, LYOS UMR1033, Lyon, France

c Univ. Grenoble Alpes, Inserm, Strobe, Grenoble, France

d MSME UMR 8208, Univ Paris Est Créteil, Univ Gustave Eiffel, CNRS, 94010 Créteil, France

e Univ Lyon, Univ Gustave Eiffel, Université Claude Bernard Lyon 1, LBMC UMR_T9406, 69622 Lyon, France

f Univ Lyon, INSA Lyon, Université Claude Bernard Lyon 1, UJM-Saint Etienne, CNRS UMR 5220, Inserm U1206, CREATIS, 69621, Lyon, France ; ESRF, The European Synchrotron 38043 Grenoble, France

* Corresponding author: remy.gauthier@cnrs.fr

Received date: 05/04/2024 Accepted date: 28/06/2024 Publication date: 31/01/2025

Keywords: human cortical bone, lacunocanalicular network, permeability, computed tomography, synchrotron

© 2025 The Authors Licence CC-BY 4.0 Published by Société de Biomécanique

1. Introduction

Bone mechanobiology is known to be based on fluid flow within its multi-scale porous network. The development of pressure gradient within bone porosity promotes interstitial fluid flow. A fluid-flow induced shear stress is then transduced by the cells into mechanobiological mediators of bone modeling or remodeling. The osteocytes, which play a major role in bone mechanobiology, are particularly subjected to this mechanotransducive mechanism. Osteocytes are closely trapped within bone mineralized matrix inside the interconnected lacunocanalicular network (LCN). But due to its submicrometric nature, understanding how fluids circulate within this LCN is a real challenge. LCN fluid flow is mainly evaluated using computational modelling. Fluid flow through porous media is generally mod-

elled using the Darcy's law. In this law, the ability of a fluid to circulate within a porous material is related to its viscosity and to the intrinsic permeability of the medium. In current computational models of LCN fluid flow, the determination of these two parameters can be questioned. This is mainly due to the difficulty to characterize both the fluid and the porous network at the submicrometric scale.

Recently, the LCN from 27 human femoral diaphyses were observed through Synchrotron Radiation Phase nano-Computed Tomography (Gauthier et al., 2023).

Such data set allows to characterize the lacunar and canalicular morphology over large volumes of interest (up to $10^7 \, \mu m^3$). In the present study, this data set was used to estimate the intrinsic permeability of human canalicular network.

2. Methods

In the current study, cortical bones samples were harvested from human femoral diaphyses (12 females (50 – 95 y.o.) and 9 males (66 – 89 y.o)). The samples have been scanned on line ID16B at the European Synchrotron Radiation Facility (Grenoble, France). Volumes of 256x256x205 µm³ were reconstructed. The lacunae and canaliculi were segmented according to a previous published protocol (Yu et al., 2021). The canalicular network was converted into a network topology defined by links (canaliculi) connected at nodes (canalicular ramifications) (Weinkamer et al., 2019). A watershed algorithm was applied based on the 3D distance map of the canalicular volume, to create a tessellation in which each unit contains one canalicula.

The intrinsic permeability of each canalicula was then calculated as (Lemaire et al., 2012):

$$\kappa = \frac{\eta_f \delta^2}{32\theta^2} (m^2) \,_{\text{Eq. 1}}$$

where η_f (%) is the local volume fraction of the canalicula in its unit cell, δ (m) is the canalicula averaged diameter, and θ is the canalicula tortuosity (geodesic length / straight length). Additionally, the density of canaliculi was calculated as the number of links (canaliculi) divided by the bone volume.

3. Results and discussion

The results showed a large heterogeneity in terms of canalicular intrinsic permeability within bone structure (Figure 1). The values obtained for the permeability in one sample ranged from 10⁻¹⁴ to 10⁻²¹ m². Qualitatively, the canalicular permeability seems higher close to the vascular canal and to the osteocytic lacunae. Such heterogenous distribution will have an influence on fluid velocity and pressure developed within the canalicular network during loading. It is hence relevant to consider it in further computational model of LCN fluid flow.




Figure 1. Permeability distribution in an osteon. Lacunae are in black.

For each sample, a permeability distribution was obtained over the total number of canaliculi. The three quartiles of this distribution, averaged over the whole population are provided in Table 1.

Table 1. Averaged permeability quartiles over the whole population and canalicular density.

Parameters	Q₁	Q ₂	Q ₃
	(SD)	(SD)	(SD)
$\kappa (10^{-18} \mathrm{m}^2)$	3.5	13.3	46.1
	(1.7)	(6.0)	(16.8)
Density of canaliculi (10 ⁶ mm ⁻³)			7.3 ± 3.3

The permeability values are in accordance with what can be estimated with analytical methods (Lemaire et al., 2012). But the estimated value of bone LCN permeability is generally lower (< 10⁻¹⁸ m²) (Benalla

et al., 2014). This may be due to the fact that in the current study, the presence of a pericellular matrix within the canaliculi was not considered. This matrix decreases the permeability of the canaliculi. It is hence important to state that the current study is limited to a morphological-based LCN permeability.

It was measured that the permeability median (Q_2) is significantly correlated to the donors' age $(r_{pearson} = -0.64, p\text{-value} = 0.001)$. This means that it is more difficult to promote fluid flow within the LCN from older donors. This result is mostly due to an increasing tortuosity and decreasing canalicular volume fraction with age as validated by Pearson's correlation analyses (p-value = 0.006 and 0.001 for tortuosity and volume fraction respectively).

This decrease in LCN permeability is in accordance with a less active bone remodeling with age. Evaluating the ability to promote fluid flow within the LCN with different permeabilities distribution might be of great interest to better understand the relation with remodeling and LCN fluid flow.

4. Conclusions

One major insight provided by the current study is the large heterogeneous distribution of canalicular intrinsic permeability within bone structure. Furthermore, permeability has been shown to decrease with age. This provides new avenues of research concerning the understanding of bone remodelling mechanotransduction through the embedded osteocytic network according to patient specificities.

Acknowledgements

The authors acknowledge the ESRF for support through the Long-Term Proposal MD830 and for provision of beam time (experiment MD933) using the ID16B beamline.

Funding

This work was partly funded by LabEx Primes (ANR 11-LABX-0063).

References

Benalla, M., Palacio-Mancheno, P. E., Fritton, S.
P., Cardoso, L., & Cowin, S. C. (2014). Dynamic permeability of the lacunar-canalicular system in human cortical bone. *Biomechanics and Modeling*

- in Mechanobiology, 13(4), 801–812. https://doi.org/10.1007/s10237-013-0535-7
- Gauthier, R., Yu, B., Olivier, C., Villanova, J., Langer, M., Follet, H., Mitton, D., & Peyrin, F. (2023). Human femoral lacuno-canalicular network by X-ray nano-CT. Computer Methods in Biomechanics and Biomedical Engineering, 26(sup1), S36. https://doi.org/10.1080/10255842.2023.2246304
- Lemaire, T., Lemonnier, S., & Naili, S. (2012). On the paradoxical determinations of the lacuno-canalicular permeability of bone. *Biomechanics and Modeling in Mechanobiology*, 11(7), 933–946. https://doi.org/10.1007/s10237-011-0363-6
- Weinkamer, R., Kollmannsberger, P., & Fratzl, P. (2019). Towards a Connectomic Description of the Osteocyte Lacunocanalicular Network in Bone. *Current Osteoporosis Reports*, 17(4), 186–194. https://doi.org/10.1007/S11914-019-00515-Z
- Yu, B., Pacureanu, A., Olivier, C., Cloetens, P., & Peyrin, F. (2021). Quantification of the bone lacunocanalicular network from 3D X-ray phase nanotomography images. *Journal of Microscopy*, 282(1), 30–44. https://doi.org/10.1111/jmi.12973