



SargaDEB – Contributions of DEB (Dynamic Energy Budget) bioenergetic modeling to the spatio-temporal dynamics of the three holopelagic morphotypes of the genus *Sargassum*

Maria Jose Lagunes, Laure Pecquerie, Christophe Lett, Evelyn Raquel Salas-Acosta, Daniel Robledo, Thierry Thibaut, Román Manuel Vásquez-Elizondo, L. Berline

► To cite this version:

Maria Jose Lagunes, Laure Pecquerie, Christophe Lett, Evelyn Raquel Salas-Acosta, Daniel Robledo, et al.. SargaDEB – Contributions of DEB (Dynamic Energy Budget) bioenergetic modeling to the spatio-temporal dynamics of the three holopelagic morphotypes of the genus *Sargassum*. Séminaire jeunes chercheurs "Intelligence Artificielle et Science Marine", Nov 2024, Marrakech, Morocco. 2024. hal-04938776

HAL Id: hal-04938776

<https://hal.science/hal-04938776v1>

Submitted on 11 Feb 2025

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

SargaDEB – Contributions of DEB (Dynamic Energy Budget) bioenergetic modeling to the spatio-temporal dynamics of the three holopelagic morphotypes of the genus *Sargassum*

M.J. Lagunes^{1,2} L. Pecquerie² C. Lett¹ E.R. Salas-Acosta^{3,4} D. Robledo⁴ T. Thibaut³
R.M. Vásquez-Elizondo⁴ L. Berline³

¹MARBEC, Univ. Montpellier (FR)

²LEMAR, Univ Brest (FR)

³Aix Marseille Univ, Université de Toulon, MIO (FR)

⁴CINVESTAV (MX)

FLOATING SARGASSUM CONTEXT

Massive strandings of the pelagic brown algae *Sargassum* spp. have been observed since 2011 in the east and west coasts of the tropical North Atlantic, leading to ecological, socio-economic and health impacts.



Figure 1. *Sargassum* spp. strandings on the coast





Figure 2. Distribution of *Sargassum* biomass

Several models have been developed to simulate *Sargassum* drift (e.g., through ocean currents and winds) [8, 2] but few studies have integrated a physiological model to study *Sargassum* growth and survival. Moreover, few have made a difference between the different forms of the *Sargassum* species[3, 5] : *Sargassum natans natans*, *S. natans wingei* and *S. fluitans fluitans* which strand on the coasts with different proportions depending on the year and location [1, 4]. However, there is no study about physiological characteristics of each morphotype explaining these differences.

To fill these gaps a synergistic approach between a modeling PhD thesis and an experimentation PhD thesis is implemented framed in the BIOMAS project (BIOenergetic Modeling Approach for *Sargassum* Dynamics).

OBJECTIVES OF THE BIOMAS PROJECT AND MODELING PHD



My PhD thesis objectives include :

1. Develop a DEB mechanistic model for holopelagic *Sargassum*.
2. Identify key parameters of the three *Sargassum* morphotypes.
3. Integrate the DEB model into a drift model to simulate spatio-temporal variability.

MORPHOTYPES RESPONSE TO THE ENVIRONMENT

Sargassum strandings show variability in the proportion of each the different forms, which annual and geographical variations along the coast of the tropical Atlantic. This suggests potential differences in how each morphotype responds to environmental conditions. To explore this, parameters will be estimated for each *Sargassum* morphotype, and simulations will be compared with experimental studies as part of the BIOMAS project.




Figure 3. Numerical experiments with the SargaDEB model and lab experiments (Mexican partners) to estimate DEB parameter sets of the three *Sargassum* morphotypes.

INTEGRATION WITH DRIFT MODEL

To better understand the spatio-temporal variability observed in *Sargassum* morphotypes, the DEB model will be integrated into a Lagrangian dispersion model. By utilizing the previously estimated DEB parameters for each morphotype, we aim to simulate *Sargassum* growth and survival over multiple years, with each year's simulation feeding the next, capturing the whole *Sargassum* annual cycle.





Figure 4. Sample of simulated trajectories in 2016 from [7]

ACKNOWLEDGMENTS

Funding for this PhD project comes from the ANR project Conjoint SARGASSUM - 2022 (ANR-22-SARG-0003). Thanks to all the BIOMAS project <https://biomas.os-upyheas.fr/>

REFERENCES

- [5] J. Jouanno, R. Benshila, L. Berline, A. Soulié, M.-H. Radenac, G. Morvan, F. Diaz, J. Sheinbaum, C. Chevalier, T. Thibaut, T. Changeux, F. Menard, S. Berthet, O. Aumont, C. Ethé, P. Nabat, and M. Mallet. A NEMO-based model of *Sargassum* distribution in the tropical Atlantic c: description of the model and sensitivity analysis (NEMO-Sarg1.0). *Geoscientific Model Development*, 14(6):4069–4086, July 2021. Number: 6.
- [6] B. Kooijman. *Dynamic Energy Budget Theory for Metabolic Organisms*. Cambridge University Press, 3 edit on, Oct. 2009.
- [7] W. Podlejski, L. Berline, J. Jouanno, N. Barrier, and C. Let. Drivers of growth and decay of *Sargassum* in the Tropical Atlantic c: A Lagrangian approach. *Progress in Oceanography*, 229:10364, Dec. 2024.



Scan me for
the list of
references !