

Supplementary Information of: Using Artificial Intelligence to identify CMIP6 models from daily SLP maps

Pascal Yiou^{1*} and Soulivanh Thao¹

¹Laboratoire des Sciences du Climat et de l'Environnement, UMR 8212 CEA-CNRS-UVSQ, IPSL and U. Paris-Saclay, CE l'Orme des Merisiers, Gif-sur-Yvette, 91191, France.

*Corresponding author(s). E-mail(s): pascal.yiou@lsce.ipsl.fr;
Contributing authors: soulivanh.thao@lsce.ipsl.fr;

Abstract

This document presents the supplementary information (Table and Figures) for the main manuscript of Yiou and Thao (2025).

Keywords: CMIP6 models, Schematic, SLP patterns

1 Figures

The supplementary figures summarize the classification endeavor of the paper (Figure 1) and the model SLP and standard deviations in the summer (Figure 2) for the ERA5 reanalysis and 16 reference CMIP6 models.

2 Tables

The references to all CMIP6 simulations are given in Table AII.5 of [1].

References

- [1] Intergovernmental Panel On Climate Change (IPCC). in *Annex II: Models* 1 edn, (ed.Gutiérrez, J M., A.-M. Tréguier) *Climate Change 2021 – The Physical Science*

001
002
003
004
005
006
007
008
009
010
011
012
013
014
015
016
017
018
019
020
021
022
023
024
025
026
027
028
029
030
031
032
033
034
035
036
037
038
039
040
041
042
043
044
045
046

047
048
049
050
051
052
053
054
055
056
057
058
059
060
061
062
063
064
065
066
067
068
069
070
071
072
073
074
075
076
077
078
079
080
081
082
083
084
085
086
087
088
089
090
091
092




Fig. 1 Can an arbitrary SLP field in JJA from one CMIP6 simulations (left) be attributed to the ERA5 reanalysis or a CMIP6 model (right) from Table 1 (below)? The left panel shows the SLP field (isolines in hPa) and the SLP seasonal anomaly (colors). Computations are performed on the SLP fields.

Basis: Working Group I Contribution to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change. 2087–2138 (Cambridge University Press, 2023). URL <https://www.cambridge.org/core/product/identifier/9781009157896/type/book>.

093
 094
 095
 096
 097
 098
 099
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138




Fig. 2 Summer (JJA) mean and standard deviation of SLP for ERA5 (a) and 16 CMIP6 (b–q) models from Table A1. SLP mean (in hPa) is indicated with isolines. Daily standard deviation (in hPa) is indicated in colors.

139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184

Table 1 List of CMIP6 models and reanalysis, and ensemble information. We indicate the number of available runs on the IPSL computing cluster. The information on model references and their approximate horizontal resolution in the atmosphere is available from the World Climate Research Programme (<https://www.wdc-climate.de/>). The models that are used for classification training are indicated in **boldface**. They appear as red bars in **Figure A1**.

| Model Name | Group Name | Nb runs | Horiz. res. (km) |
|------------------------|---------------------|---------|------------------|
| ERA5 | ECMWF | | 31 |
| TaiESM1 | AS-RCEC | 1 | 100 |
| AWI-ESM-1-1-LR | AWI | 1 | 250 |
| BCC-CSM2-MR | BCC | 3 | 100 |
| BCC-ESM1 | BCC | 3 | 250 |
| FGOALS-f3-L | CAS | 3 | 100 |
| FGOALS-g3 | CAS | 5 | 250 |
| CanESM5 | CCCma | 50 | 500 |
| IITM-ESM | CCCR-IITM | 1 | 250 |
| CMCC-CM2-HR4 | CMCC | 1 | 100 |
| CMCC-CM2-SR5 | CMCC | 1 | 100 |
| CMCC-ESM2 | CMCC | 1 | 100 |
| CNRM-CM6-1 | CNRM-CERFACS | 30 | 250 |
| CNRM-CM6-1-HR | CNRM-CERFACS | 1 | 100 |
| CNRM-ESM2-1 | CNRM-CERFACS | 10 | 250 |
| ACCESS-ESM1-5 | CSIRO | 29 | 250 |
| ACCESS-CM2 | CSIRO-ARCCSS | 3 | 250 |
| EC-Earth3 | EC-Earth-Consortium | 65 | 100 |
| EC-Earth3-AerChem | EC-Earth-Consortium | 2 | 100 |
| EC-Earth3-CC | EC-Earth-Consortium | 1 | 100 |
| EC-Earth3-Veg | EC-Earth-Consortium | 7 | 100 |
| EC-Earth3-Veg-LR | EC-Earth-Consortium | 3 | 100 |
| MPI-ESM-1-2-HAM | HAMMOZ-Consortium | 3 | 250 |
| INM-CM4-8 | INM | 1 | 100 |
| INM-CM5-0 | INM | 10 | 100 |
| IPSL-CM5A2-INCA | IPSL | 1 | 500 |
| IPSL-CM6A-LR | IPSL | 33 | 250 |
| IPSL-CM6A-LR-INCA | IPSL | 1 | 250 |
| MIROC-ES2L | MIROC | 31 | 500 |
| MIROC6 | MIROC | 50 | 250 |
| HadGEM3-GC31-LL | MOHC | 5 | 250 |
| HadGEM3-GC31-MM | MOHC | 4 | 100 |
| UKESM1-0-LL | MOHC | 16 | 250 |
| MPI-ESM1-2-HR | MPI-M | 10 | 100 |
| MPI-ESM1-2-LR | MPI-M | 10 | 250 |
| MRI-ESM2-0 | MRI | 7 | 100 |
| CESM2 | NCAR | 11 | 100 |
| CESM2-FV2 | NCAR | 3 | 250 |
| CESM2-WACCM | NCAR | 3 | 100 |
| CESM2-WACCM-FV2 | NCAR | 3 | 250 |
| NorCPM1 | NCC | 17 | 250 |
| NorESM2-LM | NCC | 3 | 250 |
| NorESM2-MM | NCC | 3 | 100 |
| KACE-1-0-G | NIMS-KMA | 3 | 250 |
| UKESM1-0-LL | NIMS-KMA | 1 | 250 |
| GFDL-ESM4 | NOAA-GFDL | 1 | 100 |
| NESM3 | NUIST | 5 | 250 |
| SAM0-UNICON | SNU | 1 | 100 |