



HAL
open science

Effects of planned hydropower dams and barriers on river connectivity in the Balkan region

Mauro Carolli, Garcia Carlos, Joshua Jones, Barbara Belletti, Helena Huđek, Martin Pusch, Pencho Pandakov, Luca Börger, Wouter van de Bund

► To cite this version:

Mauro Carolli, Garcia Carlos, Joshua Jones, Barbara Belletti, Helena Huđek, et al.. Effects of planned hydropower dams and barriers on river connectivity in the Balkan region. Sustainability in Hydropower conference 2023, Jun 2023, Trondheim, Norway. <https://www.ntnu.edu/documents/1324510245/1326321704/sushp-2023-proceedings-version-1-02.pdf/2a9c8384-941e-c812-6d1c-639ffe36f689?t=1694506928475>. <hal-05061440>

HAL Id: hal-05061440

<https://hal.science/hal-05061440v1>

Submitted on 9 May 2025

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



HAL Authorization

Effects of planned hydropower dams and barriers on river connectivity in the Balkan region

Mauro Caroll^a, Carlos Garcia de Leaniz^b, Joshua Jones^b, Barbara Belletti^c, Helena Huđek^d, Martin Pusch^d, Pencho Pandakov^e, Luca Börger^b, Wouter van de Bund^f

^aSINTEF Energy Research; Norway, ^bSwansea University, UK; ^cPolitecnico di Milano, Italy; ^dLeibniz Institute of Freshwater Ecology and Inland Fisheries (IGB), Germany; ^eForestry University, Bulgaria, ^fEuropean Commission Joint Research Centre, Italy:

Email corresponding author: mauro.carolli@sintef.no

ABSTRACT: Hydropower is at the forefront of renewable energy production and will strongly contribute to decarbonise energy production. However, dams have different impacts on the river system, including the disruption of river continuum and the alteration of the natural connectivity. Most of the unexplored hydropower production capacity in Europe is in the Balkan region, home of some of the best-preserved rivers in the continent. The construction of approximately 3000 hydropower dams is planned in the area in the near future, which leads to a conflict between different societal needs, environmental laws, sustainable development targets. In this work we analysed the effects of the planned hydropower dams on river connectivity (or fragmentation), with the aim to produce reliable information that can assist in minimizing conflicts and impacts. We applied four metrics: barrier free length (length between pairs of consecutive barriers in each basin), I_{\max} (longest barrier free segment in each basin), BFL_{\max} (I_{\max} divided by the total length of the basin) and the DCI (dendritic connectivity index) for potadromous fish. We analysed the existing fragmentation of the Balkan region and of other European areas using ground-truthed data, highlighting how barriers of any type are 2.2 times lower in the Balkan region. We compared the existing fragmentation with 8 different dam construction scenarios and observed that any scenario would result in loss of connectivity, with the largest loss corresponding to the construction of all barriers (~47% of the barrier free length). Interestingly, building only dams for large hydropower plants (> 10MW) will lead to the smallest loss in connectivity, and the largest increase in hydropower production, while small dams will cause a large increase in fragmentation that will not correspond to a large increase in hydropower production (see figure 1). We discuss the indications derived from our scenario analysis based on river connectivity, but a comprehensive analysis should consider that large dams might also have other physical/ecological consequences.




Figure 1 Loss in river connectivity (expressed as % loss in BFL) with increased installed hydropower capacity under three different scenarios: all barriers are constructed; only large plants are constructed; and only small plants are constructed.

We also analysed the contribution of individual plants and barriers to energy production, and their effect on river connectivity, which helps to identify the most impacting and less productive barriers which construction should be avoided. With our work we want to encourage decision and policy makers to consider the river connectivity dimension, and to assist in the identification of which plants and barriers should be prioritized, in order to maximize production and minimize the impact on river connectivity to improve hydropower sustainability.