



**HAL**  
open science

# Landslide Hazard Assessment and Mapping in the Guil Catchment (Queyras, Southern French Alps) From Landslide Inventory to Suscepibility Modelling

Louise Roulleau, François Bétard, Benoit Carlier, Candide Lissak, Monique Fort, Matthieu Fressard

## ► To cite this version:

Louise Roulleau, François Bétard, Benoit Carlier, Candide Lissak, Monique Fort, et al.. Landslide Hazard Assessment and Mapping in the Guil Catchment (Queyras, Southern French Alps) From Landslide Inventory to Suscepibility Modelling. EGU General Assembly 2016, Apr 2016, Vienne, Austria. hal-01373349

**HAL Id: hal-01373349**

**<https://hal.science/hal-01373349v1>**

Submitted on 28 Sep 2016

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



# Landslide Hazard Assessment and Mapping in the Guil Catchment (Queyras, Southern French Alps)

## From Landslide Inventory to Susceptibility Modelling

Louise Roulleau<sup>1,3</sup>, François Bétard<sup>1,3,\*</sup>, Benoît Carlier<sup>1,3</sup>, Candide Lissak<sup>2,3</sup>, Monique Fort<sup>1,3</sup>, Mathieu Fressard<sup>2</sup>

(1) Université Paris-Diderot, UMR CNRS 8586 PRODIG, Paris, France, (2) Université de Caen Basse Normandie, UMR CNRS 6554 LETG-Caen Geophen, France, (3) ANR 12 SENV-0004 SAMCO




### Introduction

**Context.** Landslides are common natural hazards in the Southern French Alps, where they may affect human lives and cause severe damages to infrastructures. As a part of the SAMCO research project dedicated to risk evaluation in mountain areas, this study focuses on the Guil river catchment (317 km<sup>2</sup>), Queyras, to assess landslide hazard poorly studied until now. In that area, landslides are mainly occasional, low amplitude phenomena, with limited direct impacts when compared to other hazards such as floods or snow avalanches. However, when interacting with floods during extreme rainfall events, landslides may have indirect consequences of greater importance because of strong hillslope-channel connectivity along the Guil River and its tributaries (i.e. positive feedbacks). This specific morphodynamic functioning reinforces the need to have a better understanding of landslide hazards and their spatial distribution at the catchment scale to prevent local population from disasters with multi-hazard origin.

**Objective.** The aim of this study is to produce a landslide susceptibility mapping at 1:50 000 scale as a first step towards global estimation of landslide hazard and risk.




Active landslide scar above the village of Aiguilles, Queyras. March 2014.



### 1. Study area

#### Geographical setting


- An Alpine catchment of 317 km<sup>2</sup>, between 868 and 3357 m a.s.l.
- Scattered urbanization with several villages established in the main valleys



### 2. Landslide inventory

#### A detailed inventory of 69 landslides




- Extraction from national databases (BDMvt, RTM)
- Photointerpretation of aerial images
- Extensive field work



### 4. Susceptibility modelling: logistic regression results and interpretations


#### Logistic regression model

- A logistic regression model to analyze the spatial and mathematical relationships between the response variable (i.e. absence/presence of landslides) and the set of predictive variables (i.e. predisposing factors)
- Model evaluation by a calibration/validation strategy based on ROC curve and AUC analyses (procedure details in Roulleau, 2015)




### 3. Predisposing factors: spatial database construction


#### Slope gradient




#### Slope curvature



#### Aspect




#### Distance to streams




#### Lithology



#### Surficial formations



#### Land use



Data constructed from various sources (DTM, geological maps, satellite images...) and stored in a spatial database (ArcGIS®)


Selection as input variables to be included in the model after statistical analysis based on  $\chi^2$  test and Cramer's V coef.

#### A strong hillslope-channel connectivity

- A final susceptibility map in 4 classes using a discretization method based on Jenks natural breaks
- Results show the major influence of the distance-to-streams variable on the model => confirms the strong hillslope-channel coupling observed empirically during extreme rainfall events (Fort et al., 2015).



Undercutting triggers shallow landslides on the left bank of the Bouchet river near Valpréveyre (Abrès, Queyras). Note that the river channel is narrowed by road embankment (right bank), thus reinforcing the destabilisation on the opposite bank. March 2014.



### References

Fort M., Arnaud-Fassetta G., Bétard F., Cossart E., Geai M.L., Madelin M., Bouccara F., Carlier B., Sourdou G., Tassel A., Bletterie X., Charnay B. (2015) – Sediment dynamics and channel adjustments following torrential floods in an upper alpine valley (Guil river, Southern French Alps). In: Lollino G., Arattano M., Rinaldi M., Giustolisi O., Marechal J.-C., Grant G.E. (eds.): *Engineering Geology for Society and Territory - Volume 3, IAEG XII Congress Volumes*, Springer, 313-317.

Roulleau L. (2015) – *Evaluation et cartographie de la susceptibilité aux glissements de terrain. Application dans le bassin versant du Guil. (Queyras, Alpes du Sud, France)*. MSc Dissertation, Master 2 Dynarisk, Univ Paris-Diderot, 88 p.