



**HAL**  
open science

# Investigating the demogenetic responses of exploited Atlantic salmon populations to climate change

Mathieu Buoro, Julien Papaix, Cyril Piou, Etienne Prévost

► **To cite this version:**

Mathieu Buoro, Julien Papaix, Cyril Piou, Etienne Prévost. Investigating the demogenetic responses of exploited Atlantic salmon populations to climate change. Colloque Pêches et Changements Globaux, Association Française d'Halieutique (AFH). FRA., Jun 2017, Nantes, France. pp.1. hal-01605622

**HAL Id: hal-01605622**

**<https://hal.science/hal-01605622>**

Submitted on 5 Jun 2020

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - ShareAlike | 4.0 International License

colloque  
**2017**



<http://www.association-francaise-halieutique.fr>



# Pêches et changements globaux

28-30 JUN 2017  
 Ifremer Nantes

Photo: A. L. - The Association Française Halieutique (AFH) - Institut de Recherche pour le Développement (IRD) - Institut Universitaire de la Mer et Littoral (IUL) - Institut National de la Pêche et de l'Aquaculture (INP) - Institut National de l'Élevage Aquacole (INÉA) - Institut National de l'Élevage de la Carpe (INÉC) - Institut National de l'Élevage de la Truite (INÉT) - Institut National de l'Élevage de la Saumon (INÉS) - Institut National de l'Élevage de la Coquille (INÉC) - Institut National de l'Élevage de la Moule (INÉM) - Institut National de l'Élevage de la Langoustine (INÉL) - Institut National de l'Élevage de la Crevette (INÉC) - Institut National de l'Élevage de la Truite de Mer (INÉTM) - Institut National de l'Élevage de la Saumon de Mer (INÉSM) - Institut National de l'Élevage de la Coquille de Mer (INÉCM) - Institut National de l'Élevage de la Langoustine de Mer (INÉLM) - Institut National de l'Élevage de la Crevette de Mer (INÉCM)



Avec le soutien de :



## **INVESTIGATING THE DEMOGENETIC RESPONSES OF EXPLOITED ATLANTIC SALMON POPULATIONS TO CLIMATE CHANGE**

**Mathieu Buoro, Julien Papaix, Cyril Piou and Etienne Prévost**

A key aim of current ecological research is to predict whether and how populations will be able to respond to environmental change. However, our predictive ability is still limited by the complexity of environments, organisms life cycle and especially by the challenges of teasing apart evolutionary change from more 'plastic' responses to environmental perturbation. Simulation studies provide a powerful tool for disentangling eco-evolutionary processes and investigating interactive, synergistic effects among multiple factors in order to fully understand the resilience of populations in the face of various scenarios of climate change. Using, an Individual-based model, we investigate the demogenetic consequences of environmental change scenarios on an exploited population of Atlantic salmon *Salmo salar*. Our results show that increasing flow amplitude and water temperature in freshwater, and poor oceanic growth conditions resulting from environmental change drove mainly demographic consequences and phenotypic responses, such as a shift towards a multiple-sea-winter life history accompanied by a decline in population size. Effects of environmental change were also contrasted with fisheries strategies impacts to investigate whether fisheries induced evolution and how selective fisheries can promote adaptation to climate change.

We show that increased selective fishing against multiple-sea-winter fish mainly induced an evolutionary effect in the form of a lower maturation threshold in females, increasing the proportion of one sea-winter fish. The maturation threshold of males was not modified by selective fishing due to their earlier reproduction and return after a single winter at sea, thereby avoiding most of the selective effects of fishing.