



HAL
open science

From analysis to presentation. Information visualization for reifying issues and reenacting insights in visual data analysis

Marina Boechat, Tommaso Venturini

► To cite this version:

Marina Boechat, Tommaso Venturini. From analysis to presentation. Information visualization for reifying issues and reenacting insights in visual data analysis. *Les Cahiers du numérique*, 2016, 12 (4), pp.185 - 204. 10.3166/LCN.12.4.185-204 . hal-01672299

HAL Id: hal-01672299

<https://hal.science/hal-01672299v1>

Submitted on 9 Jan 2018

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

From analysis to presentation

Information visualization for reifying issues and reenacting insights in visual data analysis

Marina Boechat and Tommaso Venturini

Comment citer cet article:

Boechat, Marina, and Tommaso Venturini. 2016. "From Analysis to Presentation: Information Visualization for Reifying Issues and Reenacting Insights in Visual Data Analysis." *Les cahiers du numérique* 4: 185–205.

We discuss the use of information visualization in digital sociology, (particularly in Controversy Mapping), and its role in outlining issues and objects of study through progressive insights. We believe the differences in visualizations between analysis and presentation are better understood as linked by a chain of transformations, rather than as two separate and stable levels of representation. We propose that, through such chain, two research movements are performed: the *reification of issues*, related to the construction of a stable consensus, and the *reenaction of insights*, that points to the role of visualizations as communication tools. We will illustrate such movements and effects by using a few examples of visualizations produced in the EMAPS research project.

1. Introduction

As much literature in Science and Technology Studies (STS) and History of Science has established, images such as photographs, schematic drawings and graphs have a crucial role in scientific research, either as instruments of inquiry, for sharing material between researchers, or for advocating specific findings (Daston & Galison, 2010; Mayer, 2011; Latour, 1985; Offenhuber, 2010; Lynch, 1985). Nevertheless, not much of this literature has been dealing with the specificities of information visualization in scientific activity and with the transformations between visualizations used during inquiry and the visualization employed for the presentation of findings. These issues bring forth the role of visualizations for the discussions inside research groups that work with visual data analysis, and also towards other discussions as findings are presented.

The discussion we are proposing is related to a fundamental concern of the philosophy of science, represented by the distinction between the context of discovery and the context of justification. According to Hoyningen-Huene (1987), this distinction can take on many shapes, but it generally refers to the difference between the discovery as an empirical process (and therefore sociologically, psychologically and historically situated), while justification is seen as a set of methods or procedures based on formal logic, to develop critical tests for what has been discovered and streamline the description of the discovery.

As we discuss the transformations of visualizations, we should keep in mind that visual data analysis is a process of discovery that works towards the presentation of results to build the conditions to its justification. Of course, we are not saying that the presentation of findings through visualization is in itself the context of justification, but it does set a stage of objects with which justification can be developed. In this sense, visualization builds bridges between these two contexts in a specific way: in all the transformations, we find visual documents that can help outline both the insights of the discovery and the elements of the justification.

In this paper we discuss the use of information visualization for visual data analysis in digital sociology, (particularly in Controversy Mapping), and its role in outlining issues and objects of study. Researchers working with digital methods (Rogers, 2013) have been developing innovative work by taking advantage of the growing richness of digital inscriptions left by human activity. Those digital inscriptions are seen as sources of insights, not only about cyberculture, but about society in general. So by scraping data from social

media and public databases and repurposing data from varied sources (Marres & Weltevrede, 2013), scholars can manage to develop representations of social activity in the making.

Controversy Mapping is a kind of social cartography developed from the work of various STS authors. Its practitioners have, in the last few years, incorporated many tools from digital sociology, while advancing their main goal, which is to describe and visually deploy controversies (Venturini, 2010). That means that the final results of each inquiry, composed equally of texts and graphs, will not aim at establishing certainties, but at unfolding the means of a discussion (Venturini *et al.*, 2015).

Our argument derives from the repeated observation that visualizations in the exploratory stages differ substantially from the ones used to present the final findings: the earlier will tend to be rawer and closer to the datasets, while the latter will tend to be more streamlined, displaying aggregate results of analysis. Nevertheless, we believe it is more productive to consider this difference as a chain of transformations, rather than as two separate levels of representation. Through such chain, two research movements are performed: the *reification of issues*, related to the construction of a stable consensus within the research group, and the *reenaction of insights*, that points to the role of visualizations as communication tools.

Unlike what is often believed, these movements do not necessarily lead to simpler visualizations in order to clarify specific findings to a wider audience. Visualizations used in final presentations may be simple or complex depending on the issues being demonstrated and on the inquiry itself. Nevertheless, we argue that they will be more focused than the ones in the exploratory stages, in the sense of concentrating on the aspects of data that took part in the constitution of the issues. We will call these visualisations ‘shallower’ visualizations, not in the sense of being superficial, but of displaying a shallower *field depth*. The term “field depth” derives from optics and is used to describe the interval in which objects closer or farther than the exact focus will have acceptable definition. Field depth is said to be deep (if the focus interval is wide) or shallow (if the focus interval is narrow). So the term, as used here for visualizations, points to a process of filtering, definition and aggregation, rather than of mere simplification.

We will illustrate our two movements by using a few examples of visualizations produced in EMAPS (<http://www.emapsproject.com/>), a European research project. Between 2010 and 2014, scholars, designers and developers from different research institutions got together with different stakeholders (called ‘issue specialists’) to experiment with visual data analysis and develop visual representations of the debates on ageing and climate change adaptation.

2. Visualizations between discovery and justification

As claimed by numerous scholars, images are crucial for scientific activity, from the many devices used for exploration at the beginning of the inquiry towards the standardized and measured representations that outline epistemic objects and demonstrate scientific discoveries. Daston & Galison (2010) extensively describe the role of scientific atlases in the development of a collective empiricism and of different scientific *ethos* from the eighteenth century on. Serres & Farouki (1999) see scientific images as cultural objects, and point to their presence in everyday life and to their role in rediscovering wonder in the world. Offenhuber (2010) discusses the rhetorical power of visualizations, and their capacity for engendering narratives. Regarding the social sciences more specifically, Healy and Moody (2013) describe a history of the use of information visualization in such fields, related to issues such as reliability and the ease for sharing code and data between researchers and wider publics.

In an article called “Les vues de l’esprit”, Latour (1985) describes the role of images, drawings and visual records for constituting “immutable mobiles”, i.e. standardized and stabilized objects that could be recombined and transported to different contexts. Later on, in *Pandora’s hope* (1999), he describes the process in which such objects are developed, in a series of transformations between an initial object of study, that is complex and messy, to progressively compatible, standardized and reliable elements. Lynch (1985) had already described a process of the same sort, regarding mechanically produced (or photographic) images in biological sciences: according to him such processes involves steps of mathematization and schematization of images, until they become streamlined and shareable documents.

All these works point to the multiple transformations that scientific images undergo during the inquiry. These transformations are particularly evident in digital visualization. Unlike mechanically produced images, digital visualizations have no indicial relation with the object of study. They are derived not from a direct manipulation of their object, but from a manipulation on the digital information collected on it. Because this double mediation (that of digitalization and that of the transformations operated in the computer), the spatiality of digital visualization is even less constrained by the resemblance to its object and may change drastically as researchers experiment with different methods of visualization.

Visualizations are, at once, tools for exploring a context of inscriptions and for displaying configurations that advance a specific description of things. Because of this double function, they can play different roles in data analysis. At one end, they work as instruments for discovery, prompting insights and suggesting findings, while at the other end they convey ‘hardened’ facts and their demonstration (Latour, 1999).

The transformation of information visualizations seems, to some extent, to follow the distinction (customary in the philosophy of science) between the context of discovery and the context of justification. According to Hoyningen-Huene (1987), diverse interpretations of this distinction have been put forward by authors such as Popper, Kuhn and Feyerabend, who depicted discovery and justification as:

- (a) two processes that follow each other, with the first being the condition for the second;
- (b) two counterparts, with justification functioning as a critical test to reconstruct discovery;
- (c) two different methods, with discovery being “an empirical enterprise, (...) [that] may involve historical, psychological and sociological reasoning” (p.505), while justification (or critical testing) being fundamentally logical;
- (d) the object of different disciplines, with philosophy of science addressing the logic of justification, and history, sociology and psychology studying the empirical processes of discovery;
- (e) the different results obtained by asking questions about discovery or about justification.

Though the justification/discovery distinction captures in broad terms the direction of the transformations undergone by scientific images, the model that it proposes is far too abstract to describe the actual work of information visualization. Such work, we argue, bridges the gap between discovery and justification in a very specific way, and can display evidences of how the two contexts interact.

Certain kinds of inquiry promote a clearer distinction between exploration and publication, analysis and presentation. In a traditional demographic study, for example, the final findings are expected to be as hard as possible, so the corresponding visualization must be concise and clear—no matter how many tests were conducted during analysis, or how much exploration it took to reach those conclusions. Yet, in most other cases, the transformation of information visualization will not go so linearly from exploration to publication. Controversy mapping, in particular, will tend to emphasize the many translations between analysis and presentation, for two reasons: first, because it adopts a participative approach in which visualizations should remain open in order to assure the communication among participants coming from varied backgrounds; and second, because its very goal is to encourage the debate rather than to reach certainties.

3. Visualizations in controversy mapping

Controversy Mapping is a method of social research that uses visual analysis to produce maps of the assemblies that actors form around disputed issues. It derives from a long tradition of dispute analysis in science and technology studies and actor-network theory and has been developed in its digital form at the médialab at Sciences Po Paris and at the Digital Methods Initiative (DMI), at the University of Amsterdam.

In controversy mapping, visual translation is part of the inquiry itself, part of refinement of the research questions and of the objects of study. As the work progresses, new objects like categories and clusters are outlined and it is possible to elaborate other ways of treating the data and visualizing it, according to questions that become progressively more precise and are matched with more defined objects. Each version incorporates and makes visible more and more interpretation and analysis. Therefore, in the development of inquiries in EMAPS, new objects are produced whose spatiality does not necessarily map back to the initial visualization, and the data can be filtered and converted into other structures.

An example of this process is displayed in a work carried out by the Sciences Po médialab on the mapping of the scientific literature related to CO₂. Figure 1 illustrates the protocol behind this type of research and figure 2 provides a streamlined, yet still complex, version of the network for the years of 1960 to 1969. The image was produced by querying the ISI Web of Science for the keywords “carbon dioxide” or “CO₂” and extracting all the references cited in the resulting bibliographical notices. These references are used to build an initial network of reference co-occurrence. As we can see in the illustration, this first network is almost illegible and does not provide much information. A second version is created by using a force vector algorithm that makes clusters evident (Jacomy *et al.*, 2014). After that, another layer of data is produced by extracting metadata from the bibliographical notices (authors, institutions, keywords, disciplinary categories...): this information is displayed as new nodes connected to the references (a keyword, for example, is connected to a group of reference if they appear in the same bibliographical notice). In this study it is clear how transformations in visualizations are intertwined with transformations in data.




Figure 1. CO₂ Landscape from ISI-WoS, Method Diagram, by Venturini & De Pryck

Figure 2. Scientometric map des CO₂, by Venturini & De Pryck

4. Visualization in the EMAPS Project

EMAPS is a European collaborative project completed in 2014 and developed by a consortium of six European research centers (Sciences Po médialab, DMI from UvA, Young Foundation, Polimi Density Design Lab, Barcelona Media and Dortmund Institute of Spatial Planning). Its main result was a set of maps about the controversies on climate change adaptation that aimed at mobilizing digital data to equip public debate (see the project blog at <http://www.emapsproject.com> and the final results at <http://www.climaps.eu>). EMAPS mixed the different research traditions of its partners becoming a ground for experiments in digital social research and information visualization.

During the EMAPS data sprints (Venturini *et al.*, 2016) we were able to follow in detail the transformations of visualizations during data exploration. In the next pages, we will discuss a particular chain of transformations started in the Amsterdam sprint, in March 2014. The sprint gathered scholars, developers and designers from the participant centers in the University of Amsterdam for five days of intensive work. Participants were organized in five groups, each working with different datasets to explore different research questions around the theme of climate change adaptation. Group 4 (named *Uses and Users of Vulnerability*

Indexes), carried out two projects: the first studying the uses of vulnerability indexes; the second exploring the extent to which flows of adaptation funds are related to vulnerability ranking.

For the second project, the visualizations were intended to discuss two main questions:

- Are the countries considered most vulnerable also the ones who receive the most adaptation funds?
- Do the countries considered vulnerable by some indices receive more funds than those considered vulnerable by other indices?

The studied indexes were: the *DARA Climate Vulnerability Monitor*¹, *Germanwatch's Climate Risk Index 2014*² and *Maplecroft's Climate Change Vulnerability Index*³. The *UN Human Development Index*⁴ was also used as the researchers identified in the debates a perceived link between climate vulnerability and lower human development. A dataset on the allocation of funds by country was available (thank to the collaboration of *climatefundsupdate.org*) for each of the major international funds: the *Adaptation Fund* (AF); the *Least Developed Countries Fund* (LDCF); the *Special Climate Change Fund* (SCCF); and the *Pilot Programme for Climate Resilience* (PPCR).




Figure 3. Adaptation aid per Fund - Germanwatch Index. One of the visualizations in the series that displayed the allocations of each fund across countries, ordered by vulnerability to climate change, according to the Germanwatch Index. The allocations are represented by their value in dollars. Source: EMAPS archives

Two kinds of bubble graphs were tried out. The first (figure 3) position countries-bubbles in a scatter plot according to their level of vulnerability (X-axis) and the allocations of the four funds (Y-axis). The other graph (figure 4) was a long list of countries sorted by vulnerability, with circles proportional to the amount of funding received by each fund. This second diagram had several design problems: it did not provide a general view of the data points (scroll was needed) and it displayed less dimensions than the first, failing to show the actual amounts of funds that were allocated for each country. However, it displayed the amounts in terms of the percentages of the total budget each fund allocated, thus comparing the priorities of each fund to vulnerability according to each index. Another difference is that it was flatter: instead of allowing superpositions the graph spread all data points side by side. This allowed for different considerations, more

1. <http://daraint.org/climate-vulnerability-monitor/climate-vulnerability-monitor-2012/monitor/>

2. <https://germanwatch.org/en/cr>

3. <http://maplecroft.com/themes/cc/>

4. <http://hdr.undp.org/en/content/human-development-index-hdi>

geared towards discussing criteria of funders and the relevance of the indexes, and not the gross financial result.




Figure 4. A view of the HTML visualization that displayed proportional allocations of each fund for each country, ordered according to the Germanwatch Index.

Source: EMAPS Archives




Figure 5. Multilateral Adaptation Funding and Vulnerability Indexes. The interactive version, where one can choose an index for the x axis and the funds to be included in the mapping, thus changing the size of the circles proportionally. Source: <http://climaps.eu/#!/map/multilateral-adaptation-funding-and-vulnerability-indexes>




Figure 6. Another view from the previous visualization, displaying only the LDC Fund in the colored areas, with the gray circles indicating the total funds allocated to each country. Source: <http://climaps.eu/#!/map/multilateral-adaptation-funding-and-vulnerability-indexes>



Figure 7. Multilateral Adaptation Funding and Vulnerability Indices - Matrix. The bars for each country are ordered vertically according to each index, and the color density is proportional to the amount allocated.

Source: <http://climaps.eu/#!/map/multilateral-adaptation-funding-and-vulnerability-indices-matrix>

In the final results published in Climaps.eu, the two approaches are present: figures 5 and 6 show different views of an interactive version of the graph in figure 3. Now the colors of the bubbles are used to reinforce the growing vulnerability. In figure 7 we see a much clearer and condensed version of the initial HTML graph in figure 4. Both final versions present a richer descriptions of the issue and are not necessarily simpler than the initial ones.

In the Oxford sprint, that took place in April 2014, participants were gathered in four groups. Two of them used variations of the HTML bubble graph in order to display square matrices. Group 3, that sought to profile adaptation practices, tuned this diagram into a large graph for initial exploration and comparison of adaptations projects along many topics (we see a partial reproduction of this graph in figure 9).

Group 1 was also interested in profiling projects, but for understanding which hazards were more related to vulnerability. So the same structure was used, but with data coming from two different sources: the databases from UNDP⁵ and ci:Grasp⁶. Both of them are available in websites of public access, in series of web pages that offer a full view of each project but do not allow comparisons. The EMAPS visualization combines the two datasets and facilitate the comparison among more than three hundred items.

Diagrams that facilitate an initial appreciation of large amounts of records, are often the starting point for many following transformations. The grid in figure 10, for example, was used to compare the cases of India and Bangladesh. This comparison generated the graphs in figures 10 and 11, and was represented in a more complex interactive visualization in Climaps.eu (figure 12). The final interactive visualization replaces the bubbles with bars with the advantage of showing the proportion of each value to the maximum, aiding comparison. Nevertheless, the general table-like structure is maintained: instead of a matrix of the bubbles (figure 4), we now have a matrix of bars.

We identify three main movements of transformation in this case: first, the display of the first bubble graph is refined into a more streamlined presentation; second, the structure of the big grid is polished in order to function as a generic tool for other research questions; third, the analysis of the data drives new data treatments and the production of more advanced visualizations (see a schematic summary in figure 12). In the second movement, the bubble graph was turned into a square matrix: this time extra visual elements were added to generate a general tool for integrating different datasets and offering an initial data exploration. In the third movement, the structure is used to reconcile different datasets so that researchers could have a more complete view, and afterwards specific data points and details identified in the grid are displayed in more limited visualizations.

5. <http://adaptation-undp.org/>

6. <http://pik-potsdam.de/cigrasp-2/>

5. Shallowness, reification and reenaction

It should be clear by now that, across work groups and data sprints, from analysis to presentation, simplification is not an adequate way of characterizing the effects of visual transformations.

While examining these transformations, we initially come across two interpretations of the idea of visual simplification. First, we could think of simplification as a process in the chain of transformations in scientific images (Lynch, 1985). It can be understood as a progressive schematization that condensates relevant cues and thus visually simplifies an initial messy object. Second, we could think of simplification in relation to communication, as part of the effort of making visualizations more accessible. This second interpretation is often present in the literature of information design. Tufte (1983), for example, talks about improving the *data ink ratio* of graphics, arguing for the removal of all the visual information that does not display data and is therefore just decorative.

The html bubble graph, despite its many design problems, did display very clearly the (lack of) correlation between the priorities of funders and the vulnerability indexes. We believe this is related to its very flat presentation (with the bubbles distributed as if in a table, with no superposition and no depth in presentation) and a normalized dataset, where differences in the sizes of total budgets were cleared by treating them as percentages. Since the research question was geared towards understanding the priorities of each fund, and comparing them to the priorities suggested by vulnerability indexes, displaying amounts in dollars would introduce unnecessary detail (considering the very different allocations of the different funds). In this sense, the initial bubble graph is *shallower* than the better visually designed visualization in figure 3, because, on the one hand, it is more limited and more focused, and, on the other hand, it is more regular from a visual standpoint. We consider the final streamlined version in figure 7 to be even shallower, because it does not depend on navigation or scrolling to display all the data for all indexes: it organizes them side by side to facilitate comparison.

Indeed, by progressively framing issues in visualizations we tend to aggregate many elements in more or less cohesive entities. Reconstructing the insights of the enquiry, we tend to display these insights as entities themselves, building highlights and clearing out elements that are not directly connected to the demonstration. Moving from analysis to presentation demands the hardening of the objects of study, as well as the progressive outlining of narratives and rhetorical strategies. This movement does entail some simplification. Yet, this simplification should not be mistaken for an objective in itself or, even worse, a necessary didactic effort for the audience of the final presentation. In fact, *simplification happens as a by-product* of defining objects and developing the inquiry. Instead of thinking in terms of simplification, we propose the idea of progressively *shallower* visualizations, in the sense that they flatten the data landscape, not by avoiding complexity, but by reducing the depth of focus. At each step, the visualizations do not become simpler and do not necessarily display less information, but do indeed become more coherent and display elements more neatly.






Figure 8. The big grid, a square matrix to integrate datasets from different profiling sources and to help identifying patterns between many projects. Source: EMAPS Archives

Instead of a growing simplification, we observe two more subtler movements: the *reification of issues* and the *reenaction of insights*. In the first movement we are using the term “issues” (and not ‘scientific objects’ or ‘facts’) to highlight the role of visualization as a tool for academic and public debate. We also do not want to lose sight of the idea that scientific objects and facts are *produced* through research work (Latour, 1999), and that visualizations gives visual clues to advance of such processes. This first movement is complemented by another movement that we call the *reenaction of insights*. This latter is related to the concerns about communication, which entail didacticism and rhetoric (Offenhuber, 2010). The insights that happen in the analysis stages have to be re-produced (or demonstrated) in presentation, thereby maintaining part of the exploratory perspective even in the final results.

Does the distribution of private-, public- and insurance-funded climate change adaptation projects differ by country ?

A comparison of India and Bangladesh



Figures 9 and 10 (from top): visualizations drafted to highlight aspects of the profiles of India and Bangladesh, that served for the communication between researchers. First, the comparison on vulnerability ranking, and second, the comparison of number of projects by funding source. These graphs take one step further from the initial grid, selecting only some of the data points considered to be the most relevant, after the general view the grid provided. Source: EMAPS archives

The chain of transformations from analysis to presentation follows, to some extent, the development of the inquiry. In most cases, this development is not linear: all assumptions will be questioned and some will be abandoned; explorations will lead to dead-ends; visual analysis will sometime only display the limitations or the vices of database; all research questions will have to be adjusted and many will be discarded. Likewise, visualizations are altered, cut out, made again, become the base to others, discarded, replaced, refined. Much like what we see in the schema presented in figure 12. Visualizations comment, detail and contextualize other visualizations, and may also build over the work done in previous ones, making these last disposable and outdated.



Figure 11. One of the visualizations finally published on the site Climaps.eu: a tool where the user can verify the findings exposed in the text or search for meaningful comparisons. The visualization proposes a comparison between India and Bangladesh, but there is also the possibility of taking a broader view and

seeing the data on all the projects from countries. Source: <http://climaps.eu/#!/map/what-is-an-adaptation-project-ii>

Nevertheless, it is by opening and threading these paths that classifications are created, alliances outlined, clusters identified, patterns revealed. All these items become visible entities, things that scholars can point to, compare, discuss and challenge. This is what we call the *reification of issues*, and it is part of the exchanges inside research groups. It is the labor necessary to progressively (though not linearly) framing the issues and developing the discursive and visual tools to address them.

The other movement of this process, the *reenaction of insights*, is more closely connected to the role of visualizations as tools for engaging wider audiences. Offenhuber points to a rhetorical maneuver that is used when researchers demonstrate results of visual data analysis:

“...after puzzling the audience with a complex visualization, the presenter selects, seemingly arbitrarily, a single data point and connects it to a story, an anecdote that unlocks the principle of the whole representation. I suspect this single data point is seldom as arbitrary as it might seem, in fact the whole visualization might be designed to highlight this single point – a rhetorical device allowing the audience to reproduce the discovery of meaning in the data.” (Offenhuber, 2010, p. 370)




Figure 12. A summary of the transformations observed in EMAPS

This strategy, called “visual anecdote”, convinces by *reproducing* the transformations carried out during analysis. This relates to what Latour (1999) calls the chain of reference of scientific artifacts, where at each step of transformation it is important to keep the link to the previous step in case results need to be reproduced. Locating the reenaction of insights only in the final results, however, would be too narrow. Research projects gather different people, with different backgrounds and the visualizations also serve to make sure the “everyone is on the same page”. Throughout the whole analysis, the reenaction of insights is therefore part of the discussion that supports the enquiry. In general, our case provides a strong argument against the separation of discovery and justification, at least in information visualization. If EMAPS was productive in generating findings and communicating them it is because it effectively combined the reification of issues and the reenaction of insights: the final maps communicate by demonstrating.

References

- Daston L., Galison P. *Objectivity*. Zone Books: Brooklyn, 2007.
- Healy K., Moody J. (2014). Data visualization in sociology. *Annual review of sociology*, vol. 40, p. 105-128.
- Hoyningen-Huene P. (1987). Context of discovery and context of justification. *Studies in History and Philosophy of Science*, vol. 18, n° 4, p. 500-515.
- Jacomy M., Venturini T., Heymann S., & Bastian M. (2014). ForceAtlas2, a Continuous Graph Layout Algorithm for Handy Network Visualization Designed for the Gephi Software. *PLoS One*, 9(6), e98679.
- Latour B. (1985). Vues de l'esprit, *Culture & Technique* n° 14. <http://documents.irevues.inist.fr/handle/2042/29797>
- Latour B. (1999). *Pandora's hope: essays on the reality of science studies*. Harvard, Harvard University Press.
- Lynch M. (1985). Le retina exteriorisé. *Culture & Technique*, n° 14. <http://documents.irevues.inist.fr/handle/2042/29797>.
- Marres N., Weltevrede E. (2013). Scraping the Social? Issues in live social research. *Journal of Cultural Economy*, 6(3), pp. 313-335.
- Mayer K. (2011). Scientific images? How touching!. *Science, Technology & Innovation Studies*, 7(1), p. 29-45.
- Offenhuber D. 2010. Visual Anecdote. *Leonardo*, 43(4), p. 367-374,
Available: <http://dspace.mit.edu/handle/1721.1/60338> (Access: 01/05/2014)
- Rogers R. (2013). *The end of the virtual: digital methods*. Cambridge: MIT Press.
- Serres M., Farouki N. (1999). *Paysages des Sciences*. Paris, Éditions Le Pommier-Fayard,
- Tufte E. (1983). *The Visual Display of Quantitative Information*. Cheshire, Graphics Press.
- Venturini T. *et al.* (2015). Designing Controversies and their Publics, *Design Issues*, n° 31, vol. 3.
- Venturini T., Munk A., & Meunier A. (2016). Data-Sprint: a Public Approach to Digital Research. (C. Lury, P. Clough, M. Michael, R. Fensham, S. Lammes, A. Last, & E. Uprichard, Eds.) *Interdisciplinary Research Methods* (forthcoming).
- Venturini T. (2012). Building on Faults: How to Represent Controversies with Digital Methods. In *Public Understanding of Science*, n° 21, vol. 7.