

Indicators of Sustainable Development for Health Care Waste Treatment Industry

Olivia Maamari, Jounaid Maurice, Cédric Brandam, Roger Lteif, Dominique Salameh

▶ To cite this version:

Olivia Maamari, Jounaid Maurice, Cédric Brandam, Roger Lteif, Dominique Salameh. Indicators of Sustainable Development for Health Care Waste Treatment Industry. Environmental Research, Engineering and Management, 2017, 73 (2), pp.1-14. 10.5755/j01.erem.73.2.13399. hal-02042783

HAL Id: hal-02042783

https://hal.science/hal-02042783

Submitted on 20 Feb 2019

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Open Archive Toulouse Archive Ouverte (OATAO)

OATAO is an open access repository that collects the work of Toulouse researchers and makes it freely available over the web where possible

This is an author's version published in: http://oatao.univ-toulouse.fr/22757

Official URL: https://doi.org/10.5755/j01.erem.73.2.13399

To cite this version:

Maamari, Olivia and Maurice, Jounaid and Brandam, Cédric and Lteif, Roger and Salameh, Dominique *Indicators of Sustainable Development for Health Care Waste Treatment Industry*. (2017) Environmental Research, Engineering and Management, 73 (2). 1-14. ISSN 1392-1649

Any correspondence concerning this service should be sent to the repository administrator: tech-oatao@listes-diff.inp-toulouse.fr

Indicators of Sustainable Development for Health Care Waste Treatment Industry

Olivia Maamari

Saint Joseph University of Beirut, Faculty of sciences, Chemistry department, B.P. 11-514, 11072050, Beirut, Lebanon "arcenciel", environment program, B.P. 165216, Beirut, Lebanon

Unité de Recherche Environnement, Génomique Fonctionnelle et Études Mathématiques (UR-EGFEM)

Jounaid Maurice

"arcenciel", environment program, B.P. 165216, Beirut, Lebanon

Cedric Brandam

Ecole Nationale Supérieure des Ingénieurs en Arts Chimiques Et Technologiques, Toulouse, France Laboratoire de Génie Chimique, Toulouse, France

Roger Lteif

Saint Joseph University of Beirut, Faculty of sciences, Chemistry department, B.P. 11-514, 11072050, Beirut, Lebanon Saint Joseph University of Beirut, Technology Health Pole, Beirut, Lebanon

Unité de Recherche Environnement, Génomique Fonctionnelle et Études Mathématiques (UR-EGFEM)

Dominique Salameh

Saint Joseph University of Beirut, Faculty of sciences, Chemistry department, B.P. 11-514, 11072050, Beirut, Lebanon Unité de Recherche Environnement, Génomique Fonctionnelle et Études Mathématiques (UR-EGFEM)

Corresponding author: oliviam@arcenciel.org

Olivia Maamari, Saint Joseph University of Beirut, Faculty of sciences, Chemistry department, B.P. 11-514, 11072050, Beirut, Lebanon

Sustainable development is more and more considered as a key parameter and a driving strategy for sustainable performance. Today, numerous organizations develop their own performance indicators as no standard set of performance indicators could be generalized as meaningful in terms of sustainability performance. Particularly, the context of developing countries, where the concept of sustainability is not well diffused yet and where economic difficulties and constraints result most of the times in underestimation of environmental and social considerations, requires specifically adapted indicators. Specially, the sector of health care waste management lacks of sustainability indicators. This sector ensures the treatment, before disposal, of hazardous health care waste generated by health care centers (hospitals, clinics, and others). The evaluation system is designed for monitoring the pace of gaining sustainability within this sector. The objective of this article is to propose a sustainability evaluation system adapted to the needs and situation of developing countries, based on meaningful, practical, easily measurable and applicable indicators for the Infectious Health Care Waste (IHCW) Treatment sector.

Keywords: Infectious Health Care Waste Treatment Industry, sustainability, indicators, sustainable performance.

Introduction

Contemporary economic and social development patterns are exerting increasing pressure on natural resources. This situation is threatening collective sustainability of human society (GRI 2006), (EPA 2012). Sustainable development is defined as the development, which meets the needs of the present without compromising the ability of future generations to meet their own needs (WCED 1987). Sustainable development at an organizational level consists in measuring performance through evaluating it through its economic, environmental and social components (GRI 2006), (Staniškis and Arbačiauskas 2009), (Harmsen and Powell 2010), (EPA 2012). Sustainable development is more and more considered as a key parameter and a driving strategy for sustainable performance (Staniškis and Arbačiauskas 2009), (Van Passelet et al. 2009), (Harmsen and Powell 2010), (Fortuna 2011). Performance indicators are the main efficient tool used to evaluate and monitor sustainability performance, and give useful information to describe the situation and to indentify optimization opportunities (Warhurst 2002), (Cobb et al. 2007), (Staniškis and Arbačiauskas 2009), (Harmsen and Powell 2010), (Yazdi 2014).

During the past year, considerable efforts, mainly motivated by the society increasing demand for information and accountability, were accomplished into the development of sustainable development indicators (Warhurst 2002), (EPA 2012). Different initiatives came from the UN, OECD, European Union,

governments, NGOs, the academic and business sectors (Warhurst 2002). The main existing tools for the evaluation of sustainability include the "Core Set of Environmental Performance Reviews" (OECD 1993, 1994) aiming to improve nations' environmental performances; the Global Reporting Initiative (GRI 1997), providing guidelines for sustainability reporting; International Standards ISO 26000:2010, providing guidance on social responsibility practices; the World Business Council for Sustainable Development (WBCSD) methodology for eco-efficiency assessment (2007); and international standard ISO 14001:2004 for environmental performance evaluation (Warhurst 2002), (Staniškis and Arbačiauskas 2009), (EPA 2012).

The French IDEA method (Indicateurs de Durabilité des Exploitations Agricoles - Farm Sustainability Indicators) translates the concept of farm sustainability into a system of indicators. This method is designed as a self-assessment grid, and includes 41 indicators covering the three dimensions of sustainability in agriculture (agroecological, socio-territorial and economic) (Zahm 2005). The Institute for Sustainability of the American Institute of Chemical Engineers (AIChE) developed the AIChe index in 2007 for the quantification of sustainability efforts in the chemical industry (Cobb et al. 2007). The index includes the following categories: strategic commitment to sustainability, safety performance, environmental performance, social responsibility, product stewardship, innovation, and value chain management (Cobb et al. 2007). The Mining and Energy Research Network (MERN) has conducted research on the development of Sustainability Performance Indicators and management systems for the mining, metals and energy sectors (Warhurst 2002).

Nevertheless, selection and application of sustainability performance indicators are not yet mastered very well and still being explored (Staniškis and Arbačiauskas 2009). Given the complexity of the definition of sustainable development concept, there is no uniform consensus on indicators (Sikdar 2007). This situation has given rise to a profusion of indicators, metrics, and tools (Wilson et al. 2007), (Harmsen and Powell 2010).

In general, the main weakness of existing sustainability evaluation systems is their focus on external reporting, rather than on the internal needs for decision-making, and sustainability effectiveness improvement (Warhurst 2002), (Staniškis and Arbačiauskas 2009). Besides, the sustainability indicators foreseen in the ISO series can be difficult to measure, have high cost for the measurement of some indicators, and are not practicable to use for a great part of the world companies (Raiser Neto et al. 2006).

Today, numerous organizations develop their own performance indicators. In fact, no standard set of performance indicators could be generalized as meaningful in terms of sustainability performance. Organizations have to develop their own sets of indicators corresponding to their specific needs, mission, and activities (Azapagic and Perdan 2000), (Warhurst 2002); (Staniškis and Arbačiauskas 2009). Tailor made approaches developed within the company are more expected to support learning and to implement adapted and flexible methodologies (Warhurst 2002).

Particularly, the context of developing countries, where the concept of sustainability is not well diffused yet and where economic difficulties and constraints result most of the times in underestimation of environmental and social considerations, requires specifically adapted indicators. It is crucial that decision-makers address today sustainability issue, even imperfectly, as ignoring it may only aggravate the problem (Azapagic and Perdan 2000).

The most important criteria that define an indicator are the capacity to simplify, quantify, analyze and

communicate information (Warhurst 2002). In order to be valuable and useful, the key requirements for indicators that should be fulfilled are comparability/ measurability, meaningfulness, integrity, continuity, clarity and efficiency (Staniškis and Arbačiauskas 2009), (EPA 2012). Indicators should evaluate performance regarding two main areas: the extent of which a product, service or activity is contributing to life quality and health; and the extent to which a project is being managed according to sustainable development practices (Warhurst 2002). The best approach is the combination of quantitative and qualitative indicators (Staniškis and Arbačiauskas 2009). Ensuring that sufficient high quality data is collected, and designing reliable methodologies for processing data into indicators are essential in designing performance indicators (Warhurst 2002).

Health-care waste (HCW) includes all the waste generated by health-care establishments, research facilities, and laboratories (WHO; 2013). In average 10-25% of HCW is Health-care risk waste (HCRW) that requires special treatment due to the risks that it poses both to human health and the environment (WHO; 2013). HCRW management is a high-priority environmental concern because poor management of this type of waste causes health problems due to the proliferation of micro-organisms as well as environmental problems due to the contamination of ground water by untreated health care waste (Dursun; 2011). Infectious Health Care Waste (IHCW) forms the larger fraction of HCRW and should be treated by sterilization before joining the non hazardous waste stream for final disposal, in landfills or others. IHCW treatment is very important for preventing pollution and spread of diseases. IHCW treatment technologies include autoclaves; integrated steam-based treatment systems; microwave treatment technologies; dry-heat treatment technologies; chemical treatment technologies; and incinerators (WHO, 2013). The mission of the Health Care Waste Treatment sector is to provide the proper sterilization of IHCW before final disposal. Therefore, the IHCW treatment sector has a significant positive impact on health and environment. However, as any industry, IHCW treatment sector could also have a negative impact (consumption of energy, generation of wastewaters, operator's exposure to risks, etc.) that should be evaluated and monitored. To the best knowledge of the authors, no indicators systems capable of evaluating sustainability performance have been developed for the health care waste treatment sector that falls under the hazardous solid waste management industry. In fact, it is evident that sustainability is of the essence of the waste treatment activity since environment preservation, public health protection and social integration are the main objectives of this action. However, the choice of the treatment techniques, the level of cost-efficiency and optimization of the process, of the safety and of the effectiveness, as human resources management methods, can change the way this service can impact earth, persons, and economies (GRI 2006).

Few Lebanese health care institutions treated their IHCRW before disposal until 2003. In response to this critical problem, the NGO "arcenciel", in collaboration with the Faculty of Science of St Joseph University, developed a national network that ensures the appropriate collection and treatment of IHCW in 5 waste management facilities, covering all the country. The treatment technique is the steam sterilization associated with shredding/fragmentation. This network provides the treatment of more than 80% of IHCW in Lebanon and covers 256 health care centers. The network is a self-regulated system ensuring a triple control: The services of "arcenciel", as a treatment operator, are monitored by health care institutions because waste producers are responsible for the waste they generate until final disposal, according to the "polluter pays principle" included in the Lebanese law 444; 2002. "arcenciel" monitors IHCW quantities and reports them to the Ministry of the Environment. As required by the Lebanese decree 13389; 2004, the Ministry of the Environment monitors the whole system and "arcenciel" facilities through environmental impact assessments, audits, and regular reports (Maamari et al., 2015a). Thus, the main stakeholders involved in the Health Care Waste Management sector in Lebanon include the Ministry of Environment (monitoring entity), the health care centers (IHCW producers and operator's clients), the academic and scientific sector (that contributes in establishing standards and procedures) and the IHCW collection and treatment operators (mainly "arcenciel" for the time being,

that implements standards and procedures). Knowing that according to the "polluter pays principle", hospitals should bear the costs of their IHCW management, and should therefore pay the service provider for the treatment of their IHCW, variable pricing (price per kilogram) was adopted in order to provide incentives for the proper segregation and reduction of IHCW, and thus cost saving. In Lebanon, IHCW collection and treatment average fees is 0.64USD/kg, for the service provided by "arcenciel". Considering the weighted mean of 1.14 kg bed-1day-1, and knowing that there are 15,342 hospitals beds (164 hospitals) in Lebanon, we can estimate that the total IHCW generated in Lebanon is equal to 6,383,806 kg/year (Maamari et al., 2015, b). Considering a total population in Lebanon of 4,425 million (World Bank, 2012), we can estimate an IHCW generation of 1.42 kg/capita/year (Maamari et al., 2015b). The IHCW sector in Lebanon employs more than 50 persons. The majority of these persons are low-qualified or in social reinsertion (ex-prisoners, ex-drugs addicts, etc.) (Maamari et al., 2015a).

After more than many years of research and experience in the field of Infectious Health Care Waste Treatment, different needs were identified in terms of sustainability in this sector, notably in developing countries where sustainable development is often neglected: 1) the need of strategic commitment to enhance efforts and engagement towards sustainability within this sector; 2) the need of increasing environmental performance to ensure that environmental safe technologies and processes are adopted and that the use of not well controlled incineration technologies is avoided, notably to reduce the risk of emissions of dioxins; 3) the need of more social responsibility, to ensure that human resources are working in good conditions, and to ensure that this sector of activity that creates low-qualified jobs, is used as an opportunity for the integration of marginalized persons; 4) the need of enhancing safety performance, since this sector deals with hazardous waste and industrial heat technologies, and to ensure that human resources are properly protected from increased exposure to infectious health care waste and other occupational hazards, and; 5) the need of ensuring that the service provided is economically viable, affordable for beneficiaries and that adopted processes are cost efficient.

Thus, a monitoring system for sustainability should be developed for this sector of activity, taking into consideration the following key aspects: strategic commitment, environmental performance; social responsibility, safety performance, and economical performance.

The objective of this article is to fill in the gap of a monitoring system for HCW treatment sector through proposing to stakeholders involved in the health care waste management industry, a sustainability evaluation system adapted to the needs and situation of this sector in developing countries. This evaluation system, developed by the scientific sector in collaboration with an IHCW treatment operator, would be facilitating the monitoring of sustainability within this sector, and would be very helpful in fostering collaborative links between the main actors which are Government, businesses and scientific communities. Thus, this study foresees intersectoral cooperation between Universities (Saint Joseph University), Waste Treatment organizations (arcenciel), and governmental institution (the Ministry of Environment) that falls into the Triple Helix model, suggested by Etzkowitz, (1997, 2004, 2008).

Materials and Methods

As a first step, the main problem and scope of action were defined. The addressed problematic was to develop tools for the assessment, the development and the maintenance of the sustainability performance of health care waste treatment sector, in order to mitigate potential negative impacts and to enhance positive ones, while ensuring the durability and viability of this public interest service and its availability for the community. Three dimensions could be taken into consideration into sustainable development: the social dimension (taking into consideration the most vulnerable target groups while conducting an action); the environmental dimension (preserving natural resources); and the economical dimension (bringing autonomy through financial independence).

The second step was the identification and selection of adequate indicators, allowing evaluating the three sustainable development dimensions in the health care waste treatment activity. First, a review was conducted on the main sustainability methodologies and indicators available in the literature. As mentioned in the introduction, the systems considered in this study are proposed by the UN, OECD, European Union, governments, NGOs, the academic and business sectors. Based on a deep review of these methodologies and indicators (reported in the references), the most meaningful, practical, easily measurable and applicable indicators for the Health Care Waste Treatment sector were selected. Afterwards, selected indicators were adapted, simplified and clarified in a way to allow a monitoring of the changes over time, and facilitate the identification of problems and opportunities, and the decision making process. The simplicity of the indicators was a key requirement in order to ease the comprehension and the application of the indicators and promote their utilization. Proposed indicators were regrouped according to the following taxonomy covering the main identified needs described in the introduction, and the different aspects of sustainability: strategic commitment, environmental performance, social responsibility, safety performance, and economical performance.

The third step consisted in data collection. Care was taken to ensure information reliability.

This work was done by the Faculty of Sciences of Saint Joseph University and "arcenciel", a Lebanese 30 year NGO, recognized of public utility. "arcenciel"'s mission is to participate in the sustainable development of society by supporting fragile groups and integrating marginalized persons. The objective of the organization revolves around sustainable development, by taking into account the persons and groups that are most vulnerable; preserving natural resources and the environment; and ensuring maximum economic and financial autonomy. The association created a national network for health care waste management in 2003, and is operating it until now. This NGO, which works like a social enterprise, is a pioneer in the field of sustainable development in Lebanon, and is the major national actor of the Health Care Waste treatment sector. Therefore, the input and feedback of this NGO can be considered as reliable, and relevant for the objectives of the study.

An index of indicators, specific for health care waste treatment industries in developing countries, was developed. A total of 45 quantitative and qualitative indicators, regrouped in 5 main categories, were selected. The categories are the following: strategic commitment (5 indicators), environmental performance (9 indicators); social responsibility (12 indicators), safety performance (12 indicators), and economical performance (7 indicators) i.e. 11.11% for strategic commitment; 20.00% for environmental performance; 26.67% for social responsibility; 26.67% for safety performance; and 15.56% for economical

performance. These percentages are representative of the relative level of importance of each category for the health care waste treatment activity. Each indicator is rated depending of the level of sustainability. O for low sustainability, 1 for medium sustainability, and 2 for high sustainability. For each indicator, description references allow to determinate the level of sustainability of the evaluated activity (tables 1, 2, 3, 4, and 5). The percentage of sustainability of each category of indicator was calculated using the following formula:

Percentage of sustainability
$$= \frac{\sum obtained\ scores}{(total\ number\ of\ indicators\ in\ the\ category\ *\ maximal\ score\ for\ each\ indicator)}}{*100}$$

In order to reduce the evaluation subjectivity related to qualitative indicators, and since quantitative indicators references values cannot be generalized to all contexts, indicators are linked to a quantitative type of indicator, when applicable. Thus, after conducting a first step of evaluation to define low and medium sustainably areas, areas of efforts could be defined and limited number of Key Performance Indicators (KPI) (business metric used to evaluate factors that are crucial to the success of an organization), focusing on the main areas where progress should be done, could be selected from the 45 indicators proposed. Then, proposed methods of indicators quantification would help in measuring and following progress from one year to another.

Results and discussion

The selected indicators, relevant to the 5 areas of strategic commitment, environmental performance, social responsibility, safety performance, and economical performance are presented in the 5 tables (table 1, table 2, table 3, table 4, table 5).

The sustainability evaluation results for the Health Care Waste Treatment Sector in Lebanon showed in the figure 1 illustrate the level of integration of the different aspects of sustainable development in the sector. For instance, the environmental performance

and the economic performance are relatively low, whereas the social responsibility performance is relatively high. These results are foreseeable since in Lebanon the main operator of this sector is an NGO, whose mission is to participate in the sustainable development of society by supporting fragile groups and integrating marginalized persons, and since it is a Non-for Profit organization. Nevertheless, these results indicate that more efforts should be made to increase economic independence and capacity of self-financing, and more investment should be done. when possible, to increase environmental performance of the process. Thus, Key Performance Indicators related to these aspects should be selected and efforts should be concentrated on these areas of interventions, in order to enhance sustainability within the sector.

In some cases, some negative correlation can occur between indicators or areas of interventions. For instance, even if as reported by Warhurst (2002), previous studies show a positive correlation between environmental performance and economic performance, the cost of the measures for improving environmental performance (replacement of heavy fuel by light clean fuel for instance) can negatively impact economic indicators. This is notably the case if the cost is not passed to the consumer, or if the measure does not allow reducing costs related to generated pollution. In fact, in developing countries, polluter pays principle,

or pollution related taxes or penalties are rarely implemented. Thus, environmental performance represents a supplemental cost that organizations are not obliged to pay.

Besides, in the case of waste treatment activities, hospitals in developing counties are already reluctant to pay for the service of waste treatment, especially when the application of legislation is not enforced. Therefore,

additional costs related to environmental performance increasing measures cannot be reported to the price paid by consumers and should be incurred by the organization ensuring the service. Other examples of negative correlation can occur: for instance, using thinner bags allows reducing environmental impact but also reduces safety performance. In these cases, organizations should achieve compromise if possible without threatening safety.

 Table 1

 Strategic Commitment evaluation grid

	I	I		I	
Strategic Commitment Indicators	Indicator Description	High sustainability (2)	Medium sustainability (1)	Low sustainability (0)	Quantification of indicator
SC1	Public reporting on sustainability performance	Annual sustainability report published	Sustainability report published, but irregularly	Annual sustainability report not published yet	Fact of publishing
SC2	Sustainability goals, SMART objectives de- termined and specific programs defined	Sustainability goals, SMART objectives and specific programs exist and are achieved	Sustainability goals, SMART objectives and specific programs exist but are not achieved or followed	Sustainability goals, SMART objectives and specific pro- grams do not exist	Approved (published) list of goals and objectives
SC3	Research and development of pro- cesses with superior environmental, social and economic perfor- mance	More than one improvement towards more sustainable products or services is achieved per year	One improvement to- wards more sustainable products or services is achieved per year	No improvement towards more su- stainable products or services is achieved per year	Financial investment in R+D; number of initiatives for an improved processes environmental, social and economic performance
SC4	Purchasing policies: Policies and proce- dures for suppliers' sustainability evalu- ation. Promotion of local suppliers	Policies and procedu- res related to suppliers' sustainability exist and are systematically applied Promotion of local suppliers if quality if the same or better	Policies and procedures related to suppliers' sustainability exist but are not systematically applied Promotion of local suppliers if quality if the same and the cost is the same or less	Policies and procedures related to suppliers' sustainability do not exist Absence of promotion of the local suppliers	Percentage of purchasing from suppliers compliant with sustainability criteria Percentage of purchasing from local suppliers
SC5	Contribution of the product or service to the quality of life, health and well being over time Impact on local communities	The product or service is necessary for the improvement of health and well being over time The product, service or activity positively impacts local communities on the middle and long term	The product or service improves quality of life, but is not necessary for the improvement of health over time The product, service or activity doesn't have an impact on local communities on the middle and long term	The product or service does not improve health, quality of life and well being over time The product, service or activity negatively impacts local communities on the middle and long term	Quantity of treated waste (Kg),decrease in morbidity, avoided accidents, etc. Number of complaints received from the community or the clients

 Table 2

 Environmental performance evaluation grid

Environmental performance indicators	Indicator Description	High sustainability (2)	Medium sustainability (1)	Low sustainability (0)	Quantification of indicator
EP1	Reduction in material consumption	At least one initiative is conducted per year to reduce material consumption	At least one initiative is conducted every 3 years to reduce material consumption	Less than one initiative is conducted every 3 years to reduce material consumption	Weight of materials consumed (ex: plastic bags)
EP2	Reduction in energy consumption	Maximal measures are adopted to reduce energy consumption (awareness, installation of heat recovery system, thermal insulation) Maximal use of renewable sources of energy	Few measures are adopted to reduce energy consumption. Use of renewable ener- gy if cost-effective	No measures are adopted to reduce energy consumpti- on. No studies were conducted to see if renewable energy is cost-effective	Energy consumption (KWh/ kg of treated waste). Percentage of energy consumption from non renewable resources
EP3	Reduction in water consumption and use of renewable sources of energy	Maximal measures are adopted to reduce water consumption (water sensors, faucets aerators, awareness, water harvesting, closed-looped water systems, etc.)	Few measures are adopted to reduce water consumption	No measures are adopted to reduce water consumption	Volume of consumed (L or m³/kg of treated waste)
EP4	Reduction of air emissions	Proven absence of pollutant air emission	Measured, control- led and treated air emissions	Non-controlled air emissions	NO, SO, and other significant air emissions by type and weight
EP5	Presence of wastewaters exceeding standards limits established by regulation (In Lebanon: pH, BOD, COD, N, P ₂ O ₅ ; Ni, Cu, Hg, Total Coliforms, Total Suspended Solids)	Proven absence of waste- waters exceeding standards limits	Measured, controlled and treated waste- waters	Presence of non treated wastewaters exceeding standards limits	Wastewaters Volume (L or m³) and specifications of wastewaters before and after treatment
EP6	Waste and residues management	Regular recycling of all recyclable waste Regular testing of residues Valorization of residues No residues	Partial or irregular recycling. Occasional testing of residues. Research of valorizati- on solutions. Proper elimination of residues	No recycling. No testing of residues. No valorization and no research of valorization solutions. Inappropriate elimination of residues	Percentage of recycled waste. Weight of residues (Kg of residues/Kg of treated waste) and specifications. Percentage of valorized residues Weight (Kg) and percentage of residues improperly eliminated
EP7	Compliance with local legislation	Compliance with standards exceeding the local legislation	Compliance with local legislation	Non compliance with local legislation	Number and monetary value of fines, sanctions or complaints
EP8	Conduction of environmental audits	Conduction of regular envi- ronmental audits	Conduction of occasional environmental audits	No conduction of envi- ronmental audits	Number and results of environ- mental audits
EP9	Transportation optimization	Conduction of regular envi- ronmental maintenance Transportation is continuo- usly controlled and opti- mized; Training and tracking system allow the verification of eco-driving practices; Generalized adoption of low-emission fuels	Conduction of corrective maintenance only Transportation was optimized but no updates; Eco-driving practices are promoted but not controlled; Adoption of low-emission fuels only if cost-efficient	No maintenance, Transportation is not optimized; No pro- motion of eco-driving practices No studies were conducted to see if low-emission fuels are cost-effective	Number of failures, direct and indirect cost of failures, and number of workdays lost, Average vehicle-kilometers driven / kg treated; Fuel consumption (L)/kg of treated waste; Number of training sessions provided on eco-driving practices and number of persons trained; Percentage of low-emission fuel used

 Table 3

 Social responsibility evaluation grid

Stakeholder partnerships indicators	Indicator Description	High sustainability (2)	Medium sustainability (1)	Low sustainability (0)	Quantification of indicator
SR1	Stakeholder partnerships	Long term partnerships and new partnerships with other associations	Short term partnerships with other associations, no new partnerships	No partnerships	Number of partnerships, par- tnerships duration
SR2	Employment equity	Social marginalization exists in recruitment Persons in difficulty or having a disability are recruited and are very well integrated	No particular social margi- nalization, but no efforts are provided to improve employ- ment equity Persons in difficulty or having a disability are recruited but are not very well integrated	Programs promoting employment equity exist No persons in difficulty or having a disability are recruited or are recruited but are victims of marginalization practices	Ratio of basic salary of men to women by employee category, breakdown of employees per category according to gender, age group, religion, and political affiliation Percentage of the staff having a difficulty and being well integrated
SR3	Involvement of employees in decision making	All employees, even the field workers, are involved in decision making	Only head of units are involved in decision making	Employees are not involved in decision making	Number of decisions involving employees
SR4	Training and awareness for employees	Regular training and awareness are provided (environmental pre- servation, occupational health and safety procedures, processes, etc.) Active search for employee trai- ning options and support	Occasional training and aware- ness are provided Employees have opportuni- ties to participate in training programs	No training and aware- ness are provided Employee participation in training activities is not desirable	Number of training sessions provided and number of persons trained Number of training sessions provided and number of persons trained
SR5	Promotion of mutual support	Mutual support is highly encouraged in the company culture	Mutual support is not encouraged in the company culture, neither competition	Competition is encouraged in the company culture	Number of initiatives conducted to promote mutual support
SR6	Good working conditions	Working environment is healthy and comfortable; Presence of an optimal resting area; Presence of toilets within the center; Presence of showers within the center	Working environment is heal- thy; Presence of a resting area, but the area is not optimal; Presence of toilets near the center; Presence of showers near the center	The working environ- ment is not healthy; No resting area; No toilets; No showers	Number of decibels, available space/person, specifications of air emissions; Surface of resting area per employee; Number of employees per toilet; Number of employees per shower
SR7	Presence of job profiles	Presence of clear, adapted and applied job profiles	Presence of approximate job profiles	Absence of job profiles	Number of appropriate job profiles/total number of employees
SR8	Diffusion of leave calendar	Leave calendar is diffused	Leave calendar exists but is not diffused	Absence of leave calendar	NA
SR9	Providing insurance for all employees	Insurance is provided to all the employees	Insurance is provided to part of the employees	Insurance is not provided to employees	Number of ensured employees/ total number of employees
SR10	Salaries	The number of dependants is integrated in a clear remuneration system Bonus are regularly provided based on the performance	The number of dependants is taken into consideration but not integrated in a clear remuneration system Bonus are occasionally provided	The number of dependants is not taken into consideration Bonus are not provided	NA Number of employees that obtained a bonus
SR11	Turnover	Turnover lower than 25%	Turnover between 25% and 50%	Turnover higher than 50%	Turnover*,**
SR12	Inclusion of trainees	More than 2 trainees are received and supervised per year, agreements exist with universities	Trainees are occasionally accepted and supervised, no agreements with universities	No reception of trainees	Number of supervised trainees

^{*} excluding interim staff and short-term hiring

^{**} Turnover was calculated based on the following formula:

Table 4Safety performance evaluation

Safety performance indicators	Indicator description	High sustainability (2)	Medium sustainability (1)	Low sustainability (0)	Quantification of indicator
SP1	Personal Safety	Safety incidents are recorded, no occurrence of major safety incidents, number of incidents is decreasing Optimal protective equipments are provided, audits and awareness are provided to make sure equipments are well used Conduction of regular medical tests All employees exposed to biological risks are systematically properly vaccinated, records are kept	Safety incidents are recorded, occurrence of one major safety incident per year maximum, number of incidents is stable or decreasing Non optimal protective equipments are provided, audits and awareness are not provided to make sure equipments are well used Conduction of medical tests, but not regularly Vaccination exists, but is not generalized to all employees exposed to biological risks, lacks of recording or monitoring, records are not kept	Safety incidents are not recorded, occurrence of more than one major safety incident per year, number of incidents is increasing No protective equipments are provided No conduction of medical tests Employees are not vaccinated	Number of incidents, number of missed workdays NA Number of medical tests conducted annu- ally per employee and number of concerned employees Number of employees properly vaccinated
SP2	Plant security mana- gement system	A highly recognized security management system is imple- mented (OHSAS 18001)	A basic security management system is implemented	No management system is implemented	NA
SP3	Risk communication process	Procedures and policies con- cerning the communication of the risks to the employees and concerned stakeholders exist and are applied	Risks are communicated but no specific policy or procedures	Risks are not communicated	NA
SP4	Conduction of safety audits	Conduction of regular safety audits	Conduction of occasional safety audits	No conduction of safety audits	Number of safety audits conducted
SP5	Monitoring of the process efficiency	An efficiency monitoring program, based on adapted indicators (such as biological and chemical indicators) is adopted	Indicators are only used randomly, or in case of suspicion concerning the efficiency	Indicators are not used	Number of efficiency tests conducted
SP6	Maintenance of the building	A program of preventive maintenance is adopted	Only corrective maintenance is adapted	No maintenance	Number of problems related to absence of maintenance
SP7	Access limitation	A computerized access control system is established	Access is limited but no compute- rized access control system	No access control	NA
SP8	Surveillance ca- meras	Surveillance cameras are used, covering all critical zones	Surveillance cameras are used but do not cover all critical zones	No surveillance cameras	Percentage of critical surface covered by the camera
SP9	Safety reminders panels (prohibition to drink and eat, use of protective equipment, written procedures and instructions on mea- sures to be adopted in case of emergen- cies etc.)	Safety measures are adopted by employees and panels are clearly displayed in the center Written procedures and instructions on the measures to be adopted in case of emergencies (machine failure, fire, etc.) are well known by employees are clearly displayed in the center	Safety measures are adopted by employees but panels are not clearly displayed in the center Written procedures and instructions on the measures to be adopted in case of emergencies exist, are clearly displayed in the centers, but are not applied by employees	Absence of safety panels (prohibition to drink and eat, etc), safety measures are not adopted by employees Absence of written procedures and instructions on the measures to be adopted in case of emergencies	NA
SP10	Availability of fire extinguishers	Fire extinguishers are available in all critical zones	Fire extinguishers are available but not in all critical zones	Fire extinguishers are not available	Number of fire extin- guishers
SP11	First aid training is provided to employees	First aid training is systematically provided to all employees	First aid training is provided to some of the employees, or occasionally provided	First aid training is not provided	Number of training sessions provided on first aid and number of trained employees

Table 5Economic performance evaluation grid

Economical Performance Indicators	Indicator Description	High sustainability (2)	Medium sustainability (1)	Low sustainability (0)	Quantification of indicator
EP1	Dependence on operating subsidies	0%	0% > EP1< 100%	≥100%	Σ Operating subsidies / Gross Operating Profit
EP2	Dependence on bank loans	0%	0% > EP3< 100%	≥100%	(Annual installment + short-term financial costs) / Gross Operating Profit
EP3	General economic dependence	0%	0%> EP3< 100%	≥100%	(Annual installment + short-term financial costs + Σ subsidies) / GOP
EP4	Return on equity	>10%	5%> EP4≤ 10%	≤5%	Net Profit /Equity
EP5	Capacity of self-finan- cing for fixed asset renewal needed	<80%	80%≥EP5<100%	≥100%	(Fixed asset * (depreciation rate - 50%)) / Capacity of self-financing
EP6	Investment in new development activities or in the improvement of the same activity	≥70%	10%≥EP6<70%	<10%	(Raise of fixed assets + investment in new development activities)/ Net Profit
EP7	Turnover form the largest customer	<25%	25%≤EP7<50%	≥50%	Total turnover/turnover from the largest customer




Fig. 1
Sustainability evaluation results for the Health Care Waste Treatment Sector in Lebanon for the year 2014

Compliance with regulations is very important, however, in some developing countries such as Lebanon where society is disillusioned with weak government an where regulations are not updated, adapted, pertinent, or applicable, some actors such as NGO play a

pro-active role, initiating progress and proposing regulations amendments. Thus, measures initiated by the treatment operator to improve cost efficiency or to adapt to the needs and situation on the field can be compliant with international recommendations such

as WHO guidelines, without being compliant with local regulation.

Dependence on operating subsidies measures the activity dependency on operating subsidies that could be provided by governmental entities for instance. We consider that the sustainability of the action should not depend on these subsidies that could be reduced or withdrawn, notably in developing countries. To measure this dependence, operation subsidies is related to the Gross Operating Profit (GOP) that represents the cash flow generated by the concerned activity. For instance, a dependence on operating subsidies of 50% means that the cash flow would be reduced by 50% in the absence of subsidies. When the indicator is equal or higher than 100%, it means that the operator(s) involved in the sector cannot develop the activity or renew fixed assets in the absence of subventions. Dependence on bank loans measures the share of the cash flow that is dedicated to debt repayment. Lower is this dependence; higher is the sustainability of the action. The general economic dependence gathers the dependence on subsidies and the dependence on bank loans. These two indicators are summed up to have a general ideal of dependence on external funding. Return on equity is a profitability indicator measuring the optimization of the financial and material resources. We consider that if the return on equity is lower than the inflation rate (5% for instance), the viability of the activity is threatened. Thus, the return on equity should be equal or higher than the inflation rate. Capacity of self-financing for fixed asset renewal measures the financial resources needed for fixed assets renewal at short term, related to the capacity of self-financing. This indicator evaluates the capacity of the operator(s) involved in the sector to renew fixed assets autonomously. We consider that starting form a depreciation rate of 50%, fixed assets should be renewed, and that the equivalent value of the depreciation rate compared to the acceptable depreciation rate of 50% should be reinvested in fixed assets renewal. Investment in new development activities or in the improvement of the same activity measures the share of profit reinvested in the development or diversification of activities. In fact, the treatment operator should seek to develop its activities. Thus, we consider that to be sustainable, the operator should invest more than the majority if its profits in activity (quality, technology, capacity) development. Turnover from the largest customer measures the dependence on the largest customer. Lower is this indicator, more the activity is sustainable.

The evolution of the level of sustainability rates (reduction of low sustainably occurrence and increasing of the number of indicators rated as highly sustainable) of each indicator each year allows monitoring positive changes over time. The progress of these results among years allows evaluating the efficiency of the measures adopted. The progression of low and medium sustainability rates towards high sustainability rates over time reflects the speed of progress in terms of strategic commitment, environmental performance, social responsibility, safety performance and economic performance. This speed will depend on the contextual capacity of implementing actions toward sustainability (financial capacities, technical advancement etc.).

Conclusion

Sustainable indicators constitute a tool to be used in promoting mainstream and tangential consideration of sustainable development. The measurement and monitoring of sustainability performance can be considered as a tool to be integrated in the quality loop within management system.

The proposed sustainability system brings to light sustainability parameters to be taken into consideration in the Health Care Waste Treatment sector, and helps in establishing measures and options to be adopted for the improvement of sustainability applied to this sector in a developing country, and to follow the improvement among time. Rating the level of sustainability for each indicator allows identifying priority areas of improvement. Based on his identification, Key Performance Indicators are selected, allowing monitoring the progress through proposed quantification methods. The qualitative nature of some indicators and data, that could constitute a limit to the objectivity of the performance evaluation, is here counterbalanced by the proposed quantification of indicators. The evolution of the level of sustainability rates (reduction of low sustainably rates indicators and increasing of the number of indicators rated as highly sustainable) of each indicator each year allows monitoring positive changes over time in terms of strategic commitment, environmental performance, social responsibility, safety performance and economic performance. The system can be adapted also to the priorities and context, through utilization of weighing factors. The

proposed evaluation system will contribute to an improvement in the long run societal resource economy, notably through reduction of environmental degradation costs, the reduction of the healthcare bill, the creation of green jobs, and the development of a green economic sector.

References

Azapagic, A.; Perdan, S. (2000) Indicators of Sustainable Development for Industry: A General Framework, Process Safety and Environmental Protection. 07/2000; 78(4):243–261. DOI: 10.1205/095758200530763.

Cobb, C., Schuster, D., Beloff, B., and Tanzil, D., (2007) Benchmarking sustainability, Chem. Eng. Prog., 103 (6): 38 – 42.

Dursun, M., Ertugrul Karsak E., and Karadayi, M.A. (2011). Assessment of health-care waste treatment alternatives using fuzzy multi-criteria decision making approaches. Resour Conserv Recy, Vol. 57, 98-107.

Global Reporting Initiative (2000-2006) Sustainability Reporting guidelines

Yazdi, S. A general framework for sustainability performance assessment of steel industry (2014) International Journal of Sustainable Human Development, 2(1), 8-17. Ó 2014. First published by Eduserv Group Publishing Division, UK, 2014 8. Environmental Research, Engineering and Management, 2009. No. 2(48), P. 42-50.

Fortună, M.E; Simion I.M, Gavrilescu, M. (2011) Indicators for sustainability in industrial systems. Case Study: paper manufacturing, Paper presented at the International Conference of Applied Sciences, Chemistry and Chemical Engineering — CISA 2011, 28-30 April 2011, Bacău, Romania 2011, 12 (4), pp. 363 – 372. ISSN 1582-540X

Harmsen, J. Powell, J., (2010), Sustainable Development in the Process Industries: Cases and Impact. 2010. ISBN: 978-0-470-18779-1

Raizer Neto, E.; Mariotte, M.T; Hinz R.T.P. (2006). Indicators to measure sustainability of an industrial manufacturing, 2006, pp 111-122

Sikdar, S. K., (2007), Sustainability perspective and chemistry - based technologies . Ind. Eng. Chem. Res. , 46 (14): 4727-4733

Staniškis, J; Arbačiauskas, V. (2009) Sustainability Performance Indicators for Industrial Enterprise Management, En-

vironmental Research, Engineering and Management, 2009. No. 2(48), P. 42-50. ISSN 1392-1649.

Maamari, 0; Brandam, C.; Lteif, R.; Salameh, D. (2015a). The creation and monitoring of a network for solid healthcare waste management. Int. J. Environment and Waste Management, Vol. 15, No. 2, 2015.

Maamari, O; Brandam, C.; Lteif, R.; Salameh, D. (2015b). Health Care Waste generation rates and patterns: The case of Lebanon. Waste Management, 2015. No. 43, P. 550-554.

United States Environmental Protection Agency (EPA) (2012) A Framework for Sustainability Indicators at EPA EP-A/600/R/12/687; www.epa.gov/ord

Van Passel S., Van Huylenbroeck G., Lauwers L., Mathijs E. (2009) Sustainable value assessment of farms using frontier efficiency benchmarks. J Environ Manage. 2009 Jul;90(10):3057-69. doi: 10.1016/j.jenvman.2009.04.009. Epub 2009 Jun 23.

Warhurst A., (2002), Sustainability Indicators and Sustainability Performance Management. Mining, minerals, and Sustainable Development. No 43.

Wilson, J., Tyedmers, P., and R. Pelot (2007) Contrasting and comparing sustainable development indicator metrics . Ecol. Indicators , 7 (2): 299 – 314

WHO, Safe management of wastes from health-care activities, 2nd Edition, (2013)/

World Commission on Environment and Development (WCED) (1987), Our Common Future, ('The Brundtland Report') Oxford University Press: 8

Zahm F., Viaux P., Vilain L., Giradin P., Mouchet C. (2004) The IDEA method (Farm Sustainability Indicators): a diagnostic assessment method to make the transition from the concept of sustainability to its assessment using indicators; in proceedings of PEER Conference; 17th to 18th November 2004; Helsinki, Finland; submitted in January 2005 to Sustainable Development (Wiley Interscience) with the following title "Assessing farm sustainability with the Farm Sustainability Indicators method

Olivia Maamari

Beiruto Šventojo Juozapo universitetas, Chemijos katedra, Beirutas, Libanas "arcenciel", aplinkos apsaugos programa, Beirutas, Libanas Aplinkos tyrimų padalinys, Funkcinės genomikos ir matematikos centras (UR-EGFEM), Tulūza, Prancuzija

Jounaid Maurice

"arcenciel", aplinkos apsaugos programa, Beirutas, Libanas

Cedric Brandam

Nacionalinė chemijos inžinerijos, technologijų ir menų mokykla, Tulūza, Prancuzija Cheminės inžinerijos laboratorija, Tulūza, Prancuzija

Roger Lteif

Beiruto Šventojo Juozapo universitetas, Chemijos katedra, Beirutas, Libanas Beiruto Šventojo Juozapo universitetas, Sveikatos technologijų skyrius, Beirutas, Libanas Aplinkos tyrimų padalinys, Funkcinės genomikos ir matematikos centras (UR-EGFEM), Tulūza, Prancuzija

Dominique Salameh

Beiruto Šventojo Juozapo universitetas, Chemijos katedra, Beirutas, Libanas Aplinkos tyrimų padalinys, Funkcinės genomikos ir matematikos centras (UR-EGFEM), Tulūza, Prancuzija

Darnus vystymasis vis labiau vertinamas kaip pagrindinis pasaulio vystymosi parametras ir varomoji strategija. Šiandien daugybė organizacijų sukuria savo veiklos rodiklius, todėl kalbant apie darnią veiklą, nėra standartizuoto veiklos rodiklių rinkinio. Tai ypač tinka kalbant apie besivystančias šalis, kuriose darnumo sąvoka dar nėra daug paplitusi, ir kuriose ekonominiai sunkumai ir apribojimai daugiausiai įtakoja nepakankamą aplinkos ir socialinės erdvės įvertinimą, todėl ten reikalinga sukurti specialiai pritaikytų rodiklių. Ypač sveikatos priežiūros atliekų tvarkymo sektoriuje trūksta darnumo vertinimo rodiklių. Šis sektorius užtikrina sveikatos priežiūros centruose esančių pavojingų sveikatos priežiūros atliekų apdorojimą prieš jų pašalinimą (ligoninės, klinikos ir kt.). Vertinimo sistema skirta kontroliuoti šio sektoriaus darnaus augimo tempą. Šio tyrimo tikslas yra pasiūlyti darnumo vertinimo sistemą, pritaikytą besivystančių šalių poreikiams ir padėčiai, pagrįstą prasmingais, praktiniais, lengvai išmatuojamais ir taikytinais infektuotų sveikatos priežiūros atliekų (USPA) tvarkymo rodikliais.

Raktiniai žodžiai: sveikatos priežiūros infektuotų atliekų tvarkymo pramonė, darnios plėtros rodikliai, veiksmingumas.