



HAL
open science

Proof of concept of plasmonic thermal destruction of surface cancers by gold nanoparticles obtained by green chemistry

Maroua Ben Haddada, Dimitri Koshel, Zhang Yang, Weiling Fu, Jolanda Spadavecchia, Sabrina Pesnel, Anne-Laure Morel

► To cite this version:

Maroua Ben Haddada, Dimitri Koshel, Zhang Yang, Weiling Fu, Jolanda Spadavecchia, et al.. Proof of concept of plasmonic thermal destruction of surface cancers by gold nanoparticles obtained by green chemistry. *Colloids and Surfaces B: Biointerfaces*, 2019, 184, pp.110496. 10.1016/j.colsurfb.2019.110496 . hal-02357083

HAL Id: hal-02357083

<https://hal.science/hal-02357083>

Submitted on 9 Nov 2019

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Proof of concept of plasmonic thermal destruction of surface cancers by gold nanoparticles obtained by green chemistry

Maroua Ben Haddada^{1,2}, Dimitri Koshel¹, Zhang Yang³, Weiling Fu³, Jolanda Spadavecchia², Sabrina Pesnel¹, Anne-Laure Morel^{1*}

¹*TORSKAL nanosciences, 2 rue Maxime Rivière, 97490 Sainte-Clotilde, La Réunion France*

² *CNRS, UMR 7244, CSPBAT, Laboratoire de Chimie, Structures et Propriétés de Biomatériaux et d'Agents Thérapeutiques, Université Paris 13, Sorbonne Paris Cité, Bobigny, France*

³*SOUTHWEST HOSPITAL, Third Military Medical University (TMMU), Chongqing, China*

Corresponding authors: annelaure.morel@torskal.fr

KEYWORDS: green nanomedicine, gold nanoparticle, medicinal plant, plasmonic photothermal therapy, hyperthermia

Abstract

A greener approach for the design of surface plasmon resonant gold nanoparticles has been obtained with a hydrosoluble fraction of an endemic asteraceae medicinal plant. This medicinal plant is originated from Indian Ocean and demonstrates its bioreducing activity in the design of stable green nanomedicine in aqueous media. This article describes the preclinical assessment of the efficacy of these novel nanocandidates on murine model by intratumoral and intravenous injections. It definitely demonstrates two key points in the treatment of cancer: 1) optimization of the tumor microenvironment targeting by specific

ligands for a limited damage on healthy tissue, 2) the need to screen the specific irradiation dose (time, power) taking into account the type of tumor.

1. Introduction

Green nanomedicine is inspiring a new trend of treating serious diseases[1] like cancers in a global scale. This green nanomedicine is a novel concept mainly emerging in North and South Asia, and to a lesser extent in Indian Ocean[2] where medicinal plants are required as bioreactants in modern nanotechnology. This concept presents ecological and scientific aspects. The technological transfer in industrial scale will require no/few synthetic chemical compounds and will cause limited damages on the environment. The metal (gold) is the active principle; medicinal plants are herein used for the design of the nanoparticles and their stabilization before the ligand exchange between targeting moieties and flavonoids. The destruction of the tumor environment is remotely activated by a noninvasive medical device (NIR laser).

The smallest nanoparticles are interesting for targeting cell nuclei (gene therapy and drug delivery) and for size effects at the nanoscale. Studies reported that sub 10 nm sized nanoparticles are obtained by reverse synthesis[3], i.e. by inverting the order of introduction of the reagents.

Currently, the gold standard method for the treatment of surface cancers is essentially surgery. The operation involves removing the tumor and a few millimeters of the healthy tissue surrounding it. This method follows the precautionary principle and presents the disadvantage to require large surgical margin leading to unaesthetic scars on skin. The goal is to ensure total removal of malignant cells.

The issue is double: first detect at early stage the malignant cell in combination with existing medical imaging, second reduce the margin around the malignant area when operating the surgical excision.

During this decade, gold nanoparticles (AuNP) demonstrated their biocompatibility, low toxicity and easy way of functionalization. Previous studies reported the synthesis of controlled and reproducible reactions leading to stable and biocompatible gold nanoparticles (AuNP)[2]. Well known reverse synthesis[3] usually leads to sub10nm nanoparticles. Synthetic chemical compounds were here replaced by crude extracts for the formation of stable water soluble gold nanoparticles in a simple and ecological manner.

SPR gold nanoparticles allows photothermal therapy (PPTT) by inducing exalted hyperthermia in the specific area containing nanoparticles[4]. Due to the low penetration depth of the NIR laser in the tissues, PPTT is adapted to surface cancer, as skin cancers, or other cancers accessible via an endoscope as lung, colorectal or pancreatic cancers. The targeting moiety is a cyclo-peptide able to specifically bind to endothelial receptors and melanoma cells[5], [6]. In the present study, the antitumor activity of gold nanoparticles via a photothermal effect was assessed on a murine model: melanoma. The therapeutic efficiency of the treatment is compared with conventional treatment. Among the existing published results on PPTT, few of them managed to design the optimal parameters for the induction of hyperthermia in the region of interest containing the nanoparticles. They focus on the destruction of the tissue leading to necrosis, thus also causing the destruction of the healthy microenvironment surrounding the tumor. This publication herein reports *in vitro* and *in vivo* results showing the proof of concept of the efficiency of green nanomedicine as ecological and nontoxic nanoparticles for the treatment of surface and surgical access cancers.

1. Results and discussion

1.1. Strategic choice of plants for green synthesis

Prior to the selection of the plant, we considered the possible *in vivo* side effects induced by the plant extracts either by dissociation of physisorbed molecules during the vectorization or by nonspecific targeting of the tumor area. The choice of medicinal plants was done according to the medicinal property of the plant used, and ecological criteria. The asteraceae plant herein studied is well known in traditional medicine in Reunion Island. In external and internal use this plant is recommended for skin problem as eczema [7]. We focused on ecological extraction with no synthetic chemical compounds. No sulfide group is present in the crude mixture of plant extracts [8] which may lead to main carbonyl coordination as chemical link between organic molecules and gold nanoparticles.

1.2. Synthesis of green gold nanoparticles and their characterization

AuNPs were synthesized as previously described by Morel *et al*[2]. The reverse synthesis protocol led to 15nm size and spherical shape nanoparticles as previously obtained with a mixture of crude extract and quercetin [9]. These results demonstrate the role of a strong natural bioreducer added in the medium, quercetin or isomer, for the design of small nanoparticle and also demonstrates the possibility to use reverse synthesis in substitution to quercetin for the design of an ecofriendly and costless process.

The macroscopic color change of the brown plant extract solution after the introduction of the tetrachloroauric acid indicates the expected formation of 15nm sized spherical nanoparticles.

This was confirmed by the UV-Visible absorption spectra in **Figure IA (supplementary data)**. AuNPs had absorption maximum in the range of 500–600 nm due to SPR phenomena. The characteristics of this plasmon band (position, width, spectral amplitude and sensitivity

for light polarization) depend not only on intrinsic properties of nanoparticles (composition, structure, size and shape) but also of their dispersion and their local environment. The peak optical density (OD), or absorbance of the sample, correlates linearly to the concentration of nanoparticles in solution. The AuNP showed the SPR band around 533 nm in the visible region. This single band also indicated that the obtained gold nanomaterials are mainly spherical in shape, in accordance with the Mie theory, did not form agglomerates and corresponds to a size of around 15 nm according to the literature[10]. In UV-Vis, the disappearance of the absorption of Au (III) at 290 nm is due to the reduction of gold salts in the presence of bioreducers that are plant extracts.

The different centrifugation of nanoparticles as well as the disappearance of the peak at 290 nm (UV-visible) in favor of SP at 524 nm demonstrate the reduction of metal salts and the formation of Au⁰. After the addition of polymer, the UV-Visible spectra of AuNP@G did not present a blue shift but a decreasing intensity without formation of agglomerates. This can be explained by the increasing particle gap after the grafting of the carbohydrate on top of the AuNPs. Moreover, the UV-visible spectra of AuNP@G@P showed a slight red shift (5 nm) in the plasmon peak arising from a small change in the refractive index around the AuNP due to the peptide coating.

The stability of colloid was monitored by UV-Visible absorption spectra. The obtained AuNP was stable during storage and could be maintained at room temperature for more than one month without obvious changes (data not shown). This stability of AuNP implied that the surfaces of the gold nanoparticles were well protected first by the associated plant extract, then exchanged by the carbohydrate.

The stabilization of AuNP with carbohydrate was confirmed by Raman spectroscopic analysis (**Figure IB supplementary data**). This analysis showed that the specific functional groups of the AuNP@G have the same chemical characteristics than the pure polymer, indicating the

molecular interaction with the AuNP surface. The spectrum of a high concentration carbohydrate in water presents several vibrational peaks at 512, 845, 912, 1064, and 1120 cm^{-1} . After functionalization with the peptide, there is no significant change on the Raman spectra, this can be explained by the high gap to metal nanoparticle distance. The larger distance between the peptide and the nanoparticle surface did not show significant enhancement.

Additionally, we performed dynamic light scattering (DLS) characterization and TEM imaging to verify the diameter and morphological characteristics of formed AuNP before and after functionalization (**Table 1 - Figure II**). TEM images show AuNP@G and AuNP@G@P appearing as dark spots with a size around 13.96 ± 2.45 nm and 13.81 ± 2.83 nm respectively. These latter gold nanomaterials appear mainly as spherical shape. According to the DLS, average diameter of AuNP is 35.92 ± 0.8 nm. This diameter takes into account the plant extract layer formed around the nanoparticle. Notice the larger hydrodynamic diameter than the 'dry' diameter obtained in TEM, due to solvation, hydrogen bonding and van der Waals effects. A significant increase in the particle size for AuNP@G, as compared to AuNP, could also be explained by the adsorption of polymer to the surface. After interaction with the peptide, the average particle size in DLS of AuNP@G@P is 68.67 ± 1.08 nm.

The zeta potential of AuNP was -26.2 due to the negative charge of hydroxyl group of flavonoids coating the nanoparticles and responsible for their stability. After this carbohydrate adsorption, the zeta potential became more negative due to the hydroxyl function. Furthermore, zeta potential was maintained negative after the conjugation of the peptide and conferred a high stability to the nanoparticle suspensions.

The chemical composition of the upper shell of the nanoparticles was probed by X-ray photoelectrospectroscopy (XPS) (**Figure III supplementary data**). This characterization method demonstrates the evolution of the rate of elements and this corroborates the presence

of an organic shell stabilizing the nanoparticles. This shell is in majority constituted with carbon (60%) and oxygen (30%). The successive steps of functionalization show clearly the increase of the ratio C/Au, O/Au and C/O as indicated in **Table I**. Considering that biomolecules such as peptides, carbohydrates and flavonoids are constituted with a higher rate of carbon than oxygen, we can deduce that the ratio C/O would be higher after the grafting of biomolecules. Depending on the nature of amino acids, the ratio C/O is at the average of 10, higher than those of flavonoids or carbohydrate. Regarding the evolution of C/Au, O/Au and C/O we can deduce that the peptide is grafted on the top of the shell. The O1s at 532.93 eV demonstrates a carbonyl coordination bond to the gold surface atom of the nanoparticle.

1.3. *In vitro* biological activity of AuNP@G@P

Carbohydrate was added [11] for the preferential accumulation of the nanoparticles in the region of interest, high area of angiogenesis. Kattian *al* demonstrated the double influence of carbohydrates (maltose and gum arabic) in the stabilization of the nanoparticles and the targeting property in an active way. It is known that the shape and size of nanoparticles directly influences the ability of nanoparticles to reach the microenvironment of tumors and thus the effectiveness of treatment [12].

A. K. Rengan *et al* first reported the design of degradable liposomes as potential candidate for the liberation of small 5nm sized nanoparticles in the region of interest [13]. This candidate is well adapted for the renal clearance (NpAu=5.5nm) but requires high concentration of AuNP at the surface of liposome for an efficient PPTT at non-lethal power density for healthy tissue (0.9W/cm²). The best compromise seems to be the design of 10-15nm sized spherical nanoparticles leading to poor capture by hepatosplenic system and allowing the destruction of tumor zone at non-lethal power density for healthy tissue.

Our strategy focuses on the use of small nanoparticles (15nm spherical shape) for the treatment of surface cancers with a high level of angiogenesis. The best administration mode has been studied to launch the higher rate of accumulation of nanotheranostic in the region of interest. This required a careful research of parameters to avoid the destruction of healthy tissue but inducing irreversible damages to cells that have internalized nanoparticles.

1.3.1. Cell viability measurement

Cell viability was assessed after the incubation of AuNP@G@P with tumor cells at various concentration for 24h or 48h. After 24h incubation, as shown in **Figure 1**, AuNP@G@P did not present significant cytotoxic effect on the viability of tumor cells for OD 0.03-0.15. After 48h incubation, AuNP@G@P did not show significant cytotoxic effect on the viability of tumor cells for OD < 0.38. The optical density (OD) 0.15 was considered as the highest tested dose to study biological activity of AuNP@G@P.

1.3.2. Cell internalization of AuNP

Cell internalization of the AuNP@G@P was assessed by microscopy and absorbance measurements. **Figure 2B** shows black spots on the bright field image and dark spots on the dark field image corresponded to nanoparticles aggregates which were not visible on the non-treated cells and more concentrated with larger concentration of nanoparticles. **Figures 3B** and **3C** indicate that internalization is dose and time dependent. Higher concentrations of nanoparticles led to higher internalization rates of nanoparticles for both type of cells.

1.3.3. Preliminary in vitro hyperthermia in solution

Once the internalization was studied, preliminary *in vitro* hyperthermia assessments were performed with the final candidate AuNP@G@P. The purpose was to study the plasmonic photothermal capability in solution. Under continuous irradiation, NPAu demonstrated a

linear increase of temperature in function of time leading to two maxima of $\Delta T = 2.8^\circ\text{C}$ and 13.4°C respectively at 0.2 and 0.6 W/cm^2 (**Figure III supplementary data**). **Figure 4A** shows an increase of temperature depending on the quantity of injected AuNP. The mediated plasmonic hyperthermia induced by AuNP seems to be time and concentration dependent at any continuous irradiation dose.

Hyperthermia alters the expression of several genes related to cell proliferation and differentiation, i.e. p53 (cell cycle regulator gene), Bax and Bcl-2, leading to apoptosis [14].

1.3.4. In vitro hyperthermia measured in presence of cells

Once the capability of AuNP to mediate hyperthermia was demonstrated in solution, the assessment of the PPTT was performed in biological conditions, in the presence of MIA-PaCa-2 cells. The power density of the laser was set at 0.2 W/cm^2 considering the maximal permissible exposure of skin as per ANSI regulation for a continuous irradiation mode at 808 nm. This condition did not lead to skin and subcutaneous tissue damages on rats [15]. **Figure 4B** demonstrated that the treatment at 0.2 W/cm^2 led to fewer living MIA-PaCa-2 cells 24h after the treatment than in the control. Moreover no dead cells were visible by optical microscope nor by the detection of cleaved caspase 3/7 which consequently indicates a cell growth inhibition at 0.2 W/cm^2 . Same results were observed at 0.45 W/cm^2 . In conclusion, these experimentations report here that these power densities (0.2 and 0.45 W/cm^2) induced reversible damages but inefficient hyperthermia for the cell destruction by heat. Higher power densities were assessed on SK-MEL-28: 0.6 and 0.9 W/cm^2 . Both induced cell death (**Figures 5A and 5B**) but severe cellular damage was caused at 0.9 W/cm^2 even without the AuNP. The optimal *in vitro* conditions seem to be AuNP solution with $\text{OD} = 0.15$ with a laser power density = 0.6 W/cm^2 . Indeed, with these conditions, we observe cell death while

exposing the cells to either AuNP or NIR light individually, which did not compromise cell viability.

Even if the main goal is to manage to kill the tumor cells, the best way to achieve it would be to induce tumor cell apoptosis instead of necrosis. Indeed, the risk with necrosis is to induce inflammation and edema in the treated tissue while there are generally no noticeable symptoms related to the apoptosis process. Annexin V-PI staining test was performed 24 h after the PTT treatment in order to evaluate the cell death mechanism. PTT treatment induced apoptosis with a significant increase in late apoptosis (Annexin V⁺/PI⁺) as shown in **Figure 6A**. The presence of cells in late apoptosis was further confirmed by the observed induction of caspase 3/7 activity 24h after PTT application.

Despite the high power density applied to the skin (i.e. 0.6 W/cm² is three times higher than the maximal permissible exposure skin), we may consider that several teams observed a difference of efficiency between *in vitro* and *in vivo* condition [16], [17]. They reported the difficulty to generate an optimal hyperthermia inducing the *in vitro* destruction of cells, in comparison with *in vivo* conditions due to the absence of the microenvironment, as described by Hanahan *et al*[18].

1.4. *In vivo* efficacy assessment of the treatment by NIR irradiation

The solid tumors are considered as microenvironment with an assembly of distinct cell types[19]: cancer stem cell, cancer cell, cancer associated fibroblast, endothelial cell, pericyte, immune inflammatory cells.

One issue that came up is the determination of the best administration route leading to an important accumulation in the region of interest. As demonstrated by Katti and *al*[11], the coating has an influence on the target property of the nanoparticles.

AuNP@G@P were injected to tumor bearing mice in two administration routes: intravenous and intratumoral. The biodistribution of AuNP was assessed by measuring the quantity of gold in the main organs and tumor using ICP-MS analysis, 4h or 24h post-administration.

1.4.1. Intravenous injection

As reported in **Figure 7A**, after 4h post-injection, the highest quantities of gold are concentrated in the liver ($23,039 \pm 3,064 \mu\text{g}/\text{kg}$) and in the spleen ($3,014 \pm 362 \mu\text{g}/\text{kg}$). Other organs and tumor have small quantity of gold around $100 \mu\text{g}/\text{kg}$.

After 24h post-injection, the quantity of gold decreased in the liver and increased in the spleen. No significant difference was observed in the tumor and other organs. The presence of AuNP@G@P in the spleen indicated that a part of the AuNP were cleared by the reticuloendothelial system (RES) with splenic clearance. But the main part was uptaken by the liver for hepatic clearance.

1.4.2. Intratumoral injection

In order to get a higher concentration of nanoparticles inside the tumor, we also assessed the biodistribution after intratumoral injection. As shown in **Figure 7B**, 4h after intratumoral injection, the main part of the gold was present into the tumor ($16,697 \pm 6,684 \mu\text{g}/\text{kg}$) while the quantity was lower than $200 \mu\text{g}/\text{kg}$ in the other organs. Despite the quantity decreased 24h post injection, AuNP@G@P were still present in the tumor without significant rise in other organs. Meanwhile, we assume that AuNP were eliminated by kidneys.

To demonstrate that a single dose of AuNP associated to laser could destroy tumor cells, we injected AuNP in tumor bearing mice and compared with injected PBS (**Figure 6B**). One hour later, the tumor was irradiated for 20 minutes (808nm; $1.5 \text{ W}/\text{cm}^2$) and the tumor volumes were monitored every day for 3 days. B16F10 melanoma are black mice, present highly vascularized and tick tumor (7mm) at the beginning of the treatment. For these reasons, the study required higher power density than for *in vitro* studies.

AuNP@G@P coupled with laser irradiation showed a high antitumor activity according to the criteria of Corbett *et al*[20](T/C \leq 10% and rAUC \leq 50%) and were not toxic at the injected dose. Indeed, body weight were monitored over time and showed no obvious losses (no weight loss > 20%). An inhibition of tumor growth by 77% (in all mice and a partial regression in four mice) was observed in the AuNP group while no inhibition of tumor growth was observed in the laser group.

2. Conclusion

This article reports the proof of concept of plasmonic photothermal treatment of surface and surgical access cancers by green nanogold theranostic. The challenge consisted in the noninvasive destruction of cancer cells in a single nontoxic dose and activated after intratumoral injection by non-ionizing irradiation.

These candidates are obtained by a greener approach than previous process already developed in our team, using plant extracts, water and gold salts. These latter candidates demonstrate the photothermal effect both *in vitro* and *in vivo* skin cancer murine model. The exposure of the gold nanoparticles to NIR allowed a temperature increase sufficiently high to induce cell death even at low power density. This paper highlights the design of personalized physical parameters of PPTT inducing irreversible damages and leading to a “cleaner” tumor destruction without causing the necrosis of healthy tissue. Intratumoral injection allowed higher amounts of AuNP into the tumor and reduced the uptake by the other organs. Considering the surface diseases as skin cancers, one may conclude that an intratumoral injection could optimize the delivery of AuNP inside the tumor to get a better efficacy of the PPTT.

The actual challenge in cancer therapy is to treat rapidly in an irreversible manner by injecting a single dose of product. The next publication will present the *in vivo* results of PPTT on skin cancers for destruction of tumors at non-lethal irradiation dose without affecting healthy tissue. The next challenge will concern the design of theranostic by the combination with *in vivo* medical imaging for the skin treatment at early stage.

1. Experimental section

Reagents and chemicals

Tetrachloroauric acid (HAuCl_4), EDC, NHS, carbohydrate were purchased from Sigma-Aldrich (Saint-Quentin Fallavier, France). Peptide was purchased from SynVec (University of Bordeaux II, France). The plant (TSK1) was purchased from CAHEB, Reunion Island.

Synthesis of gold nanoparticles (AuNP)

The gold nanoparticles were synthesized using the method previously described [2] then stabilized by a carbohydrate.

Functionalization by peptide (AuNP@G@P)

3 ml of AuNP@G was mixed with 200 μL EDC/NHS mixture and kept for 1.5 h at room temperature. The solution was centrifuged and redispersed in deionized water. Then 3 ml of AuNP@G@EDC-NHS was mixed with 60 μL of peptide and kept for 1.5 h at room temperature. The solution was centrifuged and redispersed in deionized water.

Characterization of AuNPs

All the measurements were performed at least in triplicate in order to validate the reproducibility of the synthetic and analytical procedures.

The UV-Vis absorption spectra of AuNPs solution was recorded by a Perkin Elmer Lambda UV/Vis 950 using standard 1 mm plastic cells at room temperature. The measurements have been made in the 200-900 nm spectral range.

Transmission electron microscopy (TEM) images of AuNPs were acquired on a TEM/STEM Technai Osiris microscope (FEI) equipped with a high angle dark field detector operating at 200 kV. To conduct TEM analysis, a 3 μ l drop of AuNP solution previously treated for 5 min in an ultrasonic bath was deposited on carbon-coated copper grid. The sample was left to dry during 30 minutes under ambient air.

Hydrodynamic particles size distribution and zeta potential were measured on a ZetasizerNanoZSP (Malvern Instruments). The measurements were realized at 25°C.

A ThermoFisher Scientific K-ALPHA spectrometer was used for XPS analysis with a monochromatized AlK α source ($h\nu=1486.6$ eV). The X-Ray spot size was 400 microns for surface point acquisition and 200 microns when sputtering. A pressure of 10⁻⁷ Pa was reached in the chamber when transferring drops of liquid onto indium foil. The full spectra (0-1100 eV) were obtained with a constant pass energy of 200 eV and high resolution spectra at a constant pass energy of 40 eV. Charge neutralization was applied during analysis. C1s, O1s, Au4f high resolution spectra were fitted and quantified using the AVANTAGE software provided by ThermoFisher Scientific (Scofield sensitivity factors used for quantification).

In vitro biological activity of AuNP@G@P

Origin of tumor cell line - Cell culture

Two cells lines were used: the tumor MIA-PaCa-2 derived from surgical explant of a pancreas carcinoma from a 65-years old Caucasian man and the tumor SK-MEL-28 derived from surgical explant of a malignant melanoma from a 51-years old Caucasian man. Cell lines were

purchased from ATCC (ATCC® CRL-1420TM and HTB-72TM) and cultured in DMEM supplemented with 10% heat-inactivated fetal bovine serum, 2 mM L-glutamine, 20 mM sodium pyruvate, 50 U/ml penicillin and 50 µg/ml streptomycin. The cell lines were maintained at 37°C in 5% CO₂ and 95% air in a humidified atmosphere.

Cytotoxicity

Cells were incubated 24h or 48h with different amount of AuNP (50µL in 150µL medium) in 96-well culture plate at 37°C and 5% CO₂. After that, a standard trypan blue exclusion test of cell viability was performed to determine the cell killing efficiency of AuNP. Cell viability was normalized to a control group without any AuNP.

Evaluation of AuNP internalization

Cells were incubated 4h or 24h with different amount of AuNP (50µL in 150µL medium) in 96-well culture plate at 37°C and 5% CO₂. After that, cells were washed with PBS to remove AuNP that were not internalized within the cells. The cells were then trypsinized to get solutions of cells/AuNP in PBS (200 µL). The absorption of these solutions was measured with an UV-Vis spectrophotometer (1mm cuvette). In addition, optical images of the cells were made with the optical microscope of a Xplora Raman microspectrometer (Horiba scientific) in bright and dark fields.

Evaluation of plasmonic photothermal therapy (PPTT)

Cells were incubated 24h with AuNP (50 µL in 150 µL medium) in 96-well culture plate at 37°C and 5% CO₂. After internalization for 24h, cells were washed with PBS and irradiated by an 808nm NIR laser at different power densities (from 0.2 to 0.9 W/cm²) for different time (1 to 9 min). During the irradiation the cells were maintained to 37°C. Cell growth inhibition was determined by measuring 3-(4,5-dimethylthiazol-2-yl)-2,5-diphenyltetrazolium bromide (MTT) dye absorbance by living cells. MTT solution (2.5 mg/mL in PBS) was added to each

well and cells were incubated for 4h. Formazan crystals resulting from MTT reduction were dissolved by the addition of 10% SDS in DMSO/acetic acid solution per well. The relative quantity of formazan products formed in each well was detected by reading absorbance at 570 nm. Cell growth was normalized to a control group without any treatment.

Cell apoptosis was measured 24h after NTP by flow cytometry using a dead cell apoptosis kit with annexin V FITC and Propidium Iodide (PI) (ThermoFisher Scientific, France). MIA-PaCa2 cells were seeded into a 24-well culture plate at a density of 2×10^4 cells/well and incubated 24h with AuNP@G@P (OD=0.6; 250 μ L in 750 μ L medium) at 37°C and 5% CO₂. The cells without AuNPs were used as a control. After internalization for 24h, the treated cells were then washed with PBS and fresh media was replaced. The cultured cells were then maintained at 37°C and irradiated by an 808 nm NIR laser at a power density of 0.6 W/cm² for 9 min. At 24 h post-treatment, cultures were assayed by flow cytometry using a dead cell apoptosis kit with annexin V FITC and Propidium Iodide (PI) (ThermoFisher Scientific, France). Cells were collected and washed with PBS, centrifuged (1,000 g at 37°C for 5 min) and stained with Annexin V-FITC and PI according to the manufacturer's instructions. In addition, the Caspase-Glo3/7 Assay kit was also used to measure caspase 3/7 activation according to manufacturer protocol.

In vivo assessment of the plasmonic photothermal activity of AuNP@G@P

Cell culture

B16F10 (ATCC® CCL-6475TM) is a murine melanoma cell line from a C57Bl/6J mouse. Cell line was cultured in MEM medium supplemented with FBS (10%) and L-glutamine (2 mM). Cells are maintained in an incubator at 37°C with 5% CO₂.

Animals and tumors

BALB/c nude male mice, 5 weeks old were used. Animals were housed in plastic cages inside a controlled ventilated rack with free access to water and food. All experiments were performed in accordance with national animal care guidelines (EC directive 86/609/CEE, French decree n°87-848). Tumor xenografts were achieved by subcutaneous injection of tumor cells suspension (2.5×10^5 cells in 200 μ l PBS) into the right flank. To follow tumor growth, tumor volume (V in mm³) was measured with a caliper and was calculated as $V = (\text{length} \times \text{width} \times \text{thickness})/2$.

Biodistribution study: ICP-MS analysis

Gold nanoparticles (AuNP@G@P; OD = 0.3; 200 μ L) were injected in the tail vein or directly into the tumor, then 4h or 24h post-injection mice were sacrificed in order to take a blood sample and the following organs: tumor, liver, a piece of muscles, heart, brain, kidneys and spleen. Every sample was analyzed by ICP-MS to determine the amount of NP in each tissue (μ g/kg).

In vivo Plasmonic photothermal treatment (PPTT)

When tumors reached a volume of $200 \pm 50 \text{ mm}^3$ (D0), mice were randomly assigned into 3 groups (5 mice per group). In the CTRL group, mice were not treated; in the Laser group, PBS (100 μ L) was injected into the tumor then the anesthetized mice received PPTT; in the AuNPs group, AuNP@G@P (100 μ L; OD = 0.3) was injected into the tumor then the anesthetized mice received PPTT. Tumor treatment was performed 1 hour after injection of PBS or AuNPs. Photothermal treatment consisted in a tumor irradiation with a 808 nm laser diode during 20 min with a power density of 1.5 W/cm².

In vivo evaluation of PPTT efficacy

Plasmonic photothermal treatment efficacy was assessed regarding the nanomaterial effects on tumor volume for PPT-treated mice relative to control vehicle-treated mice. Two

evaluation criteria were used in parallel: (i) Growth inhibition, calculated as the ratio of the median tumor volume of AuNP-treated versus control groups : T/C, % = (median tumor volume of AuNP-treated group on day X / median tumor volume of control group on day X) x 100, the optimal value, being the minimal T/C ratio which reflects the maximal tumor growth inhibition achieved; (ii) Relative area under the tumor growth curve, rAUC (%), representative of the tumor growth curve as a whole, reflects the overall effect of a test compound over time. $rAUC = [(area\ under\ the\ tumor\ volume\ growth\ curve\ of\ the\ treated\ group / median\ area\ under\ the\ tumor\ volume\ growth\ curve\ of\ the\ control\ group) \times 100]$. The more active the compound, the lower the rAUC value.

Statistical analysis.

The results are shown as the mean \pm standard deviation. Data was analyzed by One-Way Analysis of Variance (ANOVA) followed by post-hoc comparisons by Tukey's HSD test. A probability level < 0.05 was considered statistically significant. Calculations were performed using SigmaPlot 9 software.

ASSOCIATED CONTENT

Supporting Information. Supplementary figures, schemes and tables are provided.

This material is available free of charge *via* the Internet at <http://>

Corresponding Author: annelaure.morel@torskak.fr*

Author Contributions

The manuscript was written through contributions of all authors. All authors have given approval to the final version of the manuscript.

ACKNOWLEDGMENT

This work has been partly performed in TORSKAL Nanoscience, on the CNanoMat platform of the University Paris XIII and TMMU.

This work has been partly funded by BPI France, Europe (FEDER) and the Regional Council of La Réunion. We thank Ms Céline FRECHINA, Mr Imade AIT ARSA, Dr Laura LALLEMAND and Dr Maya CESARI from CYROI platform for the biological tests. Support was provided by Sandra CASALE from University of Paris VI for TEM analysis. XPS Data were performed in PLACAMAT, Bordeaux by Christine LABRUGERE. Plants are originated from CAHEB. The preclinical batch was provided by Dr NazendeGundayTureli from Pharmjet MJR, Germany.

References

- [1] H. Jahangirian, E. Ghasemian lemraski, T. J. Webster, R. Rafiee-Moghaddam, et Y. Abdollahi, « A review of drug delivery systems based on nanotechnology and green chemistry: green nanomedicine », *International Journal of Nanomedicine*, vol. Volume 12, p. 2957- 2978, avr. 2017.
- [2] A.-L. Morel, S. Giraud, A. Bialecki, H. Moustauoui, M. L. de La Chapelle, et J. Spadavecchia, « Green extraction of endemic plants to synthesize gold nanoparticles for theranostic applications », *Frontiers in Laboratory Medicine*, vol. 1, no 3, p. 158- 171, sept. 2017.
- [3] S. K. Sivaraman, S. Kumar, et V. Santhanam, « Monodisperse sub-10nm gold nanoparticles by reversing the order of addition in Turkevich method – The role of chloroauric acid », *Journal of Colloid and Interface Science*, vol. 361, no 2, p. 543- 547, sept. 2011.
- [4] E. B. Dickerson et al., « Gold nanorod assisted near-infrared plasmonic photothermal therapy (PPTT) of squamous cell carcinoma in mice », *Cancer Letters*, vol. 269, no 1, p. 57- 66, sept. 2008.
- [5] L. Zilberberg et al., « Structure and Inhibitory Effects on Angiogenesis and Tumor Development of a New Vascular Endothelial Growth Inhibitor », *Journal of Biological Chemistry*, vol. 278, no 37, p. 35564- 35573, sept. 2003.
- [6] S. Deshayes et al., « “Click” Conjugation of Peptide on the Surface of Polymeric Nanoparticles for Targeting Tumor Angiogenesis », *Pharmaceutical Research*, vol. 28, no 7, p. 1631- 1642, juill. 2011.
- [7] S. Brillant, J.-C. Pieribattesti, C. Marodon, *Ethnopharmacologia*, n°37, juin 2006

- [8] Sprogøe, K., Stærk, D., Jäger, A. K., Adersen, A., Hansen, S. H., Witt, M., ... & Jaroszewski, J. W. (2007). Targeted natural product isolation guided by HPLC–SPE–NMR: constituents of *Hubertia* species. *Journal of natural products*, 70(9), 1472-1477.
- [9] M. Ben Haddada et al., « Endemic Plants: From Design to a New Way of Smart Hybrid Nanomaterials for Green Nanomedicine Applications », *Journal of Nanomedicine & Nanotechnology*, vol. 09, no 05, 2018.
- [10] W. Haiss, N. T. K. Thanh, J. Aveyard, et D. G. Fernig, « Determination of Size and Concentration of Gold Nanoparticles from UV–Vis Spectra », *Analytical Chemistry*, vol. 79, no 11, p. 4215- 4221, juin 2007.
- [11] Fent, Genevieve M., et al. "Biodistribution of maltose and gum arabic hybrid gold nanoparticles after intravenous injection in juvenile swine." *Nanomedicine: Nanotechnology, Biology and Medicine* 5.2 (2009): 128-135.
- [12] T. Stylianopoulos et R. K. Jain, « Design considerations for nanotherapeutics in oncology », *Nanomedicine: Nanotechnology, Biology and Medicine*, vol. 11, no 8, p. 1893- 1907, nov. 2015.
- [13] A. K. Rengan, M. Jagtap, A. De, R. Banerjee, et R. Srivastava, « Multifunctional gold coated thermo-sensitive liposomes for multimodal imaging and photo-thermal therapy of breast cancer cells », *Nanoscale*, vol. 6, no 2, p. 916- 923, 2014.
- [14] A. Basile, D. Biziato, G. V. Sherbet, P. Comi, et F. Cajone, « Hyperthermia inhibits cell proliferation and induces apoptosis: Relative signaling status of P53, S100A4, and Notch in heat sensitive and resistant cell lines », *Journal of Cellular Biochemistry*, vol. 103, no 1, p. 212- 220, janv. 2008.
- [15] K. Sasaki, R. Calderheadt Glen, I. Chin, et K. Inomata, « To examine the adverse photothermal effects of extended dosage laser therapy in vivo on the skin and subcutaneous tissue in the rat model », *Laser therapy*, vol. 4, no 2, p. 69- 73, 1992.

- [16] L. R. Hirsch et al., « Nanoshell-Mediated Near-Infrared Thermal Therapy of Tumors under Magnetic Resonance Guidance », *Proceedings of the National Academy of Sciences of the United States of America*, vol. 100, no 23, p. 13549- 13554, 2003.
- [17] W. I. Choi, J.-Y. Kim, C. Kang, C. C. Byeon, Y. H. Kim, et G. Tae, « Tumor Regression In Vivo by Photothermal Therapy Based on Gold-Nanorod-Loaded, Functional Nanocarriers », *ACS Nano*, vol. 5, no 3, p. 1995- 2003, mars 2011.
- [18] P.-E. Le Renard, « Formulations pour le traitement local de tumeurs solides par hyperthermie à médiation magnétique », Université de Nancy, 2011.
- [19] D. Hanahan, R. A. Weinberg, « Hallmarks of Cancer: The Next Generation », *Cell*, vol. 144, no 5, p. 646- 674, mars 2011.
- [20] Corbett TH, Valeriote FA, Demchik L, Polin L, Panchapor C, Pugh S, White K, Knight J, Jones J, Jones L, LoRusso P, Foster B, Wiegand RA, Lisow L, Golakoti T, Heltzel CE, Ogino J, Patterson GM, Moore RE., « Preclinical anticancer activity of cryptophycin-8. », *J Exp Ther Oncol.*, vol. 1, no 2, p. 95- 108.