

Dedication: Commemorative Issue in Honor of Professor Karlheinz Schwarz on the Occasion of His 80th Birthday

Peter Blaha, Henry Chermette

▶ To cite this version:

Peter Blaha, Henry Chermette. Dedication: Commemorative Issue in Honor of Professor Karlheinz Schwarz on the Occasion of His 80th Birthday. Computation, 2022, 10 (5), pp.78. 10.3390/computation10050078 . hal-03675490

HAL Id: hal-03675490 https://hal.science/hal-03675490v1

Submitted on 23 May 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers. L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution 4.0 International License





Editorial **Dedication: Commemorative Issue in Honor of Professor Karlheinz Schwarz on the Occasion of His 80th Birthday**

Peter Blaha ^{1,*} and Henry Chermette ^{2,*}

- ¹ Institute of Materials Chemistry, Vienna University of Technology, Getreidemarkt 9/165-TC, 1060 Vienna, Austria
- ² Institut des Sciences Analytiques, UMR 5280, CNRS, Université Claude Bernard Lyon1, Université de Lyon, 5 rue de la Doua, F-69100 Villeurbanne, France
- * Correspondence: peter.blaha@tuwien.ac.at (P.B.); henry.chermette@univ-lyon1.fr (H.C.)

Karlheinz Schwarz was born in January 1941 in Vienna (Austria), and he married Christine Schwarz in 1969. They have one child (Caroline), and he is a happy grandfather of four grandchildren. Besides his passion for science, he likes classical music. In fact, when he was young, he was not sure whether he should study chemistry or music, and maybe he would have become a virtuoso pianist instead of a famous scientist. Another passion was skiing; he even became a skiing instructor and impressed (and taught) numerous colleagues at various winter conferences in the mountains with his elegant style.

He studied Chemistry at the University Vienna and obtained his PhD under the supervision of A. Neckel in 1968, where he performed the first theoretical solid-state calculations in Austria using the APW method. I still remember his stories about all the problems he had to solve due to the limited computer resources at that time, including sleeping at the computing center because he had to remount tapes several times during the night, when such a calculation was running.

After his PhD, he worked as a postdoc in John C. Slater's group in Gainesville, FL, and later with Frank Herman at the IBM Research Lab in San Jose, CA. With his programming skills, developed during his PhD in Austria, he could impress the leading solid-state theory groups and speed up their codes by an order of magnitude. He came into contact with the X-alpha method—a predecessor of modern DFT—and optimized the alpha parameter for all atoms in a clever and unique way. The corresponding paper [1] was one of the most cited theory papers at that time.

Coming back from the US, he completed his Habilitation in "Quantum Chemistry" at the Technical University of Vienna, where he became a professor in 1976. His scientific reputation and active scientific life led to many invitations, and he was a guest professor at the Universities of Bochum, Uppsala, Montreal, Duisburg, Gainesville and Paris. He was a research fellow in Tsukuba, Japan, and six times a summer faculty member at the IBM T.J. Watson Research Center, where he worked intensively with Art Williams and Vic Moruzzi. During these times, his interest turned towards magnetism [2] and concepts such as "covalent magnetism" [3] and the "fixed-spin method" (FSM) [4], which laid the foundations to explain the Invar alloy problem [5].

Together with S.B. Trickey, P. Sorantin and myself, he formed the basis for the WIEN code, a full-potential all-electron augmented plane-wave-based computer program. This code, first published in 1990 [6], developed over the years into the WIEN2k code [7,8], a powerful and widely used package able to calculate many different properties of solids. In particular, it is famous for its unprecedented accuracy in solving the Kohn–Sham equations, often referred to as the "DFT limit". This user-friendly program is licensed by more than 3500 groups worldwide in academia and industry and still serves as a benchmark for all newly developed solid-state codes.

Although science was his passion, as a professor, he also served in many management positions. He was department head for 4 years and vice-head/head of the "FG Chemie"



Citation: Blaha, P.; Chermette, H. Dedication: Commemorative Issue in Honor of Professor Karlheinz Schwarz on the Occasion of His 80th Birthday. *Computation* **2022**, *10*, 78. https://doi.org/10.3390/ computation10050078

Received: 17 May 2022 Accepted: 19 May 2022 Published: 23 May 2022

Publisher's Note: MDPI stays neutral with regard to jurisdictional claims in published maps and institutional affiliations.



Copyright: © 2022 by the authors. Licensee MDPI, Basel, Switzerland. This article is an open access article distributed under the terms and conditions of the Creative Commons Attribution (CC BY) license (https:// creativecommons.org/licenses/by/ 4.0/). for more than 8 years. He served as president of the "Chemisch-Physikalische gesellschaft" and of the Austrian Fulbright Alumni Association, paying back the support he received from the Fulbright Association as a young postdoc. Realizing how important a good computer infrastructure for a modern university will be, he became head of the computing center of the Technical University of Vienna (TU Wien) in 1990 and later on head of their advisory board.

Karlheinz Schwarz realized early how important dissemination and discussions with colleagues are, and besides giving excellent invited talks at many conferences, he organized several conferences or served in the corresponding advisory boards. He was chairman of two Gordon conferences ("Phase transitions in non-metallic solids", Volterra, Italy, 1994, and "Electron densities and chemical bonding", Oxford, UK, 1998), and he founded and chaired the famous conference series "Workshop on Novel Materials and Superconductors" at Planneralm and Obertraun for an amazing 32 years (1989–2017). Similarly, to promote our WIEN2k code, he organized 26 WIEN workshops all over the world (Italy, France, Poland, the USA, Canada, Iran, Singapore, Japan and Austria). He was a very good friend of Walter Kohn [9], and his invitation to two conferences organized by Schwarz in Vienna (International Conference on DFT 1997 and Applied DFT2001) helped to settle the relation of Walter Kohn with his country of birth.

Personally, I met Karlheinz Schwarz in 1979 when I was a young chemistry student at the Technical University of Vienna and attending a course on "Solid state theory" given by him. Although most students had problems at the beginning to digest "strange concepts" such as the "reciprocal lattice" or "periodic boundary conditions", our passionate teacher explained this so well and with unique enthusiasm that this topic really started to catch my interest. When I finally realized that K. Schwarz was a scientist with the highest international experience and reputation, I was very happy to accept his offer to start a PhD under his supervision. He introduced me to the LAPW method, and this was the beginning of a deep friendship and, for me, due to his never-ending support, the start of my career. (P.B.)

I met Karlheinz Schwarz for the first time in Montreal, in 1981, where we crossed as postdocs in the Dennis Salahub group. For me, he was the famous author of the optimization of the α statistical exchange parameter [1] I cited and used in all my MS-X α calculations, e.g., [10,11]. Later, at the beginning of the 1990s, he participated for the first time in the series of DFT congresses we initiated with the passed Alessandro Bencini and Annick Goursot. He organized the meeting in 1997 in Vienna and became more or less the leading member of the scientific committee of the series of these meetings. I am glad that a respectable number of friends (18) accepted to write a paper in this dedicated issue. We can notice the large panel of scientific topics covered by Karlheinz's knowledge. We deeply acknowledge the following contributions related to spectroscopy by Manuel Yañez et al. [12], Juan-Carlos Sancho-García and Emilio San-Fabián [13]; excited states by Ágnes Nagy [14], Kalidas Sen et al. [15] and Fabrizia Negri et al. [16]; DFT developments by Fabio Della Sala et al. [17], Mathias Rapacioli and Nathalie Tarrat [18], Emmanuel Fromager et al. [19], José Manuel García de la Vega et al. [20] and Harry Ramanantoanina [21]; results analysis by Andreas Savin et al. [22] and Manuel Richter et al. [23]; and, of course, the solid state and surfaces by Leila Kalantari and Fabien Tran et al. [24], Denis Salahub et al. [25], Peter Blaha et al. [26], Samuel B. Trickey [27], William Lafargue-Dit-Hauret and Xavier Rocquefelte [28], Tzonka Mineva and Hazar Guesmi et al. [29]. (H.C.)

Conflicts of Interest: The authors declare no conflict of interest.

References

- 1. Schwarz, K. Optimization of the Statistical Exchange Parameter *α* for the Free Atoms H through Nb. *Phys. Rev. B* **1972**, *5*, 2466. [CrossRef]
- Williams, A.R.; Moruzzi, V.L.; Gelatt, C.D., Jr.; Kübler, J.; Schwarz, K. Aspects of transition-metal magnetism. J. Appl. Phys. 1982, 53, 2019. [CrossRef]

- 3. Schwarz, K.; Mohn, P.; Blaha, P.; Kubler, J. Electronic and magnetic structure of BCC Fe-Co alloys from band theory. *J. Phys. F Met. Phys.* **1984**, *14*, 2659. [CrossRef]
- 4. Schwarz, K.; Mohn, P. Itinerant metamagnetism in YCO2. J. Phys. F Met. Phys. 1984, 14, L129. [CrossRef]
- Entel, P.; Hoffmann, E.; Mohn, P.; Schwarz, K.; Moruzzi, V.L. First-principles calculations of the instability leading to the Invar effect. *Phys. Rev. B* 1993, 47, 8706. [CrossRef] [PubMed]
- 6. Blaha, P.; Schwarz, K.; Sorantin, P.; Trickey, S.B. Full-potential, linearized augmented plane wave programs for crystalline systems. *Comput. Phys. Commun.* **1990**, *59*, 399. [CrossRef]
- 7. WIEN2k. Available online: http://www.wien2k.at (accessed on 17 May 2022).
- 8. Blaha, P.; Schwarz, K.; Tran, F.; Laskowski, R.; Madsen, G.K.H.; Marks, L.D. WIEN2k: An APW + lo program for calculating the properties of solids. *J. Chem. Phys.* 2020, *152*, 074101. [CrossRef]
- 9. Schwarz, K.; Sham, L.J.; Mattsson, A.E.; Scheffler, M. Obituary for Walter Kohn (1923–2016). Computation 2016, 4, 40. [CrossRef]
- Chermette, H.; Pedrini, C. MSX-Alpha Calculation of Adiabatic Potential-Energy Surfaces of Cu+ in Sodium-Chloride Lattice in the A1g Subspace—Incidence of the Copper Chlorine Distance on the Electronic-Structure. J. Chem. Phys. 1982, 77, 2460–2465. [CrossRef]
- 11. Chermette, H. 20 Years of the Ms-X-Alpha Method. New J. Chem. 1992, 16, 1081–1088.
- 12. Lamsabhi, A.M.; Montero-Campillo, M.M.; Mó, O.; Yañez, M. A Theoretical Survey of the UV–Visible Spectra of Axially and Peripherally Substituted Boron Subphthalocyanines. *Computation* **2022**, *10*, 14. [CrossRef]
- Sancho-García, J.-C.; San-Fabián, E. Organic Emitters Showing Excited-States Energy Inversion: An Assessment of MC-PDFT and Correlation Energy Functionals Beyond TD-DFT. *Computation* 2022, 10, 13. [CrossRef]
- Nagy, Á. Density Functional Theory of Coulombic Excited States Based on Nodal Variational Principle. Computation 2021, 9, 93. [CrossRef]
- 15. Doma, S.B.; Salem, M.A.; Sen, K.D. Plasma Confined Ground and Excited State Helium Atom: A Comparison Theorem Study Using Variational Monte Carlo and Lagrange Mesh Method. *Computation* **2022**, *9*, 138. [CrossRef]
- Dai, Y.; Zubiria-Ulacia, M.; Casanova, D.; Negri, F. Impact of Charge-Resonance Excitations on CT-Mediated J-Type Aggregation in Singlet and Triplet Exciton States of Perylene Di-Imide Aggregates: A TDDFT Investigation. *Computation* 2022, 10, 18. [CrossRef]
- 17. Fabiano, E.; Sarcinella, F.; Constantin, L.A.; Della Sala, F. Energy Density Functionals Based on a Generalized Screened Coulomb Potential: Linear Response and Future Perspectives. *Computation* **2022**, *10*, 30. [CrossRef]
- 18. Rapacioli, M.; Tarrat, N. Periodic DFTB for Supported Clusters: Implementation and Application on Benzene Dimers Deposited on Graphene. *Computation* **2022**, *10*, 39. [CrossRef]
- 19. Sekaran, S.; Saubanère, M.; Fromager, E. Local Potential Functional Embedding Theory: A Self-Consistent Flavor of Density Functional Theory for Lattices without Density Functionals. *Computation* **2022**, *10*, 45. [CrossRef]
- 20. Ema, I.; Ramírez, G.; López, R.; García de la Vega, J.M. Generation of Basis Sets for Accurate Molecular Calculations: Application to Helium Atom and Dimer. *Computation* **2022**, *10*, 65. [CrossRef]
- 21. Ramanantoanina, H. LFDFT—A Practical Tool for Coordination Chemistry. Computation 2022, 10, 70. [CrossRef]
- 22. Pernot, P.; Savin, A. Should We Gain Confidence from the Similarity of Results between Methods? *Computation* **2022**, *10*, 27. [CrossRef]
- 23. Richter, M.; Kim, S.-J.; Koepernik, K. Helge Rosner and Arnulf M?bius, Accuracy and Precision in Electronic Structure Computation: Wien2k and FPLO. *Computation* **2022**, *10*, 28. [CrossRef]
- 24. Kalantari, L.; Tran, F.; Blaha, P. Density Functional Theory Study of Metal and Metal-Oxide Nucleation and Growth on the Anatase TiO₂(101) Surface. *Computation* **2022**, *9*, 125. [CrossRef]
- Naseri, M.; Jalilian, J.; Salahub, D.R.; Lourenço, M.P.; Rezaei, G. Hexatetra-Carbon: A Novel Two-Dimensional Semiconductor Allotrope of Carbon. *Computation* 2022, 10, 19. [CrossRef]
- 26. Rubel, O.; Blaha, P. Length-Gauge Optical Matrix Elements in WIEN2k. Computation 2022, 10, 22. [CrossRef]
- Zhang, L.; Kozhevnikov, A.; Schulthess, T.; Cheng, H.P.; Trickey, S.B. Performance Enhancement of APW + lo Calculations by Simplest Separation of Concerns. *Computation* 2022, 10, 43. [CrossRef]
- 28. Lafargue-Dit-Hauret, W.; Rocquefelte, X. Influence of the chemical pressure on the magnetic properties of the mixed anion cuprates Cu₂OX₂ (X = Cl, Br, I). *Computation* **2022**, *10*, 73. [CrossRef]
- 29. Gaumard, R.; Dragún, D.; Pedroza-Montero, J.N.; Alonso, B.; Guesmi, H.; Malkin Ondík, I.; Mineva, T. Regression Machine Learning Models Used to Predict DFT-Computed NMR Parameters of Zeolites. *Computation* **2022**, *10*, 74. [CrossRef]