



HAL
open science

How the environment shapes our ability to navigate

Hugo J Spiers, Antoine Coutrot, Michael Hornberger

► **To cite this version:**

Hugo J Spiers, Antoine Coutrot, Michael Hornberger. How the environment shapes our ability to navigate. *Clinical and Translational Medicine*, 2022, 12 (6), pp.e928. 10.1002/ctm2.928. hal-03695167

HAL Id: hal-03695167

<https://hal.science/hal-03695167v1>

Submitted on 14 Jun 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

How the environment shapes our ability to navigate

Hugo J. Spiers^{1*}, Antoine Coutrot², Michael Hornberger³

1. Institute of Behavioural Neuroscience, Department of Experimental Psychology, Division of Psychology and Language Sciences, University College London, UK
2. LIRIS - CNRS - University of Lyon, France
3. Norwich Medical School, University of East Anglia, Norwich, UK.

* Correspondence: h.spiers@ucl.ac.uk

Where we grow up can define us in many ways; how we speak, what activities we do, and who we might spend our life with. We have recently found that it can also impact the ability to navigate.¹ Growing up in a city has, on average, a negative impact on navigation skill. This insight may be important for the development of new tools to aid the diagnosis and monitoring of function in Alzheimer's Disease (AD).

1 THE CHALLENGE OF TESTING SPATIAL NAVIGATION

Spatial disorientation is a core early symptom of Alzheimer's disease.² The areas of the brain known to be important for navigation and spatial orientation are amongst the earliest to be impacted by AD pathophysiology.² However, to date there have been few cognitive tests available to assess spatial navigation and orientation clinically. This is because most cognitive tests are paper & pencil based, whereas spatial navigation requires exploring an environment and making judgments about it, either in the real or a virtual reality environment. Because people live in different environments with varying complexity, it is not trivial to determine whether someone has a specific problem and comparison to a cohort of other participants is rarely possible. Thus it is useful to develop a test of navigation skill that could be taken by anyone to assess their navigation ability potentially as part of diagnostics, but also for tracking decline and as a functional readout or end-point assessment for AD intervention studies.

2 A NAVIGATION TEST EMBEDDED IN A VIDEO GAME APP

Creating such a test is a challenge for two reasons. First such a test requires the use of virtual environments that participants can explore and that are intuitive for people of all age ranges to operate. Second, to develop a validated test requires many participants to provide a normative sample from which to compare a patient's performance to. Because navigation ability varies with gender and age it means many participants are required to determine the normal pattern, which is costly and time-consuming. To overcome these limitations we developed a navigation test embedded in a mobile app video game - *Sea Hero Quest*^{3,4}, see Figure 1a,b. The video game involves navigating a small boat through a range of aquatic environments in search of

mystical sea creatures. Wayfinding levels present players with a map indicating check-points to reach and the layout of the environment. After this, players tap left or right of the boat to steer to these checkpoints with their trajectory recorded and transmitted from the mobile device to a remote server for later analysis. Using this data we have revealed that navigation ability linearly declines over the life-span, population-level performance for a country can be predicted by its GDP and the extent of the male advantage in navigation skill can be predicted from economic disparities between countries.³ Navigation performance in the game is also predictive of real-world navigation performance⁵, shows good test-retest reliability⁶ and it can better distinguish those at genetic-risk of AD than current 'gold-standard' tasks.⁷

3 GROWING UP IN CITIES RESULTS IN WORSE NAVIGATION ABILITY

Our previous results have shown that demographics (age, gender) can influence navigation performance³, but it is less clear if the spatial environment people grew up in also influences their navigation behaviour. Our most recent study addressed this question directly by contrasting navigation performance of people who report growing up in a city against those who reported growing up outside cities.¹ This is important for considering whether the environment might be important for future benchmarking of navigation ability. We found that on average people who grew up in cities were worse at navigating than those from outside cities¹, see Figure 1c. This difference was present in both men and women and persisted across the life-span, but its magnitude varied across our sample of 38 countries. The effect was largest in countries such as the USA and Canada, which are famous for having many cities built on a grid-plan. We hypothesised that the city layout can explain the negative effect of cities on navigation ability. We quantified how 'griddy' different cities were from the countries in our sample using a measure known as the street network entropy (SNE).⁸ SNE measures how consistently the streets in a city are oriented in the same direction. For example, Chicago with its grid layout has a very low SNE, while Prague with variably oriented streets has a much higher SNE score (Figure 2). At the country-level we found that we could predict the negative impact of growing up in a city from the SNE average of the top ten largest cities in a country (Figure 2). Going further we found that people who grew up in cities with griddy cities are particularly sensitive to the SNE in the different environments tested in Sea Hero Quest. Moreover, there was a slight performance advantage for people who grew up in griddy cities when the virtual game environment was very griddy. This indicates that griddy cities do not simply reduce navigation ability, but rather they shape the future navigation skill so that it is more optimized for navigating in environments similar to those grown up in. Finally, in a follow up experiment we showed that the negative impact from cities also occurs when navigating a virtual city, and that it is the environment someone grows up in, rather than their current environment, that is important for predicting navigation ability.¹

4 FUTURE OUTLOOK

These findings shed light on how the environment we grow up in impacts the development of our navigation abilities. The findings have important implications for future clinical spatial navigation test development. They show that, not only do age and gender affect spatial

navigation performance, but also the environment a patient has grown up in may be important to consider. Thus, the findings will inform establishing normative thresholds for spatial navigation ability based on spatial experience, allowing a more personalized cognitive diagnostic and intervention outcomes measures in the future⁷. Future research involving agent-based modelling to predict behaviour⁹ and trajectory analysis¹⁰ may pave the way to even more precise assessments.

ACKNOWLEDGEMENTS

The Sea Hero Quest initiative was funded and supported by Deutsche Telekom. Alzheimer's Research UK (ARUK-DT2016-1) funded the analysis and Glitchers Ltd designed and produced the game.

CONFLICT OF INTEREST

The authors declare no conflict of interest.




FIGURE 1

Task and evidence for the impact of cities on navigation ability

a. Screenshots from the game Sea Hero Quest (SHQ). **b.** Nine examples of trajectory heat maps out of the 75 SHQ levels. **c.** Association between environment and SHQ wayfinding

performance stratified by age and gender. The SHQ wayfinding performance is computed from the trajectory length and has been averaged within five-year windows. Error bars, standard error; centre values, mean. Figure adapted from ¹.




FIGURE 2

Street Network Entropy (SNE) and environment effect in 38 countries. Left, two example cities with low (Chicago, USA) and high (Prague, Czech Republic) SNE. Middle, Circular plots show the distribution of the street bearings across 36 bins of 10°. Right, Average SNE as a function of the environment effect size in each country. The environment effect sizes are the country slopes from a linear mixed model for wayfinding performance, with fixed effects for age, gender and education, and random environment slopes clustered by country ($n = 397,162$ participants). Positive values indicate an advantage for participants who were raised outside cities. The average SNE is the weighted average over the 10 most populated cities of the country, weighted by their population. Squares and circles correspond to the low-SNE and high-SNE country groups, determined with k-means. Figure adapted from ¹.

References

1. Coutrot, A., Manley, E., Goodroe, S., Gahnstrom, C., Filomena, G., Yesiltepe, D. et al. Entropy of city street networks linked to future spatial navigation ability. *Nature*. 2022. 604 (7904):104-110.
2. Coughlan G, Laczó J, Hort J, Minihane AM, Hornberger M. Spatial navigation deficits—overlooked cognitive marker for preclinical Alzheimer disease?. *Nature Reviews Neurology*. 2018 Aug;14(8):496-506.
3. Coutrot A, Silva R, Manley E, de Cothi W, Sami S, Bohbot VD, Wiener JM, Hölscher C, Dalton RC, Hornberger M, Spiers HJ. Global determinants of navigation ability. *Current Biology*. 2018 10;28(17):2861-6.

4. Spiers HJ, Coutrot A, Hornberger M. Explaining World-Wide Variation in Navigation Ability from Millions of People: Citizen Science Project Sea Hero Quest. *Topics in Cognitive Science*. 2021 Dec 8.
5. Coutrot A, Schmidt S, Coutrot L, Pittman J, Hong L, Wiener JM, Hölscher C, Dalton RC, Hornberger M, Spiers HJ. Virtual navigation tested on a mobile app is predictive of real-world wayfinding navigation performance. *PLoS One*. 2019 Mar 18;14(3):e0213272.
6. Coughlan G, Puthusseryppady V, Lowry E, Gillings R, Spiers H, Minihane AM, Hornberger M. Test-retest reliability of spatial navigation in adults at-risk of Alzheimer's disease. *PLoS One*. 2020 Sep 22;15(9):e0239077.
7. Coughlan G, Coutrot A, Khondoker M, Minihane AM, Spiers H, Hornberger M. Toward personalized cognitive diagnostics of at-genetic-risk Alzheimer's disease. *Proceedings of the National Academy of Sciences*. 2019 May 7;116(19):9285-92.
8. Boeing G. Urban spatial order: Street network orientation, configuration, and entropy. *Applied Network Science*. 2019 Dec;4(1):1-9.
9. de Cothi W, Nyberg N, Griesbauer EM, Ghanamé C, Zisch F, Lefort J, Fletcher L, Newton C, Renaudineau S, Bendor D, Grieves R. et al. Predictive Maps in Rats and Humans for Spatial Navigation. 2020 bioRxiv.
10. Dubois H, Le Callet P, Hornberger M, Spiers HJ, Coutrot A. Capturing and explaining trajectory singularities using composite signal neural networks. 2020 28th European Signal Processing Conference (EUSIPCO) 2021 pp.1422-1426. IEEE.