



HAL
open science

Reversible functionalization of germanium by thiol monolayers to probe protein / surface interactions by ATR-FTIR

Marion Taris, Alexandre Ciaccafava, Elisabeth Lojou, Sabine Castano, Sophie Lecomte

► To cite this version:

Marion Taris, Alexandre Ciaccafava, Elisabeth Lojou, Sabine Castano, Sophie Lecomte. Reversible functionalization of germanium by thiol monolayers to probe protein / surface interactions by ATR-FTIR. *Vibrational Spectroscopy*, 2022, 123, pp.103457. 10.1016/j.vibspec.2022.103457. hal-03836375

HAL Id: hal-03836375

<https://hal.science/hal-03836375>

Submitted on 18 Nov 2022

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.


Reversible functionalization of germanium by thiol monolayers to probe protein / surface interactions by ATR-FTIR

Marion Taris,[†] Alexandre Ciaccafava,[†] Elisabeth Lojou,[‡] Sabine Castano,^{†*} and Sophie Lecomte^{†*}

[†]Univ. Bordeaux, CNRS, Bordeaux INP, CBMN, UMR 5248, F-33600 Pessac, France

[‡]Aix-Marseille Univ, CNRS, BIP, UMR 7281, 31 Chemin Aiguier, 13009 Marseille, France

ABSTRACT: The functionalization of germanium by SAMs is commonly used to passivate the surface and thus prevent its oxidation. This functionalization can also be very useful to study specific interactions for instance in biosensors using protein or enzyme recognition. Several functionalization methods exist but no method has up to now been described to regenerate the Ge surface. A procedure for regenerating the surface of Ge after functionalization by SAMs is proposed in this article. The characterization of the functionalized and regenerated Ge surface by contact angle, XPS and ATR-FTIR, allows to establish that the protocol is robust. Hydrophilic SAMs (HS-(CH₂)_n-COOH, HS-(CH₂)_n-OH) and hydrophobic SAMs (HS-(CH₂)_n-CH₃) of different chain lengths (n=5 or 10) were tested. After ten cycles of functionalization and regeneration, the surface of germanium has the same wettability, with a small decrease in its oxidation. As an example of interest, this method allows to study the structure of protein adsorbed on biomimetic surfaces (type SAMs) by ATR-FTIR with a reusable commercial Ge crystal following the elimination of SAMs with a process retaining the native properties of the Ge.



■ INTRODUCTION

Self-assembled monolayers (SAMs) of organic molecules are commonly used to modify chemical and physical properties of surfaces. The modified surfaces are then used in various applications such as metal corrosion barrier, biosensors and biomaterials. SAMs are mainly grafted on inorganic materials (glass, Au, Si, ZnSe, Ge). Grafting of Ge and ZnSe surfaces can be followed by ATR-FTIR spectroscopy, as well as enzyme or protein immobilization. Several protocols are described for grafting Ge. The first and crucial step is to remove germanium oxides from the surface before functionalization. Hydrofluoric acid (HF)¹, aqueous halogenic acids (HCl, HBr, or HI) or hydrogen peroxide (H₂O₂)²⁻⁵ were used to achieve this step. After removing oxides, the grafting was obtained by simple immersion of Ge surface in thiol molecules solution. Then stable SAMs of organic molecules are formed on Ge surface with fairly good stability.⁶ Hohman *et al.* developed a simple and robust method of molecular self-assembly on germanium in a single step.⁷ SAMs are deposited directly on germanium surface from a solution of alkane thiol in a 1:1 mixture of water and ethanol. No pretreatment of Ge surface was required. They demonstrated that, while the presence of water allows to remove oxides from Ge surface, the presence of the ethanol leads to solubilize the alkane thiol and to form the monolayer on the Ge surface.⁷ All the data reported in the literature described various processes of grafting, but no data are reported for Ge crystal regeneration. This is an important point in order to be able to

perform surface functionalization on commercial ATR-FTIR set-ups.

In this paper, we describe a simple protocol to functionalize Ge crystal by thiols, based on the Hohman process and to regenerate it to be re-used. The grafting and desorption of the self-assembled monolayer of thiols were followed by X-ray photoelectron spectroscopy (XPS) and by ATR-FTIR spectroscopy. As example, the modifications of secondary structure of Human Serum Albumin (HSA) adsorbed on SAMs with various hydrophilic/hydrophobic properties were studied by ATR-FTIR spectroscopy. The developed protocol paves the way of an easy method to probe molecular interactions or structural modifications of molecules adsorbed on modified surface in liquid media.

■ EXPERIMENTAL SECTION

Materials. Ge (100) plates were purchased from Kirchheim Optique. Human Serum Albumin (HSA), Hellmanex and thiol compounds (HS(CH₂)₅COOH, HS(CH₂)₁₀COOH, HS(CH₂)₁₀OH, HS(CH₂)₅CH₃, HS(CH₂)₁₀CH₃) were purchased from Sigma.

Functionalization and regeneration of Ge surface.

Before functionalization, germanium plate was deposited in Hellmanex 1% 10 min and rinsed with milliQ water. The plate was then incubated in thiol solution at 5mM (water : ethanol 50 :50) for one night. Finally, the surface was cleaned with ethanol and dried under nitrogen flux.

Removing of thiol monolayer from germanium surface. The Ge surface was regenerated by a 1% Hellmanex solution for 1 hour, then rinsed with milliQ water and ethanol, and finally dried.

Methods:

Static contact angles of MilliQ water drop (θ_w) were measured using Tracker from Teclis instruments. A 0.5 μ L drop of milliQ water was formed at the end of the needle. The needle was then lowered until the drop contacted the surface and the needle retracted leaving the droplet on the surface. An optical image was then taken, and the contact angle determined within the Windrop software.

XPS spectra were recorded on a ThermoFisher Scientific K-ALPHA spectrometer with a monochromatic AlK α source ($h\nu = 1486.6$ eV). 4 different spots of 400 μ m² are analyzed in each sample. A pressure of 10⁻⁷ Pa was reached in the chamber. The full spectra (0–1200 eV) were obtained with a constant pass energy of 200 eV and high resolution spectra at a constant pass energy of 40 eV. Charge neutralization was applied during analysis.

The ATR element (Ge, single reflexion) comes from Specac (Fig 2S). ATR-FTIR spectra were obtained on a Nicolet 6700 FT-IR spectrometer (Nicolet Instrument, Madison, WI) equipped with a liquid nitrogen-cooled mercury-cadmium telluride detector (Thermo Fisher Scientific). The spectral resolution was 4 cm⁻¹. Ge crystal was cleaned with Hellmanex 1% solution, then the alkane thiol solution was deposited during one hour. After the solution of alkane thiol was removed and replaced by a 20mM PBS buffer in D₂O (pD 7.0) containing the HSA protein at 1 mg/ml. After 2 h, unadsorbed HSA was washed away twice by buffer exchange. To determine the secondary structure element of each protein, spectra were analyzed with an algorithm based on a second-derivative function and a self-deconvolution procedure (GRAMS and OMNIC software; Thermo Fisher Scientific) to determine the number and wave-number of individual bands within the spectral range of the amide I band (1700–1600 cm⁻¹).

RESULTS AND DISCUSSION

Functionalization of Ge crystal with alkane thiols and characterization of the obtained surfaces and regeneration.

Three different alkane thiol functions with two different chain lengths were used to functionalize Ge (100) plates. Contact angle measurements were used to probe the hydrophilicity or hydrophobicity of the grafted surfaces (see Table 1). The grafting of hydrophobic molecules SAM-CH₃ leads to an increase of the contact angle of water drops by more than 100° as already observed by various authors.^{6,8} Similar values are also reported in the literature for naked Ge, or Ge grafted with hydrophilic SAMs (-OH and -COOH).^{5,7}

Table 1: Contact angles of MilliQ water drop (θ_w) measurements ($n=3$)

Surfaces	θ_w
Ge	23°±4°
Ge-S(CH ₂) ₁₀ CH ₃	107°±2°
Ge-S(CH ₂) ₅ CH ₃	101°±4°
Ge-S(CH ₂) ₁₀ COOH	52°±1°
Ge-S(CH ₂) ₅ COOH	59°±1°
Ge-S(CH ₂) ₁₀ OH	42°±2°

X-ray photoelectron spectroscopy was carried out to investigate the element composition and oxidation states of the species at the Ge surface before and after each treatment. Figure 1 displays Ge3d, Ge2p and S2p XP spectra for naked Ge surface (black curve), after functionalization by HS-(CH₂)₅-CH₃ (red curve), then after regeneration of the Ge surface (blue curve). The green line corresponds to the second grafting, purple line to the tenth grafting and yellow line the regenerated surface after ten cycles of functionalization and regeneration. The bands at 33eV of the Ge3d and at 1220 eV and 1252 eV of the Ge2p are characteristics of the oxide present on the Ge surface.^{2,7} After grafting of SAMs, their intensity decrease due to the modification of the oxide layer on Ge surface. The presence of Ge-S bond is confirmed by the doublet S2p_{3/2} and S2p_{1/2} at around 163 eV.⁷ The values for Ge-S bond are similar to Au-S bond.⁹ The regeneration of the Ge surface was obtained by immersion in Hellmanex solution (1%, incubation 1 hour).




Figure 1: XPS Ge3d (left panel), Ge2p (middle panel) and S2p (right panel) signal of Ge (100) plates surface modified with HS-(CH₂)₅-CH₃. Black line corresponds to naked Ge, red line to grafted Ge surface, blue line to regenerated Ge surface (elimination of SAM), green line to the second grafting, purple line to the tenth grafting and yellow line the regenerated surface after ten cycles of functionalization and regeneration.

The XP spectra recorded just after the Ge surface regeneration show the disappearance of the band at 163 eV and the presence of some oxide on the surface of the Ge, as expected for naked Ge surface. The disappearance of the band at 163 eV (S2p) proves the elimination of the SAMs from the Ge surface and its regeneration (Fig. 1. blue curve). The second grafting (green line) or the tenth grafting (purple line) lead to the same modifications as described for the first one.

Ten cycles of functionalization/regeneration of Ge surface were carried out, the XP spectra (Fig. 1, curve yellow) are characteristic of naked Ge with few oxides on its surface, less than before the functionalization. Similarly, functionalization of Ge surface by HS-(CH₂)₅-COOH and its regeneration were followed by XPS (See Figure 1S in supplementary material). The same marker bands were observed for the naked Ge surface or functionalized ones. Hellmanex 1% solution is effective for removing SAMs grafted onto the Ge surface regardless of the nature of the SAM: hydrophobic or hydrophilic, charged or not. After ten cycles, the Ge surfaces are regenerated, a slight passivation of the Ge is observed (decrease of the oxide content on the Ge surface).

The grafting of SAMs onto the Ge surface was also checked by polarized ATR-FTIR spectroscopy. Figure 2 displays the ATR-FTIR spectra (*p* polarisation) of the Ge crystal (of a commercial Specac setup) functionalized by alkane thiols (Ge-S-(CH₂)₁₀CH₃, Ge-S-(CH₂)₁₀COOH and Ge-S-(CH₂)₁₀OH) in the range of the C-H stretching modes). The main bands at around 2923 cm⁻¹ and 2852 cm⁻¹ are assigned to ν_{as}CH₂ and ν_sCH₂ vibrational modes, respectively. The ν_{as}CH₃ (2958 cm⁻¹) and ν_sCH₃ (2872 cm⁻¹) vibrational modes are also observed for the Ge-S-(CH₂)₁₀CH₃. The dichroic ratio (*A_p*(ν_sCH₂)/*A_s*(ν_sCH₂)) is equal to 1.1 for each SAM, thus the alkyl chains have similar orientation on the Ge surface whatever the head group of the SAMs. This ratio is characteristic of alkyl chains perpendicular to the Ge surface.¹⁰ Similar spectra were recorded for the grafting with shorter alkyl chain length (CH₂)₅. The intensity of the bands was lower, as expected for shorter chains (results not shown). Incubation for 1 hour in a 1% Hellmanex solution eliminates grafted thiols on the germanium surface. The measured contact angle is 26° ± 5°, in agreement with the value measured for bare Ge (see Table 1). Analysis of the ATR-FTIR spectra also demonstrates the removal of thiols from the surface by Hellmanex. Figure 2 (dotted spectra) shows the disappearance of the all the bands corresponding to the vibrations of the alkyl chains. The process of functionalization and elimination has been performed ten times on the same Ge surface. After 10 functionalizations, expected values of contact angles (*θ_w*) for hydrophobic and hydrophilic surfaces are measured, 90° ± 4° and 58° ± 3° respectively. Similarly, the contact angles value obtained for the naked Ge surface after 10 cycles was 25° ± 4°, allowing to conclude that the process of functionalization and elimination is robust and does not induce a strong modification of the Ge properties.




Figure 2: ATR-FTIR spectra of Ge-S-(CH₂)₁₀CH₃ (solid blue line), Ge-S-(CH₂)₁₀COOH (solid green line), and Ge-S-(CH₂)₁₀OH (solid red line), the dotted lines correspond to the ATR-FTIR spectra recorded after the elimination of SAMs by Hellmanex 1% solution.

Secondary structure modification of protein adsorbed on SAMs, monitored by ATR-FTIR spectroscopy on modified Ge crystal.

As example, the Human Serum Albumin (HSA) was adsorbed on SAMs with various hydrophilic/hydrophobic properties grafted on Ge crystal and the variation of the secondary structure of the HSA was followed by ATR-FTIR spectroscopy. The presence of the protein on the grafted Ge is proven by the appearance of the amide I and amide II bands at around 1650 cm⁻¹ and 1550 cm⁻¹ respectively. Similar absorbance were detected for both surfaces hydrophilic or hydrophobic (see Fig 3S in supplementary materials). Figure 3 shows the normalized ATR-FTIR spectra of the HSA in solution (black curve) or adsorbed on Ge modified by HS-(CH₂)₁₀-OH (red curve) or by HS-(CH₂)₁₀-CH₃ (blue curve) in the range of amide I and II bands. The profile of the amide I band for the adsorbed HSA is different from the profile of the HSA in solution, indicating a modification of its secondary structure. Table 2 reports the percentage of secondary structure element obtained after the deconvolution and fit process of the amide I bands. Figure 4S (in supplementary materials) shows the fitting of amide I bands. Adsorption on both surfaces induce a large modification of the secondary structure of the HSA. The content of β-sheets and random coil structure increases at the expense of α-helices (-18%). The increase of the β-sheet content is more important on hydrophobic SAM compared to hydrophilic one (+10% and +5% respectively).

Table 2. Secondary structure of the HSA protein in solution or adsorbed on SAMs deduced from the decomposition of the amide I bands.

Secondary Structure Element	Wavenumbers (cm ⁻¹)	Percentage of secondary structure element		
		Solution	C ₁₀ OH	C ₁₀ CH ₃
turns	1670	14 ± 1	13 ± 2	14 ± 1
α helix	1653	54 ± 1	36 ± 3	36 ± 1
random	1641	14 ± 1	28 ± 3	22 ± 1
β sheet	1632	18 ± 1	23 ± 2	28 ± 2




Figure 3: Normalized ATR-FTIR spectra of HSA protein in solution (black curve), adsorbed on Ge-S-(CH₂)₁₀ CH₃ (blue curve) or on Ge-S-(CH₂)₁₀ OH (red curve)

Sivaramam et al. evaluated by circular dichroism (CD) method the effect of similar alkanethiols (-CH₃ and -OH) on the HSA adsorption and they observed the same tendency.¹¹ Since CD is less sensitive to random structure compared to ATR-FTIR spectroscopy, authors only discuss the α -helix/ β -sheet conversion. They observe the decrease of α -helix content due to HSA adsorption on SAMs, and the more important increase of β -sheet content observed on hydrophobic SAM compared to hydrophilic one, which is in good agreement with our observations.

■ CONCLUSION

The SAMs are commonly used to mimic environment of protein or enzyme or modified SAMs to immobilized enzyme. The SAMs are grafted on Au or Ge surfaces *via* thiol function. The interest of grafting SAMs on a germanium surface is that this same surface can be used to determine the organization of the SAMs and the secondary structure of the immobilized protein. In this paper, an innovative simple protocol is described to reversibly graft SAMs on Ge surfaces (plates or commercial ATR setups), which opens the door to easily repeatable experiments and *in-situ* analysis.

■ ASSOCIATED CONTENT

Supporting Information

The Supporting Information is available free of charge on the ACS Publications website.

XPS signal of Ge (100) plates surface modified with HS-(CH₂)₅-COOH, and after regeneration (10 cycles). ATR-FTIR spectra of HSA protein adsorbed on Ge-S-(CH₂)₁₀CH₃ or adsorbed on Ge-S-(CH₂)₁₀OH and the deconvolution of the amide I band allowing to determine the % of secondary structural element of the HSA.

■ AUTHOR INFORMATION

Corresponding Author

S. Lecomte – CBMN, Allée Geoffroy Saint Hillaire, F-33600 Pessac, France ; orcid.org/0000-0001-8310-4849 ; Email : sophie.lecomte@u-bordeaux.fr

S. Castano – CBMN, Allée Geoffroy Saint Hillaire, F633600 Pessac, France ; orcid.org/xxxx ; Email : sabine.castano@u-bordeaux.fr

Author Contributions

M. Taris – CBMN, Allée Geoffroy Saint Hillaire, F-33600 Pessac, France

A. Ciaccafava – CBMN, Allée Geoffroy Saint Hillaire, F-33600 Pessac, France. alexandre.ciaccafava@cnrs.fr ; orcid.org/0000-0001-9081-1736

E. Lojou

Notes

The manuscript was written through contributions of all authors. All authors have given approval to the final version of the manuscript.

■ ACKNOWLEDGMENT

The authors acknowledge funding from the French National Agency for Research (ANR) in the program ENZYMO-ANR-16-CE05-0024).

■ REFERENCES

- (1) Deegan, T.; Hughes, G. An X-ray photoelectron spectroscopy study of the HF etching of native oxides on Ge(1 1 1) and Ge(100) surfaces. *Appl. Surf. Sci.* **1998**, 123, 66.
- (2) Ardalani, P.; Sum, Y.; Pianetta, P.; Musgrave, C. B.; Bent, S. F.; Reaction mechanism, bonding, and thermal stability of 1-alkanethiols self-assembled on halogenated Ge surfaces. *Langmuir* **2010**, 26, 8419.
- (3) Fouchier, M.; McEllistrem, M.T.; Boland, J.J. Novel adatom-terminated stepstructure on the Ge(1 1 1)-(1 × 1):Br surface. *Surf. Sci.* **1997**, 385, L905.
- (4) Gothelid, M.; Lelay, G.; Wigren, C.; Bjorkqvist, M.; Karlsson, U.O. Iodine reaction and passivation of the Ge(1 1 1) surface. *Surf. Sci.* **1997**, 371, 264.
- (5) Cai, Q.; Xu, B.J.; Ye, L. Stable functionalization of germanium surface and its application in biomolecules immobilization. *Appl. Surf. Sci.* **2014**, 316, 46.
- (6) Cai Q., Xu B.J., Ye L. et al., 1-Dodecaethiol based highly stable self-assembled monolayers for germanium passivation. *Appl. Surf. Sci.* **2015**, 316, 890.
- (7) Hohman, J. N.; Kim, M.; Bednar, H. R.; Lawrence, J. A.; McClanahan, P. D.; Weiss, P. S. Simple, Robust molecular self-assembly on germanium. *Chem. Sci.* **2011**, 2, 1334.
- (8) Han, S. M.; Ashurst, W. R.; Carraro, C.; Maboudian, R. Formation of Alkanethiol Monolayer on Ge (111). *J. Am. Chem. Soc.* **2001**, 123, 2422.
- (9) Ishida, T.; Choi, N.; Mizutani, W.; Tokumoto, H.; Kojima, I.; Azebara, H.; Hokari, H.; Akiba, U.; Fujihira M. High-Resolution X-ray Photoelectron Spectra of organosulfur Monolayers on Au(111): S(2p) Spectral Dependence on Molecular Species. *Langmuir*, **1999**, 15, 6799.
- (10) Goormaghtigh, E.; Raussens, V.; Ruyschaert, J.M. Attenuated total reflection infrared spectroscopy of proteins and lipids in biological membranes, *Biochimica et Biophysica Acta* **1999**, 1422, 105.
- (11) Sivaraman, B.; Fears, K. P.; Latour, R. A. Investigation of the effects of surface chemistry and solution concentration on the conformation of adsorbed proteins using an improved circular dichroism method. *Langmuir* **2009**, 25, 3050.

