



Assessment of Antimicrobial Potential of *Plagiochasma rupestre* Coupled with Healing Clay Bentonite and AGNPS

Muhammad Musa Khan, Qaisar Abbas Bhatti, Muhammad Akhlaq,
Muhammad Ishaq, Daoud Ali, Aamir Jalil, Junaid Asghar, Saud Alarifi,
Abdelhamid Elaïssari

► To cite this version:

Muhammad Musa Khan, Qaisar Abbas Bhatti, Muhammad Akhlaq, Muhammad Ishaq, Daoud Ali, et al.. Assessment of Antimicrobial Potential of *Plagiochasma rupestre* Coupled with Healing Clay Bentonite and AGNPS. *BioMed Research International* , 2022, 2022, pp.1-12. 10.1155/2022/4264466 . hal-03996478

HAL Id: hal-03996478

<https://hal.science/hal-03996478>

Submitted on 9 Nov 2023

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Research Article

Assessment of Antimicrobial Potential of *Plagiochasma rupestre* Coupled with Healing Clay Bentonite and AGNPS

Muhammad Musa Khan,¹ Qaisar Abbas Bhatti,¹ Muhammad Akhlaq,² Muhammad Ishaq,¹ Daoud Ali,³ Aamir Jalil ,⁴ Junaid Asghar,² Saud Alarifi,³ and Abdelhamid Elaissari⁵

¹Department of Chemistry, Faculty of Natural Sciences, Mohi-Ud-Din Islamic University Nerian Sharif, Azad Jammu & Kashmir 12010, Pakistan

²Faculty of Pharmacy, Gomal University, Dera Ismail Khan, Khyber Pakhtoon Khwa, Pakistan

³Department of Zoology, College of Science, King Saud University, PO Box 2455, Riyadh 11451, Saudi Arabia

⁴Department of Pharmaceutics, Faculty of Pharmacy, Bahauddin Zakariya University, 6800 Multan, Pakistan

⁵Univ Lyon, University Claude Bernard Lyon-1, CNRS, Lyon, France

Correspondence should be addressed to Aamir Jalil; aj_kulachvi@yahoo.com

Received 18 March 2022; Revised 19 May 2022; Accepted 21 May 2022; Published 16 July 2022

Academic Editor: Ali Nokhodchi

Copyright © 2022 Muhammad Musa Khan et al. This is an open access article distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

The impact of individual component, i.e., plant extract (*Plagiochasma rupestre*), biosynthesized silver nanoparticles (AgNPs), and healing clay (bentonite) as antimicrobial agent is reported but their combined effect as a ternary system is a new approach. This study is aimed at investigating the impact of the proposed ternary system against selected human pathogens. AgNPs were synthesized by using *Plagiochasma rupestre* extract (aqueous) as reducing agent and neutral polymer (PVP) as stabilizer. The morphology, size, and structural properties of synthesized AgNPs were determined with XRD and SEM analysis which showed spherical monomodal particles with an average particle size of 25.5 nm. The antibacterial and antifungal activities of the individual and nanoternary system were investigated. The phytochemical screening of plant extract showed the presence of alkaloids, flavonoids, phenol, and glycosides in methanol extract as compare to aqueous and acetone extract. The antimicrobial activities of crude extracts of *Plagiochasma rupestre* with AgNPs and bentonite clay were studied as an appropriate candidate for treatment of microbial infections, especially bacterial and fungal diseases. The antioxidant activity of *Plagiochasma rupestre* aqueous extract and nanoparticles was assessed by (DPPH) free radical, and absorbance was checked at 517 nm. Crude extract has inhibitory effect towards bacteria and fungi, and bentonite clay also showed some degree of antimicrobial resistance. Strategy can be efficiently applied for future engineering and medical. The nanoternary systems showed 3 and 3.5 times higher antibacterial and antifungal activity, respectively, in comparison to *Plagiochasma rupestre* and bentonite clay, individually.

1. Introduction

Development in the field of medicine has been remarkably progressed with the introduction of nanotechnology in the field of drug delivery, medical imaging, disease diagnosis, cancer treatment, and gene therapy and also to aid in visual imaging [1–3]. This cutting-edge technology is rapidly using in the development of healthcare product, and we are already experiencing its potential benefits on human health benefits, especially in the field of drug delivery nano-

particles which are used as tools to deliver different therapeutics including proteins, antibodies, and nucleic acids [4]. Most, importantly the emergence of antimicrobial resistance can be tackled by using these gold and AgNPs [5]. In the physics, the nanoelectronics, nanomechanics, nanophotonics, and nanoionics [6–9] were as follows; in the chemistry and metallurgy, the nanotopography, nanolithography, self-assembled monolayers, nanowire compositions, nanoenzyme nanodiamonds, and nanoclusters [1, 10–12] were as follows, and in the medical science, the compatibility of

coexistence with living tissues, productivity, eccentric drug, and drug distribution [13] due to high surface volume ratio of nanoparticles is as follows.

In nanomaterials, nanometal is an important topic in the field of research and modern material science because of its unique properties in different fields of life: electronics, catalyst, dental material synthesis, and drug [14]. Due to this reason, the researchers showed great interest in the synthesis and application of metallic nanoparticles. Legislature arranges programs to attract people for this field.

Silver metal is the metal of choice among the noble metals in the field of biological system, living organisms, and pharmaceutical industry. AgNPs are more interesting in colloidal perpetrations because of their characteristic properties, like chemical conductivity, stability, catalytic, and antibacterial activities [15–17]. Silver as nanoparticles has been used in medicine for dental capping, wound treatment, coating on material objects, cleaning of water, and in sunscreen lotions ([18–20]. Silver has long been known as a sterile and antibiotic since having an inhibitory effect on many microorganisms [18, 20].

Among the different synthetic methods for the preparation of AgNPs such as sol-gel method, chemical precipitation, chemical vapor deposition, green synthesis, and hydrothermal method, and green synthesis of nanoparticles is more preferable because of its nontoxicity to environment, biodegradable approach, and eco-friendly nature [21, 22].

Keeping in view the advantages of green synthesis of AgNPs, the usage of different plant parts for the synthesis of AgNPs is a common practice. Although the bryophytes in this connection remained a neglected group of plants, yet this group has a very high antifungal and antibacterial potential, because biological compound like phenyl quinene, aromatic and phenol substance, oligosaccharides, polysaccharides, sugar alcohols, and amino acids in bryophytes provides protection against these organism [23–26]). Among bryophytes, *Plagiochasma rupestre* is liverwort belong to family Aytoniaceae that is an appropriate candidate exhibiting interesting biological activates including antibacterial, antifungal, cytotoxic, insect repellent, insecticides, and muscle relaxing as well as posing some enzyme inhibitory activities [26–31]. For therapeutic purposes, the *Plagiochasma rupestre* thallus was resistant against microorganisms [25, 26, 30, 32]. It was suggested that the aqueous extract of plant contains antioxidant properties and antimicrobial activity. *Plagiochasma rupestre* is found at lower elevation in arid areas. It grows on exposed rocks and soil surface. This species is well known from all the bio-geographical regions of the world [26, 30, 33].

Not only the phytoremediation but the use of minerals as medicine is also very old. Among the minerals, clay minerals like bentonite and smectite kaolinite are used in pharmaceutical formulations in the form of powder, suspension emulsions, or gel due to their high specific area, chemical inertness, rheological properties, high sorptive capacity, and low or null toxicity for the patient. The applications of clay are not limited to therapies like topical applications (dermatological protectors, cosmetics). Pharmaceutical preparations, using minerals as carrier releasers of active



FIGURE 1: *Plagiochasma rupestre* [40].

ingredients, are very important for environmental technology for the protection of our environment against dangerous substances [24, 34–40].

Among phyllosilicates, clay bentonite is a natural non-symmetrical porous clay with a particular composition of silicone magnesium, and aluminum is beneficial to human health such as in pharmaceutical preparation, medicinal therapy, and beauty therapy due to cytoprotective action [34, 35].

Keeping in view the individual applications of all above three components, a novel ternary system against the human pathogens is proposed. The aim of the present study was to investigate and compare the pharmacological properties like antimicrobial and antioxidant activities of individual components and their novel ternary system comprising of AgNPs synthesized from aqueous extracts of *Plagiochasma rupestre* and bentonite clay against selected pathogens.

2. Material and Methods

2.1. Collection of Plant Sample. The plant *Plagiochasma rupestre* was collected in the hilly area of Nerian Sharif (Tarar Khel, longitude 33.9259°N, latitude 73.7810°E) district Sudhnoti, Azad Jammu and Kashmir, Pakistan, in the month of September 2020 (Figure 1) and identified by experts from the Department of Botany at Mohi-Ud-Din Islamic University, as *Plagiochasma rupestre*, and the specimen was for later reference kept in the herbarium of the department.

2.2. Bentonite. Bentonite USP-type (Sigma) having very fine particles was used as model substrate. Some of the characteristics of bentonite are presented in Table 1. These properties were also verified by employing a mercury porosity meter (Autosorb-1 der Firma Quanta chrome, USA), pH, laser diffraction measurements, and scanning electron microscopy.

2.3. Preparation of Plant Extracts

2.3.1. Aqueous Extract. Aqueous extract of shade dried *Plagiochasma rupestre* was prepared by simple maceration. Plant material (50 g) was ground and soaked in distilled water (200 ml). The mixture was boiled for 30 min until the color of the solution changes to light yellow. The extract was cooled and filtered through Wattman filter paper No. 1. The filtrate was centrifuged for 10 minutes at 4000 rpm for

TABLE 1: Some of the physiochemical properties of bentonite.

Model substrate	Source	Primary particle size (nm)	PZC at pH	BET surface area (m ² g ⁻¹)	Charge on particle	Particle size distribution
Bentonite	Sigma-Aldrich	114.56	7.5	850	Negative	Fine

the removal of suspended material. A crude extract was then obtained which is stored at 4°C until use.

2.3.2. Methanolic/Acetonetic Extract. Methanolic extract of shade dried *Plagiochasma rupestre* was prepared by simple maceration. Plant material (50 g) was ground and soaked in absolute methanol (200 ml) and acetone (200 ml) for fourteen days, and the extract was concentrated by the Rotavapor model (Rotavapor R-220 Pro) obtain as crude extract and stored at 4°C until use.

2.4. Bentonite Dispersion. Aqueous dispersion was prepared by dispersing 0.1 g of bentonite in to 100 ml of Millipore water (0.1% solid content), using a high intensity ultrasonic processor, UP-200s operating at 24 kHz, up to 200 W (Dr. Hielscher GmbH), at 22°C. The dispersion was characterized by different standard experimental techniques [41].

2.5. Synthesis of AgNPs. Silver nitrate (Sigma-Aldrich) was taken as a precursor salt for the synthesis of the AgNPs. In order to achieve the optimum concentration of AgNPs, the plant extract was treated with different concentrations of AgNO₃ solution varying from (0.001 M to 0.1 M) in flasks and incubated at room temperature in a dark place. The color change was observed after the intervals of 24 hours till 72 hours. The solution turned out to be dark brown suggesting the formation of AgNPs. In order to find the maximum synthesis, the mixture was observed till 72 hrs when no more change in absorbance was observed. The pH of the solution was maintained to neutral by using NaOH and HCl (Sigma-Aldrich, Merck). Then, colloidal dispersion then subjected to centrifugation (centrifuge model OSK12710 (Gawasieki Co., Japan)) for purification purpose by utilizing double distilled water. The solution was centrifuged (3-times) at 4,000 rpm for 15 minutes, and the supernatant was replaced by distilled water each time. The collected supernatant is dried and calcinated at 300°C for 3 hrs.

Synthesized AgNPs were then characterized by different spectroscopic techniques like UV-Vis spectroscopy, XRD analysis, scanning electron microscopy analysis (SEM), and Fourier transform infrared spectroscopy (FTIR).

2.6. Biological Activities. The following biological activities were carried out on *Plagiochasma rupestre* plant extracts, AgNPs, and bentonite clay, as well as the ternary system composed of these three components.

2.6.1. Antibacterial Assay. The antibacterial assay was carried out using the disc diffusion technique, as reported by Bibi et al. [42]. Antibacterial activity was tested against two bacterial strains: gram-positive (*Bacillus subtilis* (MTCC619) and gram-negative *Salmonella typhimurium* (MTCC98). In brief a 100 µl of 24-hour-old bacterial cultures in nutrient broth were dispersed onto Petri plates (7 cm) con-

taining 25 ml solidified nutritional agar. With the use of sterilized forceps, sterile filter paper discs (diameter 6 mm) impregnated with 100 µl of extract dilutions, AgNPs, and bentonite clay solution (1, 5, and 10 mg/ml DMSO) were put over each of the culture plates. The plates were then incubated for 24 hours at 37°C. The zones of inhibition surrounding the discs in each plate were measured to evaluate antibacterial activity. As a positive control, paper discs impregnated with 100 µl of a 2 mg/ml were as follows. Ciprofloxacin solution was employed, while DMSO was used as a negative control. The test was carried out in triplicate, and the mean with standard deviation was computed.

2.6.2. Antifungal Assay. Antifungal assay was performed as described by Jagessar et al. [43]. Antifungal activity was studied against two fungal strains, namely, *Aspergillus niger* (FFBP 0198) and *Rizopus oryzae* (FFBP 0291). All fungal strains were grown on 6.5% SDA (Sabouraud dextrose agar, pH 5.7) at 28°C and preserved at 4°C in refrigerator. Itriconazole (200 µg/ml) was used as standard drug while DMSO was used as negative control. Three concentrations of each of the extracts, i.e., 1, 5, and 10 mg/ml DMSO were tested. SDA plates containing 25 ml medium were inoculated with 100 µl fungal spore suspensions which was prepared by harvesting fungal spore's suspension in 2% w/v tween 20 solutions in distilled, and turbidity was adjusted to 0.5 McFarland turbidity standards. The inoculator has been stored for further use at (4°C). Inoculator was diluted on solid potato Dextrose agar checks the absence of contamination and verifies the inoculums' validity. Inoculated plates were then incubated at 28°C for 24 h, and zones of inhibition were measured in millimeter (mm) around the each disc.

2.6.3. Free Radical Scavenging Activity. The scavenging ability of the free radical DPPH was evaluated by the antioxidant assay of *Plagiochasma rupestre* extract and AgNPs. Aqueous extracts of *Plagiochasma rupestre* and AgNPs of extract prepared (25-400 mg/ml) ethanol were added, and DPPH solution was mixed and shaken. After that, the mixture was kept in dark for 30 minutes. Using the Cecil-Elect UV Spectrophotometer at 517 nm against blank (1 ml ethanol+0.5 ml DPPH solution), optical mixture density was calculated. Optical density was calculated for each sample. Both readings in triplicates were taken. Scavenging ability was determined by the following formula.

$$\% \text{scavenging effect} = (1 - A_s/A_c) \times 100, \quad (1)$$

where "A_c" is the absorbance of negative control, and "A_s" is the absorbance of test sample.

2.7. Phytochemical Screening. Phytochemical screening of aqueous, methanol, and acetone extracts of *Plagiochasma*

rupestre was performed in order to recognize the constituents. Standard qualitative tests were performed.

2.8. Statistical Analysis. For data analysis, experiments were independently replicated at least three times and completely randomized design (CRD), and one-way ANOVA was used with three replicates.

3. Results and Discussions

3.1. Synthesis and Characterization of AgNPs. AgNPs were prepared according to the standard procedure mentioned in the literature. Characterization is carried out on synthesized nanoparticles through UV-Vis spectroscopy and FTIR. The effect of pH, time influence on pH, and the effect of plant extract concentration and silver nitrate on AgNP synthesis have also been studied.

3.2. UV-Visible Analysis for the Synthesis of AgNPs. With the help of UV-Vis spectrometer with a resolution of 0.5 nm from 190 nm to 1100 nm, UV-visible spectroscopic research was carried out. Figure 2 indicates the evolution of the reaction between metal ions, and the plant extract was monitored by UV-visible AgNP spectra in aqueous solution with different reaction times (0 to 72 hours) (R [44]). At 430.2 nm, the efficiency surface plasmon absorption band was fascinated, suggesting that silver ion reduction and stable AgNP formation occurred rapidly within an hour of reaction and completed after 72 hours.

3.2.1. Optimum Condition/Concentration for the Synthesis of AgNPs. Various ratios of plant extract (10-30 ml) were reacted with a constant volume of AgNO_3 with a concentration range of (0.001 M to 0.1 M) in order to achieve the optimal conditions for the synthesis of AgNPs, and subsequent analysis was carried out at room temperature. The ratio of plant extract with the concentration of AgNO_3 is shown in Figure 3, and UV-visible spectra of AgNPs in aqueous solution with different reaction times (0 to 72 hours) were monitored for the production of the reaction between metal ions and plant extract, as shown in (Figure 3).

At 430 nm, the efficiency surface plasmon absorption band was fascinated, suggesting that silver ion reduction and stable AgNP formation occurred rapidly within an hour of reaction and completed after 72 hours. The graph is shown that the maximum amount of AgNPs produced was observed for the AgNO_3 (0.1 M) and 30 ml of plant extract. It is represented from the graph that the synthesis of AgNPs increases with the increase concentration of AgNO_3 . The maximum amount formed was observed for the highest concentration of salt (0.1 M). By increasing the concentration of AgNO_3 , the amount of silver ions increases; so, more reduction occurs.

The maximum amount formed was observed for the highest concentration of salt (0.1 M). The graph also showed that the synthesis is also time and volume of plant extract-dependent. The maximum volume of plant extract observed is 30 ml and 72 hours. Afterward, no significant increase in absorption band was observed. The increase in % absorbance became constant after 72 hours, which reflects that




FIGURE 2: Uv-Vis spectra of *Plagiochasma rupestre* nanoparticles.




FIGURE 3: Effect of volume of plant extract on the synthesis of AgNPs.

the reduction of Ag ions increases with the passage of time and becomes constant after 72 hours [45].

3.2.2. Impact of Quantity of Plant Extract on AgNPs Synthesis by Maintaining a Constant Concentration of AgNO_3 (0.1-0.01-0.001). By increasing the quantity of plant extract, keeping the concentration of AgNO_3 (0.1-0.01-0.001) constant, the %absorbance increases, and maximum absorbance was observed for 0.1 M AgNO_3 .

3.2.3. Impact of pH on Synthesis of Silver Nano Particles. Figure 4 indicates the effect of pH on the synthesis of AgNPs. It is observed that with increasing the pH, the % absorbance increases. As discussed earlier, increasing and




FIGURE 4: Impact of pH on AgNP synthesis.

shifting of the absorption band towards higher wavelength indicate not only the formation of AgNPs but also the reduction in particle size and vice versa. The absorption increased with the rise in pH, and the narrow peak at pH 10 showed the uniform distribution of particle size, while the peak becomes wider in the acidic pH range and the particle size increases. The absorption increases with an increase in pH and gives a narrow peak with uniform size distribution at pH 9. It is therefore presumed that the basic condition is preferential not only for the synthesis of AgNPs but also for particle size measurement [38].

A possible explanation for this outcome was that with subsequent crystallization into smaller particles, the reaction rate would be increased during high pH, which concerned the nucleation and growth processes of smaller Ag nuclei particles. The pH is inversely proportional to the size of AgNPs in general.

3.2.4. Impact of Time-Dependent pH. Impact of time-dependent pH on the synthesis of AgNPs is representing in Figure 5. It is observed that not only with increasing the pH but also with increasing the time of contact between plant extract and AgNO_3 solution, and the % absorbance increases. Maximum absorbance is observed after 72 hours in basic medium having pH 10. The results obtained are in good agreement with those reported by [46]. Hence, it is assumed that the basic condition and time of contact (72 hrs) are favored not only for synthesis of AgNPs but also for controlling the size of the particles.

3.3. Scanning Electron Microscopy. Scanning electron microscopy is used to study the surface morphology of AgNPs at 100 nm that are synthesized. There were differences in their size in the SEM picture of AgNPs (*Plagiochasma rupestre*) (Figure 6). Particle SEM analysis shows that particles are in spherical shape.

3.4. Characterization of Bentonite. Guven [47] suggested bentonite characteristics. It consists of two Si-oxygen tetra-




FIGURE 5: Impact of time-dependent pH.




FIGURE 6: SEM picture of AgNPs.

hedral sheets embedded in one-Al-oxygen octahedral sheet that is frequently used by mutual oxygen atoms linked to other two sheets; henceforth, the other name 2:1 layer structures are shown in Figure 7.

3.4.1. Scanning Electron Microscope of Bentonite Clay. Scanning electron microscopy data for the bentonite sample could be potted as follows, occurring either as thin, small, leaf-like crystals forming a condensed aggregate, or in a more open surface of the honeycomb [49]. The bentonite SEM micrograph used for the evaluation shows its sheet structure as shown in Figure 8.

3.4.2. Particle Size. The average particle size measured by (XRD) was 114.56 nm. From the peak values and calculations using Scherrer equation, it was found that the particle size distribution was narrow.

3.4.3. XRD Analysis of Bentonite and AgNPs. Bentonite clay from Campina Grande, Paraiba, via XRD, is defined by [50, 51]. The patterns suggest the presence in the samples




FIGURE 7: Schematic presentation of structure of bentonite clay [48].

of diffraction peaks corresponding to planes (001) and (020), confirming the presence of montmorillonite. The data also indicate the presence of impurities in the measurement of bentonite clay, such as kaolinite (11.73 and 23.45 θ) and quartz (20.87 and 26.67 θ),

Similar XRD findings were obtained by (Silva et.al) when characterizing bentonite clay from the town of Pedra Lavada, Paraiba.

Bentonite is characterized by X-ray diffraction spectroscopy and, as shown in the above literature, similar results have been obtained (Figure 9(a)).

XRD analysis is performed to evaluate the crystalline nature and size of silver nanoparticles synthesized from aqueous extract of *Plagiochasma rupestre*. XRD patterns of the synthesized AGNPs are shown in Figure 4. The X-ray diffractogram peaks positioned at 38.01°, 44.21°, 64.4°, and 78.01° with d-spacing of 2.467, 5.7658, and 2.922 Å corresponded to the hkl plans of (111), (200), (220), and (311), respectively, indicated the synthesis of silver nanoparticles as shown in Figure 9(b) [52, 53].

3.4.4. Point of Zero Charge and pH. This potentiometric method was used as a pH function for the estimation of PZC. The PZC was estimated at pH 7.5 (Figure 10). Evidence of the adsorption and stability of dispersions has been given by the point of zero charge. The high charge density sample shows the highest stability of its dispersion.

3.4.5. FT-IR Spectroscopic Measurements. FT-IR spectroscopy has been conducted to consider the structure, reactivity, and bonding of clay minerals. Evidence for the basic vibration mode of the constituent parts of bentonite was given by FTIR spectra in the 4000-500 cm^{-1} range. In the spectral region of 3750-3400 and 1633 cm^{-1} , respectively, OH stretching and bending vibrations appear. Si-O-Si is indicated by strong absorption band at 1034 cm^{-1} , while Si-




FIGURE 8: SEM picture of bentonite.

O and Al-O bending modes dominate in the 516-916 cm^{-1} region [54]. The absorption band at 1117 cm^{-1} is an indication of calcite and absence of carbonates [55]. As mentioned above, Figure 11 shows similar results.

3.5. Biological Activities

3.5.1. Antibacterial Activity. In ternary system AgNPs (*Plagiochasma rupestre* extract and bentonite clay), antibiotic potential of AgNPs against *Salmonella typhimurium* and *Bacillus subtilis* is more (13-13 mm) as compared to crude extract (5-4 mm) and bentonite clay (1-3 mm), respectively, when the components are studied individually. Ternary system of extract, nanoparticles, and bentonite clay is more efficient in antibacterial potential (15-14 mm) than the binary system of bentonite clay and nanoparticles (14-14 mm), and clay and plant extract (4-4 mm) [56].

The antibacterial potential of *Plagiochasma rupestre* extract (aqueous, methanol, acetone), bentonite clay, and AgNPs observed individually and collectively. The results revealed that methanol extract of *Plagiochasma rupestre*




FIGURE 9: (a) XRD analysis of bentonite clay. (b) XRD analysis of AgNPs.




FIGURE 10: PZC in dependence on pH.




FIGURE 11: FTIR spectrum of bentonite.

has greater antibacterial potential (5-4 mm) than aqueous (2.5-2 mm) and acetone (1.5-1 mm) against *Salmonella typhimurium* and *Bacillus substiles* bacterial stains, respectively, as shown in the table [57].

The pictorial presentation of antibacterial effect of the ternary system, graphically the trend, is presented in Figures 12 and 13.

3.5.2. Antifungal Activity. In ternary system AgNPs (*Plagiochasma rupestre* extract and bentonite clay), antifungal potential of AgNPs against *R. oryzae* and *A. niger* is more (20-20 mm) as compared to crude extract (10-12 mm) and bentonite clay (2 mm), respectively, when the components are studied individually. Ternary system of extract, nanoparticles, and bentonite clay is more efficient in antibacterial potential (22-22 mm) than the binary system of bentonite

clay and nanoparticles (21-21 mm), clay, and plant extract (13-12 mm) [56].

The antibacterial potential of *Plagiochasma rupestre* extract (aqueous, methanol, acetone), bentonite clay, and AgNPs observed individually and collectively. The results revealed that methanol extract of *Plagiochasma rupestre* have greater antibacterial potential (12-10 mm) than aqueous (1-2 mm) and acetone (0-3 mm) against *R. oryzae* and *A. niger* fungal stains, respectively, as shown in the table [58].

The pictorial presentation of antibacterial effect of the ternary system is graphically presented in Figures 14 and 15.

3.5.3. Antioxidant Assay (Free Radical Scavenging Assay). The free radical scavenging activity of plant extract and crude extract AgNPs was measured spectrophotometrically




FIGURE 12: Antibacterial potential of *Plagiochasma rupestre* extracts, AgNPs, and bentonite clay against *Bacillus*.




FIGURE 14: Antifungal potential of *Plagiochasma rupestre* AgNPs and bentonite clay against *Aspergillus niger*.




FIGURE 13: Antibacterial potential of *Plagiochasma rupestre* extracts, AgNPs, and bentonite clay against *Salmonella*.




FIGURE 15: Antifungal Potential of *Plagiochasma rupestre* AgNPs and bentonite clay against *Rizopus oryzae*.

by measuring the disappearance of DPPH at 517 nm as shown in Figure 16. The antioxidant testing results showed that AgNPs from plant extract had much higher antioxidant activity than control plant extract at all doses tested. Among all materials examined, AgNPs had the most antioxidant activity with an IC₆₀ value of 86.754 g/ml, whereas *Plagiochasma rupestre* extract had the highest antioxidant activity with an IC₆₀ value of 53.53 g/ml.

4. Discussion

Nanomaterials have shown to be an effective method for medication delivery in current research [31]. The antimicro-

bial properties of Ag ions and Ag-based compounds are well known, and many researchers are interested in employing other inorganic nanoparticles as antibacterial agents [59]. In recent years, the usage of medicinal plants has been revolutionized for the synthesis of AgNPs, which serves as an alternative to antibiotics and is an ecofriendly, nonhazardous, and cost-effective strategy [60]. Geophagy has been identified as an adaptive activity in humans and animals [61], and clays have long been regarded as therapeutic materials. Bentonite is an aluminum phyllosilicate clay that is highly absorbent. It has been utilized and consumed since




FIGURE 16: The antioxidant activity of *Plagiochasma rupestre* extract and silver nanoparticles synthesized from *Plagiochasma rupestre* extract.

ancient times because humans believe in its curative effects. When combined with water, it forms a paste that has been used both externally and internally. Because this clay is plentiful, inexpensive, and natural, it has been widely employed for a variety of medicinal reasons. There is a substantial body of data demonstrating its safety after chronic oral ingestion [62, 63].

In the current work, an aqueous extract of *Plagiochasma rupestre* was employed to synthesize AgNPs and compare them to bentonite clay against several biological activities (antimicrobial, antioxidant). When an aqueous extract was treated with silver nitrate solution, the solution's color changed from yellow to dark brown, confirming the production of AgNPs [64]. Characterization of green synthesized AgNPs was done by using UV-Vis spectroscopy, FTIR, XRD, and SEM analysis as reported by [65]. UV-Vis spectroscopy was done at the wavelength of 300-700 nm, that showed the characteristics peak obtained at 430.2 nm (Figure 2) similar to the results of *Eucalyptus hybrid* [66]. FT-IR spectroscopy has been conducted to consider the structure, reactivity, and bonding of clay minerals. Evidence for the basic vibration mode of the constituent parts of bentonite was given by FTIR spectra in the 4000-500 cm^{-1} range. In the spectral region of 3750-3400 and 1633 cm^{-1} , respectively, OH stretching and bending vibrations appear. Si-O-Si is indicated by strong absorption band at 1034 cm^{-1} , while Si-O and Al-O bending modes dominate in the 516-916 cm^{-1} region [29]. The absorption band at 1117 cm^{-1} is an indication of calcite and absence of carbonates [55]. As mentioned above, Figure 12 shows similar results.

Presence of AgNPs in plant extract can be detected by determining the diffractions peaks by using XRD that is used to check the crystallite of nanoparticles. The nanoparticles of silver by using *Plagiochasma rupestre* showed peak (Figure 10). XRD

findings of AgNPs are in agreement with the reported literature [24, 36]. The observed values are the typical of AgNPs, and the nanoparticles synthesized were of average size of 24 nm. [37]). Some additional diffraction lines positioned at 54°, 45°, and 32°, respectively, indicated the presence of other crystalline compounds in plant extract [24, 36]. However, a lot of aggregation is also observed which is due to settling of particles. Scanning electron microscopy is used to study the surface morphology of AgNPs at 100 nm that are synthesized. There were differences in their size in the SEM picture of AgNPs (*Plagiochasma rupestre*) (Figure 6). Particle SEM analysis shows that particles are in spherical shape.

In the current work, a crude aqueous extract of *Plagiochasma rupestre* was produced, and AgNPs were synthesized from this extract and tested for biological activity (antimicrobial, antioxidant) in comparison to bentonite clay. Green produced AgNPs from *Plagiochasma rupestre*, and bentonite clay had substantial antibacterial activity against all bacterial strains evaluated in an antimicrobial experiment, but crude extracts showed no significant antibacterial activity. AgNPs had the highest antibacterial activity when compared to plant extract and bentonite clay. Sereemasapun et al. and Shirley et al. [67, 68] found similar findings in *Argemone maxicana*, *Allium cepa*, *Artocarpus heterophyllous*, and *Boswellia ovalifoliolata*. According to reports, all bacteria employ an enzyme (protein) as a type of chemical lung to metabolize oxygen. Silver ions damage the enzyme and prevent it from absorbing oxygen. This successfully suffocates any bacterium, killing it in 6 minutes while leaving surrounding tissue or material unharmed [69]. At all doses examined, all plant extracts containing AgNPs and bentonite clay shown considerable antifungal activity. At all doses, the highest activity was seen against *Aspergillus niger*. When compared to binary and their individual components, the ternary system had the highest antibacterial activity. The findings showed that AgNPs may have antifungal effect by changing the structure of the cell membrane and impeding normal budding owing to membrane integrity damage. The findings indicate that AgNPs and bentonite clay might be a useful source of antibacterial compounds that need further research for therapeutic applications [70].

Natural clay minerals include trace metals such as Al, Ag, Cu, Mn, Zn, and Fe that may interact with microbial cell membranes and affect bacteria. The antioxidant capacity of the samples was assessed using the DPPH free radical scavenging test. Using various organic solvent systems such as ethanol, aqueous acetone, methanol, aqueous alcohol, and benzene, this test has been used to investigate the antioxidant capabilities of wheat, vegetables, herbs, edible seed oils, conjugated linoleic acids, and flours [71-74]. It is a nonenzymatic approach that is currently utilized to offer basic information about a compound's potential to scavenge free radicals. The reduction of DPPH by an antioxidant causes a drop in absorbance at 517 nm [75]. Significant DPPH scavenging action was seen in plant extract AgNPs as compared to control plant extracts at all doses tested, which is consistent with the findings of [76]. AgNPs had the greatest antioxidant activity of any material tested, followed by crude extract (See Figure 12).

5. Conclusion

When compared to its individual components, the ternary system demonstrated a considerable increase in antibacterial, antifungal, and antioxidant activity. This might explain why AgNPs and bentonite clay have a considerable favorable influence on *Plagiochasma rupestre*'s various biological activities and phytochemistry. Furthermore, the current work implies that AgNPs and bentonite clay may be a suitable source of antimicrobial agents and should be investigated further for clinical applications. Importantly, the green produced AgNPs used in this study are biocompatible with the species studied, implying that they pose little environmental risk and toxicity. More research on the isolation of active chemicals from this plant species is being conducted.

Data Availability

No data is linked with this publication.

Additional Points

Data Transparency. All authors ensure that all data and materials as well as software application comply with field standards.

Conflicts of Interest

The authors declare that they have no conflicts of interest.

Authors' Contributions

The study's inception and design were contributed by all authors. Muhammad Musa Khan, Qaisar Abbas Bhatti, Muhammad Ishaq, and Muhammad Akhlaq were in charge of material preparation, data collecting, and analysis. Muhammad Musa Khan and Daoud Ali wrote the initial draft of the manuscript, and other contributors provided feedback. The final manuscript was reviewed and approved by all the authors.

Acknowledgments

The authors would like to express their gratitude to the Faculty of Pharmacy, Gomal University, Dera Ismail Khan, Khyber Pakhtoon khwa, Pakistan, Department of Botany, the University of Poonch, Rawalakot, AJK, PAK, and the Department of Chemistry at Mohi-UD-Din Islamic University in Nerian Sharif, AJK, PAK. This work was funded by Researchers Supporting Project No. (RSP 2021/165) at King Saud University, Riyadh, Saudi Arabia.

References

- [1] W. Liu, J. Zheng, X. Ou et al., "Effective extraction of Cr (VI) from hazardous gypsum sludge via controlling the phase transformation and chromium species," *Environmental Science & Technology*, vol. 52, no. 22, pp. 13336–13342, 2018.
- [2] H. Lu, T. Wei, H. Lou, X. Shu, and Q. Chen, "A critical review on communication mechanism within plant-endophytic fungi interactions to cope with biotic and abiotic stresses," *Journal of Fungi*, vol. 7, no. 9, p. 719, 2021.
- [3] R. Miao, Y. Liu, L. Wu et al., "Effects of long-term grazing exclusion on plant and soil properties vary with position in dune systems in the Horqin Sandy land," *Catena*, vol. 209, article 105860, 2022.
- [4] S. A. Rahman, A. A. Kahar, A. Mansor et al., "Identification of potential indigenous microbe from local fermented vegetables with antimicrobial activity," vol. 1, pp. 1–3, 2017.
- [5] Y.-M. Chu, B. M. Shankaralingappa, B. J. Gireesha, F. Alzahrani, M. I. Khan, and S. U. Khan, "Combined impact of Cattaneo-Christov double diffusion and radiative heat flux on bio-convective flow of Maxwell liquid configured by a stretched nano- material surface," *Applied Mathematics and Computation*, vol. 419, article 126883, 2022.
- [6] S. P. Beaumont, "III-V Nanoelectronics," *Microelectronic engineering*, vol. 32, no. 1-4, pp. 283–295, 1996.
- [7] K. D. Sattler, *Handbook of nanophysics: nanoparticles and quantum dots*, CRC Press, 2016.
- [8] B. Bhushan, Ed., *Springer handbook of nanotechnology (Vol. 2)*, Springer, Berlin, 2007.
- [9] A. N. Cleland, "Two-and Three-Dimensional Lattices," in *Foundations of Nanomechanics*, pp. 43–85, Springer, Berlin, Heidelberg, 2003.
- [10] L. Cademartiri and G. A. Ozin, *Concepts of Nanochemistry*, John Wiley & Sons, 2009.
- [11] J. P. Wilcoxon, P. P. Newcomer, G. A. Samara, E. L. Venturini, and R. L. Williamson, *Fundamental Science of Nanometer-Size Clusters (No. SAND-95-2141)*, Sandia National Lab. (SNL-NM), Albuquerque, NM, USA, 1995.
- [12] Z. Huang, H. Zeng, I. Hamzavi, D. I. McLean, and H. Lui, "Rapid near-infrared Raman spectroscopy system for real-time in vivo skin measurements," *Optics Letters*, vol. 26, no. 22, pp. 1782–1784, 2001.
- [13] A. Reyes-Sandoval, T. Berthoud, N. Alder et al., "Prime-Boost Immunization with Adenoviral and Modified Vaccinia Virus Ankara Vectors Enhances the durability and polyfunctionality of protective malaria CD8+T-Cell responses," *Infection And Immunity*, vol. 78, no. 1, pp. 145–153, 2010.
- [14] A. Leela and M. Vivekanandan, "Tapping the unexploited plant resources for the synthesis of silver nanoparticles," *African Journal of Biotechnology*, vol. 7, no. 17, 2008.
- [15] S. Gurunathan, J. H. Park, J. W. Han, and J. H. Kim, "Comparative assessment of the apoptotic potential of silver nanoparticles synthesized by *Bacillus tequilensis* and *Calocybe indica* in MDA-MB-231 human breast cancer cells: targeting p53 for anticancer therapy," *International Journal of Nanomedicine*, vol. 10, p. 4203, 2015.
- [16] W. R. Li, X. B. Xie, Q. S. Shi, H. Y. Zeng, Y. S. Ou-Yang, and Y. B. Chen, "Antibacterial activity and mechanism of silver nanoparticles on *Escherichia coli*," *Applied Microbiology and Biotechnology*, vol. 85, no. 4, pp. 1115–1122, 2010.
- [17] P. Mukherjee, A. Ahmad, D. Mandal et al., "Fungus-mediated synthesis of silver nanoparticles and their immobilization in the mycelial matrix: A novel biological approach to nanoparticle synthesis," *Nano Letters*, vol. 1, no. 10, pp. 515–519, 2001.
- [18] G. N. Rao and N. J. Babu, "Ecological Studies on Bryophytes of Maredumilli Forest Division (AP), Eastern Ghats of India," *Scholars Academic Journal of Biosciences*, vol. 3, pp. 33–35, 2022.

- [19] C. Y. Li, Y. J. Zhang, M. Wang et al., "In vivo real-time visualization of tissue blood flow and angiogenesis using Ag2S quantum dots in the NIR-II window," *Biomaterials*, vol. 35, pp. 393–400, 2014.
- [20] I. Sondi and B. Salopek-Sondi, "Silver nanoparticles as antimicrobial agent: a case study on *E. coli* as a model for gram-negative bacteria," *Journal of Colloid and Interface Science*, vol. 275, pp. 177–182, 2004.
- [21] X. F. Zhang, Z. G. Liu, W. Shen, and S. Gurunathan, "Silver nanoparticles: synthesis, characterization, properties, applications, and therapeutic approaches," *International Journal of Molecular Sciences*, vol. 17, no. 9, p. 1534, 2016.
- [22] P. K. Rai, D. Jaiswal, R. K. Singh, R. K. Gupta, and G. Watal, "Glycemic properties of *Trichosanthes dioica* leaves," *Pharmaceutical Biology*, vol. 46, no. 12, pp. 894–899, 2008.
- [23] K. Van, T. Asakawa, and A. Teramoto, "Optical rotatory dispersion of liquid crystal solutions of a triple-helical polysaccharide schizophyllan," *Polymer Journal*, vol. 16, no. 1, pp. 61–69, 1984.
- [24] M. L. Willcox and G. Bodeker, "Traditional herbal medicines for malaria," *BMJ*, vol. 329, no. 7475, pp. 1156–1159, 2004.
- [25] E.-H. Kadri, S. Kenai, K. Eziane, R. Siddique, and G. De Schutter, "Influence of metakaolin and silica fume on the heat of hydration and compressive strength development of mortar," *Applied Clay Science*, vol. 53, no. 4, pp. 704–708, 2011.
- [26] R. Dhar and I. Simonson, "The effect of forced choice on choice," *Journal of Marketing Research*, vol. 40, no. 2, pp. 146–160, 2003.
- [27] C. T. Ezeonu, D. N. Igwe, O. U. Anyanwu et al., "'NTA', a locally named unclear condition that causes failure to thrive amongst under five children in southeastern Nigeria: An assessment of mothers' and caregivers' perception of its causes and management," *Nigerian Journal of Paediatrics*, vol. 43, no. 4, pp. 240–245, 2016.
- [28] C. I. Coleman, B. Limone, D. M. Sobieraj et al., "Dosing frequency and medication adherence in chronic disease," *Journal of Managed Care Pharmacy*, vol. 18, no. 7, pp. 527–539, 2012.
- [29] S. Nochi, N. Asakawa, and T. Sato, "Kinetic study on the inhibition of acetylcholinesterase by 1-benzyl-4-[(5, 6-dimethoxy-1-indanon)-2-yl] methylpiperidine hydrochloride (E2020)," *Biological and Pharmaceutical Bulletin*, vol. 18, no. 8, pp. 1145–1147, 1995.
- [30] A. Alam and K. Y. Kim, "Analysis of mixing in a curved micro-channel with rectangular grooves," *Chemical Engineering Journal*, vol. 181–182, pp. 708–716, 2012.
- [31] N. J. Talley, A. R. Zinsmeister, A. Weaver et al., "Gastric adenocarcinoma and *Helicobacter pylori* infection," *JNCI: Journal of the National Cancer Institute*, vol. 83, no. 23, pp. 1734–1739, 1991.
- [32] H. Murakami, T. Asakawa, J. Terao, and S. Matsushita, "Antioxidative stability of tempeh and liberation of isoflavones by fermentation," *Agricultural and Biological Chemistry*, vol. 48, no. 12, pp. 2971–2975, 1984.
- [33] G. J. Churchman, W. P. Gates, B. K. G. Theng, and G. Yuan, "Chapter 11.1 clays and clay minerals for pollution control," *Developments in Clay Science*, vol. 1, pp. 625–675, 2006.
- [34] S. Nir, Y. El-Nahal, T. Undabeytia et al., "Clays and pesticides," in *Developments in Clay Science*, F. Bergaya, B. K. G. Theng, and G. Lagaly, Eds., pp. 677–691, Handbook of Clay, 2006.
- [35] C. Erem, M. Kocak, İ. Nuhoglu, M. Yilmaz, and O. Ucuncu, "Blood coagulation, fibrinolysis and lipid profile in patients with prolactinoma," *Clinical Endocrinology*, vol. 73, no. 4, pp. 502–507, 2010.
- [36] B. K. Biswas, R. K. Dhar, G. Samanta et al., "Detailed study report of Samta, one of the arsenic-affected villages of Jessore District, Bangladesh," *Current Science*, vol. 74, no. 2, pp. 134–145, 1998.
- [37] M. Chen, L.-L. Zhang, Y.-C. Tuo, X.-J. He, J. Li, and Y. Song, "Treatability thresholds for cadmium-contaminated water in the wetland macrophyte *Hydrilla verticillata* (L.f.) Royle," *Ecological Engineering*, vol. 96, pp. 178–186, 2016.
- [38] M. Kamali, S. A. A. Ghorashi, and M. A. Asadollahi, *Controllable Synthesis of Silver Nanoparticles using Citrate as Complexing Agent: Characterization of Nanoparticles and effect of pH on Size and Crystallinity*, 2012.
- [39] H. Zhong, A. Redo-Sanchez, and X.-C. Zhang, "Identification and classification of chemicals using terahertz reflective spectroscopic focal-plane imaging system," *Optics Express*, vol. 14, no. 20, pp. 9130–9141, 2006.
- [40] G. M. N. Rao and N. V. J. Babu, "Ecological studies on bryophytes of Maredumilli Forest Division (AP), Eastern Ghats of India," *Journal of Biosciences*, vol. 10, no. 3, pp. 33–35, 2022.
- [41] Q. A. Bhatti, M. K. Baloch, S. Schwarz, and G. Petzold, "Impact of various parameters over the adsorption of polyvinylpyrrolidone onto kaolin," *Journal of Dispersion Science and Technology*, vol. 33, no. 12, pp. 1739–1745, 2012.
- [42] Y. Bibi, S. Nisa, F. M. Chaudhary, and M. Zia, "Antibacterial activity of some selected medicinal plants of Pakistan," *BMC Complementary and Alternative Medicine*, vol. 11, no. 1, pp. 1–7, 2011.
- [43] R. C. Jagessar, A. Mars, and S. Gomathinayagam, "Selective Antimicrobial properties of Leaf extract of *Samanea saman* against *Candida albicans*, *Staphylococcus aureus* and *Escherichia coli* using several microbial methods," *Journal of American Science*, vol. 7, no. 3, pp. 108–119, 2011.
- [44] R. Desai, V. Mankad, S. K. Gupta, and P. K. Jha, "Size distribution of silver nanoparticles: UV-visible spectroscopic assessment," *Nanoscience and Nanotechnology Letters*, vol. 4, no. 1, pp. 30–34, 2012.
- [45] J. Ishii and Y. Xuan, "Acquirer-target social ties and merger outcomes," *Journal of Financial Economics*, vol. 112, no. 3, pp. 344–363, 2014.
- [46] S. Baiani and M. Ghilardi, "Crypta Balbi-Fori imperiali," *Archeologia urbana a Roma e interventi di restauro nel Tanno del Grande Giubileo, Rome, Italy*, 2000.
- [47] N. Guven, D. J. Panfil, and L. L. Carney, "Comparative rheology of water-based drilling fluids with various clays," in *International Meeting on Petroleum Engineering*, OnePetro, 1988.
- [48] M. Alexander and P. Dubois, "Polymer-layered silicate nanocomposites: preparation, properties and uses of a new class of materials," *Materials science and engineering: R: Reports*, vol. 28, no. 1–2, pp. 1–63, 2000.
- [49] J. Konta, "Textural variation and composition of bentonite derived from basaltic ash," *Clays and Clay Minerals*, vol. 34, no. 3, pp. 257–265, 1986.
- [50] L. Zhirong, M. A. Uddin, and S. Zhanxue, "FT-IR and XRD analysis of natural Na-bentonite and Cu(II)-loaded Na-bentonite," *Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy*, vol. 79, no. 5, pp. 1013–1016, 2011.

- [51] F. G. Alabarse, R. V. Conceição, N. M. Balzaretti, F. Schenato, and A. M. Xavier, "In-situ FTIR analyses of bentonite under high-pressure," *Applied Clay Science*, vol. 51, no. 1-2, pp. 202–208, 2011.
- [52] K. Ufer, H. Stanjek, G. Roth, R. Dohrmann, R. Kleeberg, and S. Kaufhold, "Quantitative phase analysis of bentonites by the Rietveld method," *Clays and Clay Minerals*, vol. 56, no. 2, pp. 272–282, 2008.
- [53] A. Zielińska, E. Skwarek, A. Zaleska, M. Gazda, and J. Hupka, "Preparation of silver nanoparticles with controlled particle size," *Procedia Chemistry*, vol. 1, no. 2, pp. 1560–1566, 2009.
- [54] G. Geoprincy, B. V. Srri, U. Poonguzhali, N. N. Gandhi, and S. Renganathan, "A review on green synthesis of silver nanoparticles," *Asian Journal of Pharmaceutical and Clinical Research*, vol. 6, no. 1, pp. 8–12, 2013.
- [55] E. Eren and B. Afsin, "An investigation of Cu(II) adsorption by raw and acid-activated bentonite: a combined potentiometric, thermodynamic, XRD, IR, DTA study," *Journal of Hazardous Materials*, vol. 151, no. 2-3, pp. 682–691, 2008.
- [56] N. Burham and M. Sayed, "Adsorption behavior of Cd^{2+} and Zn^{2+} onto natural Egyptian bentonitic clay," *Minerals*, vol. 6, no. 4, p. 129, 2016.
- [57] I. Dragieva, S. Stoeva, P. Stoimenov, E. Pavlikianov, and K. Klabunde, "Complex formation in solutions for chemical synthesis of nanoscaled particles prepared by borohydride reduction process," *Nanostructured Materials*, vol. 12, no. 1-4, pp. 267–270, 1999.
- [58] K. Glanz, M. Basil, E. Maibach, J. Goldberg, and D. A. N. Snyder, "Why Americans eat what they do: taste, nutrition, cost, convenience, and weight control concerns as influences on food consumption," *Journal of the American Dietetic Association*, vol. 98, no. 10, pp. 1118–1126, 1998.
- [59] R. Kirubha and G. Alagumuthu, "Production of biogenic gold nanoparticles using Ziziphus Jujuba fruit extract," *World Journal of Pharmaceutical Sciences*, pp. 1469–1474, 2014.
- [60] N. K. Palanisamy, N. Ferina, A. N. Amirulhusni et al., "Antibiofilm properties of chemically synthesized silver nanoparticles found against *Pseudomonas aeruginosa*," *Journal of Nanobiotechnology*, vol. 12, no. 1, pp. 2–7, 2014.
- [61] X.-Y. Yong, J. Feng, Y.-L. Chen et al., "Enhancement of bioelectricity generation by cofactor manipulation in microbial fuel cell," *Biosensors and Bioelectronics*, vol. 56, pp. 19–25, 2014.
- [62] J. S. Wang, H. Luo, M. Billam et al., "Short-term safety evaluation of processed calcium montmorillonite clay (NovaSil) in humans," *Food Additives and Contaminants*, vol. 22, no. 3, pp. 270–279, 2005.
- [63] M. Moosavi, "Bentonite clay as a natural remedy: a brief review," *Iranian Journal of Public Health*, vol. 46, no. 9, pp. 1176–1183, 2017.
- [64] K. Ahmad, I. A. Bhatti, M. Muneer, M. Iqbal, and Z. Iqbal, "Removal of heavy metals (Zn, Cr, Pb, Cd, Cu and Fe) in aqueous media by calcium carbonate as an adsorbent," *International Journal of Chemical and Biochemical Sciences*, vol. 2, pp. 48–53, 2012.
- [65] L. B. Christensen, B. Johnson, L. A. Turner, and L. B. Christensen, *Research Methods, Design, and Analysis*, 2011.
- [66] A. Thurston, "Islamic modernism and colonial education in Northern Nigeria: Na'ibi Sulaiman Wali (1927–2013)," *Religion & Education*, vol. 44, no. 1, pp. 101–117, 2017.
- [67] A. Sereemasapun, R. Rojanathanes, and V. Wiwanitkit, "Effect of gold nanoparticle on renal cell: an implication for exposure risk," *Renal Failure*, vol. 30, no. 3, pp. 323–325, 2008.
- [68] K. Murthy, J. R. Evans, A. M. Bhatia et al., "The association of type of surgical closure on length of stay among infants with gastroschisis born ≥ 34 weeks' gestation," *Journal of Pediatric Surgery*, vol. 49, no. 8, pp. 1220–1225, 2014.
- [69] M.-H. Park, M. V. Arasu, N.-Y. Park et al., "Variation of glucoraphanin and glucobrassicin: anticancer components in Brassica during processing," *Food Science and Technology*, vol. 33, no. 4, pp. 624–631, 2013.
- [70] R. A. G. Elmer, S. M. Hoyte, J. L. Vanneste, T. Reglinski, R. N. Wood, and F. J. Parry, "Biological control of fruit pathogens," *New Zealand Plant Protection*, vol. 58, pp. 47–54, 2005.
- [71] J. Tan, M. Lina, J. Huang, Y. Shunzhang, B. Chen, and J. Yin, "An initial investigation of the association between the SARS outbreak and weather: with the view of the environmental temperature and its variation," *Journal of Epidemiology & Community Health*, vol. 59, no. 3, pp. 186–192, 2005.
- [72] S. Scott, L. Prior, F. Wood, and J. Gray, "Repositioning the patient: the implications of being 'at risk,'" *Social Science & Medicine*, vol. 60, no. 8, pp. 1869–1879, 2005.
- [73] J. Wang, N. Shaner, B. Mittal, J. Qiang Zhou, and J. M. Chen, "Dynamics of Z-band based proteins in developing skeletal muscle cells," *Cell Motility and the Cytoskeleton*, vol. 61, no. 1, pp. 34–48, 2005.
- [74] L. R. Fukumoto and G. Mazza, "Assessing antioxidant and prooxidant activities of phenolic compounds," *Journal of Agricultural and Food Chemistry*, vol. 48, no. 8, pp. 3597–3604, 2000.
- [75] W. Huang, X. Chen, H. Duan, Y. Bi, and H. Yu, "Optimized biosynthesis and antifungal activity of *Osmanthus fragrans* leaf extract-mediated Silver Nanoparticles," *International Journal of Agriculture And Biology*, vol. 19, no. 4, pp. 668–672, 2017.
- [76] L. Sun, J. Xu, W. Wang, W. Yuan, Q. Li, and C. Jiang, "A statistical analysis of equatorial plasma bubble structures based on an all-sky airglow imager network in China," *Journal of Geophysical Research: Space Physics*, vol. 121, no. 11, pp. 11495–11517, 2016.