



# Synthesis of poly(methyl methacrylate)- b -polyethylene (PMMA- b -PE) block copolymers via conventional emulsion polymerization

L. Sinniger, O. Boyron, P. Dugas, G. Patias, D. Lester, D. Haddleton, V. Monteil, M. Lansalot, F. d'Agosto

## ► To cite this version:

L. Sinniger, O. Boyron, P. Dugas, G. Patias, D. Lester, et al.. Synthesis of poly(methyl methacrylate)- b -polyethylene (PMMA- b -PE) block copolymers via conventional emulsion polymerization. *Polymer Chemistry*, 2023, 14 (39), pp.4569-4579. 10.1039/d3py00897e . hal-04286118

**HAL Id: hal-04286118**

**<https://hal.science/hal-04286118>**

Submitted on 15 Nov 2023

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Distributed under a Creative Commons Attribution - NonCommercial 4.0 International License

## ARTICLE

# Synthesis of poly(methyl methacrylate)-*b*-polyethylene (PMMA-*b*-PE) block copolymers via conventional emulsion polymerization

Received 00th January 20xx,  
Accepted 00th January 20xx

L. Sinniger,<sup>a</sup> O. Boyron,<sup>a</sup> P.Y. Dugas,<sup>a</sup> G. Patias,<sup>b</sup> D. Lester,<sup>b</sup> D. Haddleton,<sup>b</sup> V. Monteil,<sup>a</sup> M. Lansalot,<sup>\*a</sup>  
F. D'Agosto<sup>\*a</sup>

DOI: 10.1039/x0xx00000x

Block copolymers can be obtained by combining catalytic chain transfer polymerization (CCTP) and conventional free radical polymerization of vinyl monomers. Poly(methyl methacrylate)-*b*-polyethylene (PMMA-*b*-PE) block copolymers were recently obtained simply by involving  $\omega$ -unsaturated PMMA oligomers prepared by CCTP in the radical polymerization of ethylene performed in dimethylcarbonate (DMC) solution. However,  $\omega$ -unsaturated PMMA oligomers are more effectively obtained as a latex by emulsion CCTP. In the present paper, these resulting latexes were used as seeds in the radical emulsion polymerization of ethylene in water. The effects of the methacrylic oligomer molar mass and the initial solids content of the seeds were investigated. Cryo-TEM analysis enabled demonstration of the formation of stable latexes composed of faceted spherical particles. The increase of molar mass correlated to the consumption of unsaturated oligomers with the polymerization time indicated the formation of block copolymers. The present study successfully transposed the chemistry performed in DMC solution and PMMA-*b*-PE block copolymers were obtained by a simple post-treatment of a PMMA latex.

## Introduction

Due to its low production costs and excellent mechanical properties, polyethylene (PE) has long been the most widely produced polymer and indeed chemical globally. Its fully hydrocarbon-based backbone ensures excellent chemical and mechanical properties and stability. The production of macromolecular architectures containing ethylene and polar monomers is thus particularly relevant as such polymers will combine the properties of PE with the functionality of the polar units. However, the synthesis of such structures e.g., by copolymerization of ethylene with polar monomers, is not trivial<sup>1,2</sup>, and only few industrial solutions are available even though the potential applications are many and a great deal of research has been carried out over many decades. Reversible-deactivation radical polymerization (RDRP) represents today one of the most versatile tools to result in complex architectures combining polar and apolar monomers. Recently, ethylene-based copolymers were developed by our group through the use of reversible addition-fragmentation chain transfer (RAFT),<sup>3–5</sup> organotellurium mediated radical polymerization (TERP)<sup>6</sup> and iodine transfer polymerization (ITP)<sup>7,8</sup> under mild conditions ( $\leq 200$  bar,  $\leq 80$  °C) in dimethylcarbonate (DMC), but also in dispersed media or via polymerization-induced self-assembly (PISA).<sup>9,10</sup> These

techniques, however, require the use of controlling agents, which is not always compatible with the cost of the final structures that has to remain very low, particularly when considering ethylene-based products.

Thus, using much more conventional radical polymerization techniques, complex architectures could be obtained simply by involving  $\omega$ -unsaturated methacrylic oligomers in the radical polymerization of a wide range of monomers. These types of oligomers can be obtained by catalytic chain transfer polymerization (CCTP) as discovered by Smirnov and Marchenko.<sup>11,12</sup> CCTP involves the use of [Co]<sup>II</sup> or [Co]<sup>III</sup> catalysts such as cobaloximes as catalytic chain transfer agents (CCTA) in the radical polymerization of methacrylates.<sup>13–19</sup> CCTP has been carried out successfully in all processes used for free radical polymerization including solution, suspension and bulk as well as commercial processes using emulsion polymerization and indeed very recently to photopolymerization to 3D networks.<sup>20</sup> The use of CCTP in dispersed media is not just used efficiently commercially but has raised a lot of interest in academia.<sup>21–26</sup> The transition of carrying out CCTP in solution to dispersed media is however not trivial. Indeed, the compartmentalization effects associated to emulsion polymerization<sup>27</sup> affect the efficiency of the CCTA, which needs to partition between the aqueous phase and the polymer particles. In most cases, lower catalytic activity and thus higher molar mass are observed when CCTP is conducted in dispersed media due to mass transport limitations, partitioning and potential deactivation of catalysts in aqueous phase. It is also important for the polymerizations to be at less than 100% instantaneous conversion so the glass transition of the swollen polymer particle allows the catalyst to move in and out of the aqueous phase.<sup>11,21,23,28–31</sup>

<sup>a</sup> Université de Lyon, Université Lyon 1, CPE Lyon, CNRS UMR 5128, Laboratoire CP2M, Equipe PCM, Villeurbanne, 69616, France Address here.

<sup>b</sup> University of Warwick, Department of Chemistry, Gibbet Hill, Coventry, CV4 7AL, UK Address here.


† Footnotes relating to the title and/or authors should appear here.

Electronic Supplementary Information (ESI) available: [details of any supplementary information available should be included here]. See DOI: 10.1039/x0xx00000x

Low molar mass  $\omega$ -unsaturated methacrylic oligomers have been used in radical polymerization for the synthesis of branched copolymers, amphiphilic dispersants or multi-block copolymers.<sup>32–36</sup> In most of the cases, the propagating radical is added on the unsaturated chain end leading to the formation of an intermediate radical. Depending on the monomer used for the radical polymerization, and thus the corresponding propagation rate, two types of architectures can be obtained. For mostly styrene, acrylate, acrylonitrile the propagation rate is relatively high and propagation step occurs leading to grafted structures.<sup>37,38</sup> However, in the case of acrylates, depending on the nature of the acrylate and its molecular weight, block copolymer structures can be obtained after termination steps of the intermediate radical.<sup>32,39–41</sup> When methacrylates are used, the rate of propagation is lower than the rate of  $\beta$ -scission leading to an addition-fragmentation chain transfer mechanism and to the formation of block copolymers.<sup>34,42–45</sup>

The use of  $\omega$ -unsaturated oligomers synthesized by CCTP in emulsion has also been established. For instance, block copolymers with a poly(*n*-butyl methacrylate) block have been produced in emulsion polymerization from PMMA macromonomers.<sup>34,42,44,45</sup> They can also be used as *in situ* stabilizer in order to conduct a surfactant-free emulsion polymerization of *n*-butyl acrylate (BA).<sup>42,46,47</sup>

We recently showed that PMMA produced by CCTP (PMMA<sub>n</sub>) can serve as efficient degradative chain transfer agent in the radical polymerization of ethylene conducted in DMC under relatively mild conditions (80 bar and 70 °C).<sup>48</sup> Detailed characterizations of the obtained products combined with DFT calculations showed that the propagating polyethylenyl radicals produced upon initiation of ethylene polymerization rapidly react with the  $\omega$ -chain end of the PMMA<sub>n</sub> to form an intermediate radical (**Figure 1**). The fate of this intermediate radical was demonstrated to be termination by H-abstraction to lead to PMMA<sub>n</sub>-*b*-PE for  $n > 2$ . Upon consumption of the double bond of PMMA<sub>n</sub>, the molar mass of the PE segment increased consistently with a polymerization mechanism implying a degradative chain transfer reaction. Depending on the amount of  $\omega$ -unsaturated oligomers, the molar mass of the PE block could be adjusted.



**Figure 1.** Possible fate of the propagating radicals in ethylene polymerization in the presence of PMMA<sub>2</sub>. Reproduced from ref.<sup>48</sup>

As mentioned above, CCTP of MMA can easily be carried out in emulsion using sodium dodecylsulfate (SDS) as surfactant to

produce a stable latex incorporating  $\omega$ -vinyl functional PMMA.<sup>34,42,44,45</sup> Building on our results obtained in DMC, we now report application in aqueous dispersed media by the direct use of PMMA<sub>n</sub> from CCTP latexes as seeds in ethylene polymerization. Indeed, this approach would be a powerful way to produce PMMA-*b*-PE copolymers directly in water, simply by post-treating the seed latex with initiator under ethylene pressure. The study explores the effect of the molar mass of PMMA oligomers and of the initial solids content of the seed latex on the polymer architecture. Morphologies of the produced particles are also investigated.

## Materials and methods

### Materials.

Methyl methacrylate (MMA, Aldrich,  $\geq 99\%$ ), 4,4'-azobis(4-cyanovaleric acid) (ACVA, Aldrich,  $\geq 98\%$ ), sodium dodecylsulfate (SDS, MP Biomedicals, LLC), ammonium persulfate (APS, Aldrich,  $\geq 98\%$ ) and sodium bicarbonate (NaHCO<sub>3</sub>, Aldrich, Bioreagent) were used as received. Water was deionized before use (Purelab Classic UV, Elga LabWater). The catalyst bis[(difluoroboryl)dimethylglyoximate]cobalt(II) (CoBF) was synthesised as previously described.<sup>32,49</sup> Deuterated solvents were supplied by Eurisotop.

### Analytical techniques.

**Nuclear magnetic resonance (NMR).** All NMR experiments were performed at 90 °C in a mixture of tetrachloroethylene and deuterated benzene (2:1 v:v) using a Bruker Avance 400 spectrometer. Proton NMR spectra were recorded with a 5 mm BBFO+ probe with a z-gradient coil. Chemical shifts are given in parts per million (ppm) with the benzene deuterated solvent used as internal standard.

**Dynamic light scattering (DLS).** The intensity-weighted mean diameter (or Z-average diameter) ( $Z_{ave}$ ) of the latex particles and the polydispersity index (PDI) were measured at 25 °C using a Zetasizer Nano Series (Nano ZS) from Malvern Instruments. Before measurements, the latex was diluted with deionized water. The mean particle diameter was averaged over three consecutive runs. The data were collected at a 173° scattering angle using the fully automatic mode of the Zetasizer system and fitted with the cumulant analysis.

**Differential scanning calorimetry (DSC).** DSC analyses were performed on a Mettler Toledo DSC 3. Around 10 mg of samples were precisely weighted in 40  $\mu$ L alumina pans. Two heating steps separated by one cooling step were performed at a rate of 10 °C min<sup>-1</sup> with temperatures ranging from -40 °C to 150 °C. Crystallization, melting and glass transition temperatures ( $T_c$ ,  $T_m$ ,  $T_g$ ) were recorded on the second cycle.

**Size exclusion chromatography in THF (SEC-THF).** SEC-THF analyses were performed using a Viscotek system (Malvern Instruments) including a four-capillary differential viscometer, a differential refractive index (RI) detector and a UV detector. THF was used as the mobile phase at a flow rate of 1 mL min<sup>-1</sup> at 35 °C. All samples were injected at a concentration of 3 to 5 mg mL<sup>-1</sup> after filtration through a 0.45  $\mu$ m PTFE membrane. The

separation was carried out on three Mixed C columns (SDVB, 5  $\mu\text{m}$ , 300  $\times$  7.5 mm) from Agilent Technology and a guard column. The average molar masses (number-average molar mass,  $M_n$ , and weight-average molar mass,  $M_w$ ) and the dispersity,  $\bar{D} = M_w/M_n$ , were calculated from the RI signal with a calibration curve based on narrow poly(methyl methacrylate) standards from Polymer Standards Service.

**High temperature size exclusion chromatography (HT-SEC).** HT-SEC analyses were performed using an Agilent Infinity II High Temperature GPC instrument equipped with differential refractive index (DRI), viscometry (VS) and dual angle light scattering (LS 90 + 15) detectors. The system was equipped with 2  $\times$  PLgel Olexis columns (300  $\times$  7.5 mm) and a 10  $\mu\text{m}$  guard column. 1,2,4-Trichlorobenzene (TCB) was used as mobile phase with 250 ppm of butylated hydroxytoluene (BHT) as antioxidant. Analyte samples were dissolved at 150  $^\circ\text{C}$  and hot filtered through a stainless-steel frit with 10  $\mu\text{m}$  pore size before injection. Samples were run at 1 mL  $\text{min}^{-1}$  at 160  $^\circ\text{C}$ . Polystyrene standards (Agilent EasiVials) were used to create a third-order calibration within a molar mass range of 6 570 000 - 580 g  $\text{mol}^{-1}$ .  $M_n$  and  $\bar{D}$  values were determined by conventional calibration using Agilent GPC/SEC software.

**Cryogenic-transmission electron microscopy (cryo-TEM).** The diluted latex samples were dropped onto 300 mesh holey carbon films (Quantifoil R2/1) and immediately quench-frozen in liquid ethane. The grid was then mounted on a precooled Gatan 626 specimen holder and transferred to a Philips CM120 microscope operating at an accelerating voltage of 120 kV (Centre Technologique des Microstructures (CT $\mu$ ), platform of the Université Claude Bernard Lyon 1, Villeurbanne, France). The average particle size of the particles was calculated out of 200 particles using ImageJ software. The number-average ( $D_n$ , nm) and the weight-average ( $D_w$ , nm) particle diameters and the particle-diameter dispersity ( $D_w/D_n$ ) were calculated with the following equations:

$$D_n = \frac{\sum n_i D_i}{\sum n_i} \quad D_w = \frac{\sum n_i D_i^4}{\sum n_i D_i^3}$$

Where  $n_i$  is the number of particles with diameter  $D_i$ .

**Fourier-transform infrared spectroscopy (FT-IR).** FT-IR measurements were performed on a iS50+ATR FT-IR device from Thermo Fisher Scientific at room temperature. The spectrometer is equipped with a diamond crystal ATR accessory, a deuterated triglycine sulfate (DTGS) detector and KBr optics. A small amount of dried latex was pressed directly on the diamond crystal. Background and sample were acquired using 32 scans at a spectral resolution of 4  $\text{cm}^{-1}$  from 4 000 to 400  $\text{cm}^{-1}$ . The FTIR spectra were treated with Omnic software.

## Synthetic procedures

**General procedure for the preparation of  $\omega$ -functional poly(methyl methacrylate) oligomer latexes via CCTP in emulsion.** CoBF (22.43 mg, 0.0583 mmol) was placed in a 250 mL round bottom flask together with a stirring bar. Nitrogen was purged in the flask for at least 10 min. Subsequently, MMA (112 mL, 105.28 g, 1.05 mol) previously deoxygenated for 30 min using argon was added to the flask via a deoxygenated

syringe. The mixture was vigorously stirred under inert atmosphere until total dissolution of the catalyst. Meanwhile, ACVA (1.36 g, 4.84 mmol), SDS (2.14 g, 7.43 mmol) and 250 mL of water were charged into a three-neck, 500 mL double jacketed reactor, equipped with a thermometer and an overhead stirrer. The mixture was purged with nitrogen and stirred at 325 rpm for at least 30 min. Subsequently, the mixture was heated under inert atmosphere. When the temperature in the reactor reached 70  $^\circ\text{C}$ , the addition of the solution of MMA and CoBF started using a deoxygenated syringe and a syringe pump (feeding rate = 1.87 mL  $\text{min}^{-1}$ , feeding time = 60 min). When the addition was over, stirring continued for a further 60 min under the same conditions. Stable latex containing PMMA oligomers of different degrees of polymerization ( $n$ ) were obtained and labelled PMMA $_n$ .

**General procedure for the ethylene seeded emulsion polymerization using PMMA $_n$  as seeds.** The reaction was conducted in a stainless-steel reactor (160 mL, from Parr Instrument Co.) equipped with a thermometer, a pressure sensor, a mechanical stirring apparatus, and safety valves. In a typical polymerization procedure (Table 2), the seed latex of PMMA $_{16}$  was initially added in the autoclave with  $\text{NaHCO}_3$  (pH = 8) and deoxygenated under argon for 30 min. APS (123 mg, 0.54 mmol) and  $\text{NaHCO}_3$  (to reach pH = 8) were dissolved in water (the volume of water added depends on the initial solids content targeted and the total volume of the reactor  $V_{\text{tot}}$  = 50 mL) and this solution was introduced after degassing via an injecting chamber pressurized with 30 bar of ethylene into the preheated autoclave at 80  $^\circ\text{C}$ . Ethylene gas was then introduced into the reactor until the desired pressure (100 bar) was reached. The reaction medium was stirred at 250 rpm. In order to manage the polymerization safely over 50 bar of ethylene, a 1.5 L intermediate tank was used. It was cooled at -20  $^\circ\text{C}$  during a filling step from the ethylene bottle. After isolation, it was then heated back and connected to the reactor to get the desired pressure. This tank was used to charge the reactor. After the desired polymerization time, the stirring speed was reduced, and the autoclave was cooled with iced water. When the temperature inside the autoclave dropped below 35  $^\circ\text{C}$ , the remaining pressure was carefully released by venting to the atmosphere. The solids content ( $\tau_s$ ) was determined by gravimetric analysis and the consumption of the double bond carried by PMMA $_n$  was followed by  $^1\text{H}$  NMR spectroscopy performed on dried samples. Copolymers were also analyzed by SEC and DSC after drying the latex sample. The latex was directly analyzed by DLS to measure the particle size. Some latexes were also observed by cryo-TEM.

**Preparation of the PMMA $_{16}$ /PE blend for DSC analysis.** 1.5 mg of PMMA $_{16}$  dried extract was added in the alumina pan directly with 9.5 mg of PE obtained by radical emulsion polymerization with the same initiating and stabilization systems.

## Results and discussion

Our previous study demonstrated that PMMA-*b*-PE copolymers can be formed by combining CCTP and radical polymerization of ethylene in DMC.<sup>48</sup> In that work, PMMA $_n$  oligomers obtained by

CCTP were solubilized in DMC in the presence of AIBN. PMMA<sub>n</sub> chain-end double bonds were quickly consumed, and the molar mass of the PE block increased with the reaction time. Herein, latexes of PMMA<sub>n</sub> particles are used as seeds in the radical emulsion polymerization of ethylene to transpose the chemistry performed in DMC to aqueous media and thus produce particles of PMMA<sub>n</sub>-*b*-PE block copolymers.

### Seeded emulsion polymerization of ethylene with PMMA<sub>16</sub>

Using SDS as surfactant and ACVA as initiator, two batches of latex were produced with two polymerization degrees (namely PMMA<sub>16</sub> and PMMA<sub>36</sub>) adjusted by the amount of CoBF involved in the recipe (Table 1). Both latexes were stable with particle size of 147 and 101 nm, respectively. The two significantly different *T<sub>g</sub>* values (34 °C for PMMA<sub>16</sub> and 93 °C for PMMA<sub>36</sub>) are directly related to the difference of molar masses.

Table 1. Characteristics of the PMMA<sub>n</sub> latexes

PMMA <sub>n</sub>	$\tau_s^{[a]}$ (%)	$Z_{ave}$ (nm) / PDI <sup>[b]</sup>	$M_{n, NMR}^{[c]}$ (g mol <sup>-1</sup> )	$M_{n, SEC}$ (g mol <sup>-1</sup> ) / $\bar{D}^{[d]}$	$T_g$ [e] (°C)
PMMA <sub>16</sub>	16.9	147 0.07	1 470	1 200 1.8	34
PMMA <sub>36</sub>	19.9	101 0.09	3 630	3 000 2.2	93

[a] Determined by gravimetric analysis. [b] Determined by DLS. [c] Calculated by assuming that there is one vinyl per chain. [d] Determined by SEC-THF using conventional PMMA calibration. [e] Determined by DSC at 10 °C min<sup>-1</sup>.

Seeded radical emulsion polymerization of ethylene was first carried out using the PMMA<sub>16</sub> latex. The seed latex was diluted to an initial solids content of 5 wt% and introduced into the reactor. Subsequently, an aqueous phase containing APS was injected in the reactor with NaHCO<sub>3</sub> used as buffer. APS was chosen as initiator in our system although persulfate initiators could react with the remaining CoBF<sup>31</sup> in the PMMA<sub>16</sub> seed latex. To counterbalance this effect, the APS concentration was increased compared to the reference concentration used in more classical emulsion polymerization of ethylene previously performed in our group.<sup>50</sup>

After 4h of reaction under 100 bar of ethylene at 80 °C (run 1, Table 2), a stable latex was obtained. The particle size did not vary significantly (147 nm for the seed PMMA<sub>16</sub> and 155 nm for the obtained latex). The 2.4 wt.% increase in solids content correlated with the appearance of an intense signal in the <sup>1</sup>H NMR spectrum of the dry extract at 1.3 ppm (Figure 2), corresponding to the methylene protons of PE, are consistent with the formation of PE during the reaction. The almost total disappearance of the characteristic signals of the vinylic protons of PMMA<sub>16</sub>, in the 5.6 to 6.5 ppm region, indicated that they were almost quantitatively consumed (99% conversion after 4 h). The polymerization degree of PE ( $DP_{PE}$ ) was measured by NMR (Equation 1) assuming that the obtained product is a PMMA-*b*-PE block copolymer. The integral of the methoxy

signal from PMMA at 3.5 ppm ( $I_{c'}$ ) was thus fixed at a value of 48.

$$DP_{PE, NMR} = \frac{I_{PE} - I_{c'}}{4 \cdot conv. PMMA_n} \quad (1)$$




Figure 2. <sup>1</sup>H NMR spectra (TCE/C<sub>6</sub>D<sub>6</sub> at 90 °C) of the dry extract (a) from the PMMA<sub>16</sub> seed latex and (b) from the latex obtained by ethylene emulsion polymerization in the presence of PMMA<sub>16</sub> (run 1, Table 2).

HT-SEC chromatograms of the starting PMMA<sub>16</sub> and the product obtained in run 1 are compared in Figure 3. It shows the consumption of the starting PMMA<sub>16</sub> and the formation of higher molar mass product at lower elution time. In addition, a second minor population at even lower elution time ( $t_{el} = 12.4$  min), i.e., higher molar masses, appeared. A similar behavior was observed in our previous study conducted in DMC, in which the high molar mass population was assigned to the formation of PE homopolymer taking place when all the PMMA<sub>n</sub> chain transfer agents have been consumed.<sup>48</sup>




Figure 3. HT-SEC chromatograms of the dry extract from the PMMA<sub>16</sub> seed and from the latex obtained by ethylene emulsion polymerization in the presence of PMMA<sub>16</sub> (run 1, Table 2).

Table 2. PMMA<sub>16</sub> and PMMA<sub>36</sub> seeded emulsion polymerizations of ethylene and seeded emulsion polymerizations of ethylene with a PMMA latex obtained by FRP <sup>[a]</sup>

Run	PMMA <sub>n</sub>	t (h)	$\tau_{s,i}^{[b]}$ (%)	$\tau_{s,f}^{[b]}$ (%)	$Z_{ave}^{[c]}$ (nm)	PDI <sup>[c]</sup>	PMMA conv. <sup>[d]</sup> (%)	DP <sub>PE</sub> <sup>[e]</sup>	$M_{n, SEC}^{[f]}$ (g mol <sup>-1</sup> )	$\bar{D}^{[f]}$	$T_g^{[g]}$ (°C)	$T_c^{[g]}$ (°C)
1*	PMMA <sub>16</sub>	4	5.0	7.4	155	0.06	99	26	4 400 505 200	6.1 1.4	-	42 56
2*	PMMA <sub>16</sub>	4	5.0	5.4	146	0.05	27	0	1500	2.0	n.d.	n.d.
3-t <sub>1</sub>	PMMA <sub>16</sub>	0.5	5.0	5.4	142	0.04	49	3	1 500	1.9	55	-
3-t <sub>2</sub>	PMMA <sub>16</sub>	1	5.0	4.9	151	0.02	72	2	2 300	2.2	68	-
3-t <sub>3</sub>	PMMA <sub>16</sub>	2	5.0	5.5	154	0.05	93	5	2 900	4.7	72	42
3-t <sub>4</sub>	PMMA <sub>16</sub>	3	5.0	6.1	159	0.04	99	13	4 000 419 100	5.9 1.6	86	45
4-t <sub>1</sub>	PMMA <sub>36</sub>	0.5	10.0	9.4	113	0.09	72	3	3 000	2.2	87	-
4-t <sub>2</sub>	PMMA <sub>36</sub>	1	10.0	9.8	100	0.07	96	11	8 700	4.1	88	42
4-t <sub>3</sub>	PMMA <sub>36</sub>	2	10.0	12.1	110	0.02	95	48	6 700 410 300	4.8 5.7	97	42
4-t <sub>4</sub>	PMMA <sub>36</sub>	4	10.0	14.6	120	0.07	92	105	5 900 837 000	5.7 1.5	-	42 56
4-t <sub>5</sub>	PMMA <sub>36</sub>	6	10.0	15.6	117	0.03	92	123	7 300 1 016 000	5.2 1.5	-	42 56
5	PMMA <sub>16</sub>	4	10.0	11.6	155	0.03	98	3	5 200	3.9	80	-
6	PMMA- FRP	4	5.0	14.8	68	0.03	n.d.	n.d.	7 200	72.2	-	55

[a] APS (0.54 mmol), NaHCO<sub>3</sub> (pH = 8) at 80 °C and 100 bar in water (V<sub>tot</sub> = 50 mL). [b] The initial and final solids content determined by gravimetric analysis. [c] Determined by DLS. [d] Calculated by comparing the <sup>1</sup>H NMR signals intensities of the vinylic protons of PMMA<sub>16</sub> and residual vinylic protons at the end of the reaction. [e] Calculated by assuming that there is one methacrylic oligomer per PE chain, DP<sub>PE</sub> is the degree of polymerization and is calculated according to the equation 1 using NMR. [f] Determined by HT-SEC with a conventional calibration based on PS standards. Two separate entries per row corresponds to a bipopulated molar mass distribution. [g] Determined by DSC ("-" is used when glass transition or crystallization was not visible). \* This experiment can also be considered as a run 3-t<sub>5</sub> \* Experiment conducted without ethylene pressure.

However, under the conditions employed here, one might ask whether the consumption of the PMMA<sub>16</sub> unsaturated chain-ends is indeed only related to the reaction of polyethylenyl radicals formed in water (this is made possible by the solubility of ethylene in water from 0.3 g L<sup>-1</sup> at 4.5 bars to 4.6 g L<sup>-1</sup> at 110 bar at 75 °C<sup>51</sup>) and entering the particles to react with PMMA<sub>16</sub>. An additional experiment was thus carried out under the exact same conditions but without ethylene pressure (run 2, Table 2) to further investigate this point. After 2 h of reaction at 80 °C, a plateau of 27% was reached for the consumption of the PMMA<sub>16</sub> vinyl end groups. Consumption of vinyl end groups of PMMA<sub>n</sub> was not observed when similar experiments were carried out in DMC in the presence of AIBN. The nature of the

primary radicals generated (carbon- or oxygen-centered for DMC or emulsion polymerization, respectively) might be put forward to explain this different behavior. It is worth mentioning here that in emulsion polymerization of MMA initiated with APS, depending on the initial conditions (notably the initiator and surfactant concentration), PMMA oligomers will form in water with a degree of polymerization lower than 10 (the DP for surface activity,  $z$ , is close to 5, and the oligomers remain water-soluble up to a DP of 10 ( $j_{crit}$ )<sup>52</sup>). The formation of our PMMA seeds is based on CCTP for which the majority of the chains are not initiated by a charged group. The corresponding critical DPs should then be much lower and the amount of PMMA oligomers remaining in water small. The isolation of the

aqueous phase of PMMA<sub>16</sub> latex by centrifugation confirmed nevertheless the presence of some oligomers that quantitatively reacted after 2 h at 80 °C in the presence of APS (Figure S1). However, a reaction between the water-soluble radicals generated from APS with these water-soluble species could reasonably not account for the 27% of double bond consumption mentioned above. SEC analyses of the dry extract recovered from run 2 (Table 2) indeed revealed a significant conversion of the lowest molar mass species into higher molar mass ones shifted in the molar mass main distribution (Figure 4). The fraction of double bonds consumed in run 2 is thus probably explained also by the reaction of part of the PMMA<sub>16</sub> chains with entering radicals after initiation with APS as explained above. The shift of molar mass distribution observed in Figure 3 when ethylene is polymerized is thus very likely related to the polyethylenyl radicals entering the particles and reacting with PMMA<sub>16</sub> as expected. The following investigations aim at demonstrating that PMMA-*b*-PE are effectively formed during this process.




Figure 4. SEC-THF chromatograms of the seed PMMA<sub>16</sub> and the polymer obtained after 4 h of reaction without ethylene pressure (run 2, Table 2).

### Kinetic study

The influence of the molar mass of the PMMA<sub>n</sub> latexes (i.e., the value of *n*) on the polymerization kinetics was first investigated. A series of polymerizations were conducted at 80 °C and 100 bar of ethylene with both the PMMA<sub>16</sub> and PMMA<sub>36</sub> latexes, but with two different solids content (5 wt.% for PMMA<sub>16</sub> and 10 wt.% for PMMA<sub>36</sub>) in order to keep the same amount of vinyl functions in both systems. Other parameters were kept identical to those described above with PMMA<sub>16</sub>. As the reactions were conducted in a pressurized autoclave, the withdrawal of aliquots during the experiment was not possible. Therefore, each point of the kinetics (Table 2) represents an experiment. The trends observed through the data obtained (Figure 5) are indeed showing the good consistency of the different experiments.

For both the PMMA<sub>16</sub> and PMMA<sub>36</sub> seeds, the double bonds on the methacrylic oligomers are quickly consumed at the beginning of the reaction (> 90% after 2 h) until almost being entirely consumed. Again,  $DP_{PE}$  was calculated with Equation 1

by assuming that the obtained product is a PMMA-*b*-PE block copolymer. The integral of the methoxy signal from PMMA at 3.5 ppm ( $I_C$ ) was fixed at a value of 48 for PMMA<sub>16</sub> and 108 for PMMA<sub>36</sub> (Figure 6). As shown in Figure 5b, the solids content starts to strongly increase only when most of PMMA<sub>n</sub> is consumed. This might be showing rapid termination of growing polyethylenyl radicals with PMMA<sub>n</sub> and formation of PE homopolymer when all PMMA<sub>n</sub> has been consumed as previously observed in DMC.<sup>48</sup> After 4 h, an increase of both solids content and  $DP_{PE}$  was observed for the two PMMA<sub>n</sub> (after 4 h:  $\tau_{s, f}$  = 7.4 wt.% and  $DP_{PE}$  = 26 and 16.6 wt.% and 123 for PMMA<sub>16</sub> and PMMA<sub>36</sub>, respectively).






Figure 5. Evolution of a) PMMA<sub>n</sub> conversion and b) solids content with polymerization time at 80 °C and 100 bar of ethylene pressure (respectively runs 3 and 4, Table 2).

This is indeed consistent with HT-SEC analyses (Figure 7) that shows the shift of the chromatograms towards higher molar masses with polymerization times in both cases and as long as PMMA<sub>n</sub> remains. Once PMMA<sub>n</sub> has been consumed, a second population of much higher molar mass appears. As observed in DMC, block copolymers seem to be formed early during the polymerization, and PMMA<sub>n</sub> seems to be similarly acting as degradative chain transfer agent by terminating the growing PE chains entering the particles. When the reaction time increases, the amount of unsaturated oligomer decreases and the probability for a polyethylenyl radical to react on the double bond of the methacrylic oligomer is lower, so the PE block is longer. When all the vinyl functions are consumed, homopolymerization of ethylene might then take place.



**Figure 6.** Evolution of the  $DP_{PE}$  determined by NMR (blue) and the area of the absorption band of  $CH_2$  determined by FT-IR (red) with the polymerization time for the copolymers obtained with a) PMMA<sub>16</sub> and b) PMMA<sub>36</sub> (respectively runs 3 and 4, Table 2).

No control experiment of ethylene polymerization that could be performed without PMMA<sub>n</sub> in the exact same conditions can be compared to these experiments to show that this high molar mass population represents PE chains. Indeed, a typical radical emulsion polymerization of ethylene would not be of relevance here since it would not represent the seeded emulsion polymerization systems used. To confirm the nature of this second population, the final products were analyzed by FT-IR spectroscopy. The evolution of the absorption band area of the  $CH_2$  stretching from ethylene units ( $3\ 000\text{--}2\ 800\text{ cm}^{-1}$ ) was measured by normalizing the area of the absorption band of C=O from MMA units ( $1\ 735\text{ cm}^{-1}$ ) (see Figure S3). If we compare the evolution of  $DP_{PE, NMR}$  and the  $CH_2$  area with the polymerization time (Figure 6), we can observe two different regimes of PE production. A first slow regime (up to one hour) where methacrylic oligomers are still available in the medium, and a second regime for which the production rate of PE is higher, when there are no methacrylic oligomers remaining. The transition to this second regime is also correlated with the appearance of a second high molar mass population in HT-SEC observed for elution times between 11 and 13 min (Figure 7). This transition is observed after 2 h of polymerization for PMMA<sub>16</sub> and after 1 h for PMMA<sub>36</sub>. These additional results show that a high molar mass PE homopolymer is formed when all the methacrylic oligomers have been consumed. The molar masses measured by high-temperature SEC in PS equivalent are particularly high, exceeding several hundred thousand grams per mol.<sup>53</sup>



**Figure 7.** HT-SEC chromatograms of the polymers obtained during seeded emulsion polymerization of ethylene with a) PMMA<sub>16</sub> and b) PMMA<sub>36</sub>, at 80 °C and 100 bar of ethylene pressure after the indicated polymerization time (respectively runs 3 and 4, Table 2).

Thermal analysis was conducted on the copolymer dried extracts. The cooling curves plotted in Figure 8 show that for short polymerization times (up to 1 h), an increase of  $T_g$  of the PMMA block is clearly observed (Table 2). In our case, the addition of ethylene units to a low molar mass PMMA extends the polymer chains leading to chain stiffening and hence an increase of the  $T_g$  value. This behavior can be interpreted by Fox and Flory<sup>54</sup> with the use of the following equation:

$$T_g = T_{g,\alpha} - K/M_n \quad (2)$$

Where  $K$  is a constant which depends on the nature of the polymer and  $T_{g,\alpha}$  the maximum glass transition temperature that can be reached at a theoretical infinite molar mass.

Fox and Flory's relation also explains the lower increase of  $T_g$  value of our copolymers in the case of PMMA<sub>36</sub> since its molar mass is higher and so its  $T_g$  value is closer to the  $T_{g,\alpha}$ . For both PMMA<sub>16</sub> and PMMA<sub>36</sub>, a first population of chains crystallizing at 42 °C is visible at 2 h for PMMA<sub>16</sub> and at 1 h for PMMA<sub>36</sub>, followed by a second at higher temperature (55–56 °C) for longer reaction times (4 h for the two PMMA<sub>n</sub>). The population




Figure 8. DSC analysis (cooling) of the samples obtained with a) PMMA<sub>16</sub> and b) PMMA<sub>36</sub> (respectively runs 3 and 4, Table 2).

of chains crystallizing at 55–56 °C may correspond to PE chains since they appear at the same time a second population of high molar mass chains is observed in HT-SEC (Figure 7). The other population could mostly correspond to PMMA-*b*-PE chains, where  $DP_{PE}$  are smaller and thus crystallize at lower temperature. The thermal behavior of these copolymers was compared to the behavior of an ethylene homopolymer obtained by radical emulsion polymerization with the same initiating and stabilization system (see ESI for details on its synthesis) and to a physical blend of PMMA<sub>16</sub> and the same PE homopolymer. Firstly, the PE sample (dark) and the PMMA<sub>16</sub>/PE physical blend (blue) behave similarly when subjected to the same temperature profile (Figure 9). A single crystallization peak is observed at close values, at 61 °C for the blend and at 64 °C for the PE homopolymer. The thermal behaviour of the copolymers synthesized with PMMA<sub>16</sub> is different. The crystallization of the sample obtained after 3 h of polymerization (orange) occurs at a significantly lower temperature than that of the blend (47 °C vs. 61 °C for the blend), showing that PMMA interferes with crystallization of the PE segments and proving that it is indeed bound to PE. By comparing the thermograms of PE and of the copolymer obtained after 4 h of reaction (green), the second crystallization is most likely caused by PE chains formed when all the PMMA<sub>16</sub> has been consumed.




Figure 9. DSC analyses (cooling) of the polymers obtained after polymerization with PMMA<sub>16</sub> as a seed (run 3–4 and run 1 in Table 2), a blend of PMMA<sub>16</sub> and PE (1:6 in weight), and homoPE obtained by radical emulsion polymerization in water.

Finally, the colloidal features of the obtained dispersions, stable in each case, were investigated by DLS and TEM analyses.





Figure 10. Evolution of the a) particle size and b) polydispersity index with polymerization time for polymer latexes obtained during seeded emulsion polymerization of ethylene with a) PMMA<sub>16</sub> and b) PMMA<sub>36</sub>, at 80 °C and 100 bar of ethylene pressure (respectively runs 3 and 4, Table 2).


The particle sizes determined by DLS (Figure 10) do not significantly increase during the polymerization for the reaction with PMMA<sub>16</sub> even after a long polymerization time (142 nm at the beginning and 155 nm after 4 h), contrary to PMMA<sub>36</sub> where the particle size slightly increases (101 nm at the beginning and

117 nm after 6 h). Surprisingly, the polydispersity index decreases with the polymerization time. The reaction starts with a quite polydisperse latex, but during the reaction the size distribution seems to become narrower around higher particle sizes.

Cryo-TEM analysis of the different latexes revealed that both the PMMA<sub>16</sub> and PMMA<sub>36</sub> particles were spherical and mostly polydisperse (Figure 11a and 11b, and Figure 12a and 12b, respectively), explaining the discrepancies between the particle diameters determined by DLS and TEM. As they are initially polydisperse, it is difficult to conclude on any secondary nucleation that could occur during ethylene polymerization, especially when PE homopolymer starts to form. However, the particle surface seems to change when PE is formed, being more heterogeneous with some facets (Figure 12c and 12d). This type of surface was already observed for PE particles by TEM in our group,<sup>50,55</sup> when PE lamellas prohibit the formation of perfect spheres. However, we do not observe any phase separation with PE excrescences as already observed when PE was polymerized from PS seeds.<sup>56</sup>



**Figure 11.** Cryo-TEM images and particle size distributions of a) the PMMA<sub>16</sub> seed particles and b) of the particles obtained after 3 h of polymerization at 80 °C under 100 bar of ethylene pressure with PMMA<sub>16</sub> seed (run 3-t<sub>4</sub>, Table 2).



**Figure 12.** Cryo-TEM images and particle size distributions of a) the PMMA<sub>36</sub> seed particles and b) the particles obtained after 4 h of polymerization at 80 °C under 100 bar of ethylene pressure with PMMA<sub>36</sub> seed (run 4-t<sub>4</sub>, Table 2).

### Solids content effect


In our previous study polymerizations were performed in DMC,<sup>48</sup> and it was shown that the amount of methacrylic oligomers added greatly affected the yield and thus the molar mass of the PE block formed. Thus, this part aims to study the behavior of our system when we increase the initial solids content ( $\tau_{s,i}$ ) of the PMMA<sub>16</sub> seeds from 5 to 10 wt.% while keeping all the other parameters constant (run 5, Table 2). Increasing  $\tau_{s,i}$  to 10 wt.% still led to the formation of a stable latex, and neither the particle size nor the polydispersity index are affected by this change. But the polymerization degree of PE and thus the molar mass are. Indeed, after 4 h of polymerization  $DP_{PE}$  decreases from 25 down to 3. In DMC, when polymerizations were carried out with a molar ratio of [PMMA<sub>11</sub>]:[AIBN]:[ethylene] = 3:1:1900 instead of 1:1:1900, a drastic drop in yield but also in  $DP_{PE}$  was observed (after 6 h,  $DP_{PE}$  of 221 down to 44 for [PMMA<sub>11</sub>]:[AIBN] ratios increasing from 1 to 3). Thus, our results seem to be consistent with the results obtained in DMC and a degradative chain transfer role of PMMA<sub>n</sub> in ethylene emulsion polymerization. Indeed, by increasing the solids content, although the overall amount of vinyl functions is higher, the concentration of double bonds per particle, where the polymerization takes place, remains the same. For the same concentration of initiator, the time needed to consume the double bonds increases. Thus, after 4 hours, homopolymerization of ethylene has consumed more ethylene monomer at 5 wt% solids and the chains will then be longer in that case. In brief, when increasing the solids content, shorter PE chains are produced before being terminated reflecting in a decrease of  $DP_{PE}$ .

### Polymerization of ethylene in the presence of a PMMA seed synthesized by aqueous radical emulsion polymerization

With the aim of comparing the behavior of the PMMA seeds obtained by CCTP to a PMMA seed obtained by free radical emulsion polymerization in water, a PMMA latex was synthesized under conventional emulsion polymerization conditions, using SDS as surfactant and KPS as thermal initiator (PMMA-FRP, Table S1). The conversion of MMA was almost complete (96%) and a stable milky-looking latex was obtained. This latex was then diluted to set the initial solids content at 5 wt.% and used as a seed in ethylene polymerization conducted at 80 °C, under 100 bar of ethylene for 4 h (run 6, Table 2). All of the parameters were kept constant between this reaction and run 1 (Table 2).

The increase of solids content with PMMA-FRP seed is significantly higher than with the PMMA<sub>16</sub> CCTP seed (9.8 wt.% with PMMA-FRP against 2.4 wt.% with PMMA<sub>16</sub>). The latex remained stable and the particle size increased from 42 nm for the seeds to 68 nm for the final particle. It is worth mentioning that, during a MMA free radical polymerization, disproportionation reactions occur leading to around half of the chains carrying an unsaturated chain ends.<sup>57</sup> Thus, this seed cannot be strictly speaking considered as a real “blank” experiment without double bonds. Furthermore, the molar mass of the chains for PMMA-FRP seed is much higher than the one for the PMMA<sub>16</sub> seed ( $M_n = 138\,000\text{ g mol}^{-1}$  and  $M_n = 1\,600\text{ g mol}^{-1}$ , respectively). So, for a fixed initial solids content, there are fewer double bonds in the PMMA-FRP seed. Accordingly, the probability/efficiency for an ethylene oligomer to terminate on a double bond is probably lower with these FRP seeds than with the PMMA<sub>16</sub> explaining the above obtained results.

This experiment was mainly realized to compare the morphology of the obtained particles to those obtained from PMMA seeds produced by CCTP. Figure 13 shows the cryoTEM images of the PMMA-FRP seed and of the particles obtained after 4 h of ethylene polymerization. The morphology of the latter looks elongated as made of two incompatible phases that would separate. This morphology is in sharp contrast with that of the particles obtained when using PMMA-CCTP seeds (Figures 11c and 12c). The chemical link between PMMA and PE blocks seems to prevent phase separation.



**Figure 13.** Cryo-TEM images of a) PMMA-FRP particles (Table S2) and b) the particles obtained after 4 h of polymerization at 80 °C under 100 bar with PMMA-FRP seed (run 6, Table 2).

## Conclusions

The seeded radical emulsion polymerization of ethylene was performed using  $\omega$ -unsaturated PMMA oligomer latexes synthesized by CCTP. In each case, stable latexes were produced. Thus, this chemistry previously performed in organic DMC solution was successfully transposed to a polymerization in aqueous dispersed media and yielding stable latexes. As in DMC, the chain end double bonds carried by PMMA<sub>n</sub> synthesized by CCTP are quickly consumed while ethylene is polymerized from the corresponding PMMA<sub>n</sub> seeds. For short reaction times, PMMA-*b*-PE block copolymers were produced directly in the particles, while for longer polymerization times PE homopolymer was additionally formed. Depending on the solids content of the seed latex, the molar mass of the PE block could be adjusted. Cryo-TEM analyses of the final latex confirmed that the chains in the particles do not phase separate. The synthesis of PMMA-*b*-PE copolymers in emulsion polymerization, a widely used industrial process, is thus now easily accessible by simply post-polymerization treatment of  $\omega$ -unsaturated PMMA oligomer latexes synthesized industrially by CCTP for many years. Such copolymers may be useful for compatibilization. The strategy should be easily transposable to other kind of  $\omega$ -unsaturated oligomers synthesized by CCTP, and thus enable the formation of new PE-based block copolymers in emulsion. To the best of our knowledge, the synthesis of such aqueous copolymer latexes is unprecedented.

## Conflicts of interest

There are no conflicts of interest to declare.

## Acknowledgements

L.S. acknowledges funding from the Ministère de l'Enseignement Supérieur, de la Recherche et de l'Innovation. We also thank the Research Technology Platforms (RTP) of the University of Warwick and EPSRC for equipment funded in part by EPSRC EP/V036211/1 and EP/V007688/1.

## Notes and references

- 1 Z. Chen and M. Brookhart, *Acc. Chem. Res.*, 2018, **51**, 1831–1839.
- 2 C. J. Kay, P. D. Goring, C. A. Burnett, B. Hornby, K. Lewtas, S. Morris, C. Morton, T. McNally, G. W. Theaker, C. Waterson, P. M. Wright and P. Scott, *J. Am. Chem. Soc.*, 2018, **140**, 13921–13934.
- 3 C. Dommangeat, F. D'Agosto and V. Monteil, *Angew. Chem. Int. Ed.*, 2014, **53**, 6683–6686.
- 4 A. Wolpers, C. Bergerbit, B. Ebeling, F. D'Agosto and V. Monteil, *Angew. Chem. Int. Ed.*, 2019, **58**, 14295–14302.
- 5 A. Wolpers, F. Baffie, V. Monteil and F. D'Agosto, *Macromol. Rapid. Commun.*, 2021, **42**, 2100270.
- 6 Y. Nakamura, B. Ebeling, A. Wolpers, V. Monteil, F. D'Agosto and S. Yamago, *Angew. Chem. Int. Ed.*, 2018, **57**, 305–309.
- 7 A. Wolpers, F. Baffie, L. Verrieux, L. Perrin, V. Monteil and F. D'Agosto, *Angew. Chem. Int. Ed.*, 2020, **59**, 19304–19310.
- 8 F. Baffie, M. Lansalot, V. Monteil and F. D'Agosto, *Polym. Chem.*, 2022, **13**, 2469–2476.

- 9 C. Bergerbit, F. Baffie, A. Wolpers, P.-Y. Dugas, O. Boyron, M. Taam, M. Lansalot, V. Monteil and F. D'Agosto, *Angew. Chem.*, 2020, **132**, 10471–10476.
- 10 J. Delorme, O. Boyron, P.-Y. Dugas, P.-E. Dufils, D. J. Wilson, V. Monteil, F. D'Agosto and M. Lansalot, *Polym. Chem.*, 2020, **11**, 7410–7420.
- 11 A. A. Gridnev and S. D. Ittel, *Chem. Rev.*, 2001, **101**, 3611–3660.
- 12 S. Slavin, K. McEwan and D. M. Haddleton, in *Polymer Science: A Comprehensive Reference*, Elsevier, 2012, pp. 249–275.
- 13 D. M. Haddleton, E. Depaquis, E. J. Kelly, D. Kukulj, S. R. Morsley, S. A. F. Bon, M. D. Eason and A. G. Steward, *J. Polym. Sci. Part A: Polym. Chem.*, 2001, **39**, 2378–2384.
- 14 D. M. Haddleton, D. R. Maloney, K. G. Suddaby Adam Clarke and S. N. Richards, *Polymer*, 1997, **38**, 6207–6217.
- 15 United States, US20150238389A1, 2015.
- 16 World Intellectual Property Organization, WO2014116461A1, 2014.
- 17 World Intellectual Property Organization, WO2016133668A1, 2016.
- 18 United States, US20200031961A1, 2020.
- 19 United States, US20150203658A1, 2015.
- 20 N. R. Bagnall, M. H. Jones, G. C. Jernigan, C. Routt, L. C. Dar and B. T. Worrell, *J. Am. Chem. Soc.*, 2023, **145**, 14202–14207.
- 21 D. Kukulj, T. P. Davis, K. G. Suddaby, D. M. Haddleton and R. G. Gilbert, *J. Polym. Sci. Part A: Polym. Chem.*, 1997, **35**, 859–878.
- 22 D. Kukulj, T. P. Davis and R. G. Gilbert, *Macromolecules*, 1997, **30**, 7661–7666.
- 23 K. G. Suddaby, D. M. Haddleton, J. J. Hastings, S. N. Richards and J. P. O'Donnell, *Macromolecules*, 1996, **29**, 8083–8091.
- 24 D. M. Haddleton, D. R. Morsley, J. P. O'Donnell and S. N. Richards, *J. Polym. Sci. Part A: Polym. Chem.*, 1999, **37**, 3549–3557.
- 25 S. A. F. Bon, D. R. Morsley, J. Waterson, D. M. Haddleton, M. R. Lees and T. Horne, *Macromol. Symp.*, 2001, **165**, 29–42.
- 26 S. C. J. Pierik, B. Smeets and A. M. van Herk, *Macromolecules*, 2003, **36**, 9271–9274.
- 27 P. B. Zetterlund and D. R. D'hooge, *Macromolecules*, 2019, **52**, 7963–7976.
- 28 N. M. B. Smeets, J. P. A. Heuts, J. Meuldijk, M. F. Cunningham and A. M. van Herk, *Macromolecules*, 2009, **42**, 7332–7341.
- 29 N. M. B. Smeets, J. P. A. Heuts, J. Meuldijk, M. F. Cunningham and A. M. van Herk, *Macromolecules*, 2009, **42**, 6422–6428.
- 30 N. M. B. Smeets, J. P. A. Heuts, J. Meuldijk and Alex. M. van Herk, *J. Polym. Sci. Part A: Polym. Chem.*, 2008, **46**, 5839–5849.
- 31 A. A. Gridnev, *Polym. J.*, 1992, **24**, 613–623.
- 32 G. Patias, A. M. Wemyss, S. Efstathiou, J. S. Town, C. J. Atkins, A. Shegiwal, R. Whitfield and D. M. Haddleton, *Polym. Chem.*, 2019, **10**, 6447–6455.
- 33 D. J. Krasznai, T. F. L. McKenna, M. F. Cunningham, P. Champagne and N. M. B. Smeets, *Polym. Chem.*, 2012, **3**, 992–1001.
- 34 N. G. Engelis, A. Anastasaki, G. Nurumbetov, N. P. Truong, V. Nikolaou, A. Shegiwal, M. R. Whittaker, T. P. Davis and D. M. Haddleton, *Nature Chem.*, 2017, **9**, 171–178.
- 35 L. Nurmi, J. Lindqvist, R. Randev, J. Syrett and D. M. Haddleton, *ChemComm*, 2009, **0**, 2727–2729.
- 36 C. J. Atkins, G. Patias, J. S. Town, A. M. Wemyss, A. M. Eissa, A. Shegiwal and D. M. Haddleton, *Polym. Chem.*, 2019, **10**, 646–655.
- 37 P. Cacioli, D. G. Hawthorne, R. L. Laslett, E. Rizzardo and D. H. Solomon, *J. Macromol. Sci. – Pure Appl. Chem.*, 1986, **23**, 839–852.
- 38 L. M. Muratore, K. Steinhoff and T. P. Davis, *J. Mater. Chem.*, 1999, **9**, 1687–1691.
- 39 B. Yamada, P. B. Zetterlund and E. Sato, *Prog. Polym. Sci.*, 2006, **31**, 835–877.
- 40 B. Yamada and S. Kobatake, *Prog. Polym. Sci.*, 1994, **19**, 1089–1131.
- 41 B. Yamada, F. Oku and T. Harada, *J. Polym. Sci. Part A: Polym. Chem.*, 2003, **41**, 645–654.
- 42 G. Nurumbetov, N. Engelis, J. Godfrey, R. Hand, A. Anastasaki, A. Simula, V. Nikolaou and D. M. Haddleton, *Polym. Chem.*, 2017, **8**, 1084–1094.
- 43 L. Hutson, J. Krstina, C. L. Moad, G. Moad, G. R. Morrow, A. Postma, E. Rizzardo and S. H. Thang, *Macromolecules*, 2004, **37**, 4441–4452.
- 44 J. Krstina, G. Moad, E. Rizzardo, C. L. Winzor, C. T. Berge and M. Fryd, *Macromolecules*, 1995, **28**, 5381–5385.
- 45 A. Shegiwal, A. M. Wemyss, E. Liarou, J. Town, G. Patias, C. J. Atkins, A. Marathianos, D. W. Lester, S. Efstathiou and D. M. Haddleton, *Eur. Polym. J.*, 2020, **125**, 109491.
- 46 I. Schreur-Piet and J. P. A. Heuts, *Polym. Chem.*, 2017, **8**, 6654–6664.
- 47 L. Chen, L. Yan, Q. Li, C. Wang and S. Chen, *Langmuir*, 2010, **26**, 1724–1733.
- 48 F. Baffie, G. Patias, A. Shegiwal, F. Brunel, V. Monteil, L. Verrieux, L. Perrin, D. M. Haddleton and F. D'Agosto, *Angew. Chem. Int. Ed.*, 2021, **60**, 25356–25364.
- 49 A. Shegiwal, A. M. Wemyss, M. A. J. Schellekens, J. de Bont, J. Town, E. Liarou, G. Patias, C. J. Atkins and D. M. Haddleton, *J. Polym. Sci. Part A: Polym. Chem.*, 2019, **57**, E1–E9.
- 50 G. Billuart, E. Bourgeat-Lami, M. Lansalot and V. Monteil, *Macromolecules*, 2014, **47**, 6591–6600.
- 51 E. J. Bradbury, D. McNulty, R. I. Savage and E. E. McSweeney, *Ind. Eng. Chem.*, 1952, **44**, 211–212.
- 52 I. A. Maxwell, B. R. Morrison, D. H. Napper and R. G. Gilbert, *Macromolecules*, 1991, **24**, 1629–1640.
- 53 T. Williams and I. M. Ward, *J. Polym. Sci., Part B: Polym. Lett.*, 1968, **6**, 621–624.
- 54 T. G. Fox and P. J. Flory, *J. Polym. Sci.*, 1954, **14**, 315–319.
- 55 E. Grau, P.-Y. Dugas, J.-P. Broyer, C. Boisson, R. Spitz and V. Monteil, *Angew. Chem. Int. Ed.*, 2010, **49**, 6810–6812.
- 56 G. Billuart, PhD thesis, Université de Lyon, 2015.
- 57 G. Ayrey and C. G. Moore, *J. Polym. Sci.*, 1959, **36**, 41–53.